nodern JAN HOTOGRA

DETROIT PUBLIC LIBRARY

JAN 29 1962

FINE ARTS

IPHV

SPECIAL IN LISSUE!

MOVIE

8 & 16MM MOVIE PROJECTORS: THE INSIDE STORY OF HOW & WHY THEY WORKDHOW KODA CHROME II WILL EXTEND AVAIL ABLE LIGHT 8MM WORKD3 WAYS TO GET MORE FROM YOUR ZOOM LENS. DIS 8MM SOUND READY FOR YOU? BIG EXTRA: ARE ALL THE ELECTRONIC FLASH GUIDE NUMBERS REAL NONSENSE?






PHOTO BY IRVING PENN ON ANSCO SUPER HYPAN® FILM

high speed: (in black and white film) 1. the ability to record a good image under poor lighting conditions and a sharp image under normal lighting conditions, 2. the opening of a new world of available light so that everything the eye can see—the camera can capture, 3. the allowing of a faster shutter speed so that high speed action can be recorded without blur, 4. the permitting of a smaller lens opening, greater leeway for focusing, a better opportunity to achieve clear, sharp pictures...(as in Ansco Super Hypan).



ANSCOMARK M® precision 35mm camera with "matchneedle" exposure selection, full lens interchangeability, speeds from 1 to 1/500 sec.



ANSCOSET® 35mm camera with coupled exposure meter. "Single ring" sets proper shutter speed and lens opening; automatic flash computer; shutter speeds from 1/8 to 1/1000 sec.



ANSCOMATIC® DEVELOPING TANK. Exclusive self-loading reel takes all popular film sizes, color or black and white, in economical 16 oz. size. Has combination stirring rod, thermometer and solution gauge.

"Polaroid" and "Polatine"

PolaLine Projection Film. Now you can make high contrast slides with sharp clean lines like this with a standard Polaroid Land Camera. What's more, this new film requires only 10 seconds development time. Still available for continuous tone slides are Types 46 and 46-L transparency films.

er poor


ening of apture, ecorded using, a lypan).

Exclusive film sizes, conomical n stirring on gauge.

NSCO

MORE POWER ...PER OUNCE PER INCH BRAUN HOBB

ELECTRONIC FLASH UNITS famous monitor circuit keeps batteries charged longer



POCKET-PAK F-30 with Kodachrome II Guide:51. Wide-angle head so tiny you hardly know it's on the camera. Hip-pocket size pack with power of bulkier, costlier units. Exclusive monitor keeps output at maximum; drains batteries only as capacitor recharges itself. With four Eveready E93 "C" cells. \$64.30



POCKET-PAK F-60 ... with rechargeable nickel cadmium batteries that are interchangeable (you can carry a spare). Same light output as the F-30, and it weighs even less. \$79.50



SPECIAL EF-2 NC. Kodachrome II Guide:72. Special design for advanced amateur and many professional applications. Rechargeable nickel cadmium battery is permanently installed. Tiny reflector throws 60° beam. Accepts extension heads. Built-in charger. \$109.50



AUTOMATIC EF-3... Kodachrome II Guide:96. Exclusive push-button control of all functions: instant switchover from A.C. to storage battery, from full to half-power light and to built-in charger. Extension heads available. \$109.50

At your Leica dealer...or write for information.

E. LEITZ INC. 468 Park Ave. S., N.Y. 16, N.Y.

modern PHOTO

EVERETT GELLERT, Publisher

AUGUSTUS WOLFMAN, Ed.-in-Chief

PICTURE TAKING IDEAS

CUT LOOSE WITH YOUR TWIN-LENS REFLEX: With a few inexpensive CAMERA ANGLE IS THE KEY TO TWIN-LENS PORTRAITS: How George Moffett makes the most of his camera—and his subjectsby Patricia Caulfield 66 STARTLING 21/4 COMPOSITIONS: Peter Keetman achieves the unusual through disciplined 21/4 techniquesby Patricia Caulfield 70

TECHNICAL ARTICLES

SHOOT 35MM WITH YOUR 21/4 CAMERA: A rundown of the desirability, availability and performance of 35mm adaptersby William Johnson 18 TOO HOT TO HANDLE: Modern answers probing technical questions from its readers THE ROCKY ROAD TO THE TRUTH ABOUT FLASH: Here's all you should know about guide numbers, recycling time, flash duration and coverage, filters, etc., etc., for any electronic flash unitby Charles Hellman MODERN'S GUIDE TO 21/4 X 21/4 PROJECTORS: A listing of 15 21/4 projectors on the market and how they compare in price, features, performance by Norman Rothschild and William Johnson 60 MODERN TESTS: An exclusive monthly appraisal of equipment 86 HOW FAR HAVE WE GONE? MODERN tests some outstanding cameras of

MAVIEC

MOVIES	
MOVIE VIEWER: An object lesson in colorby William Johnson	24
MOVIE MAKER: 8mm sound, Part Iby Myron A. Matzkin	30
USE A MATTE BOX FOR SPECIAL EFFECTSby L. Holzer	36
3 WAYS TO EFFECTIVE ZOOMS: The techniques of straight cutting,	
straight zooming, and panning plus zoomby Myron A. Matzkin INSIDE MOVIE PROJECTORS: A guided tour of the optical and mechanical	76
systems of today's 8 and 16mm projectorsby Bennett Sherman	78
TAKE A DIM VIEW WITH COLOR: Two new fast 8mm color films and how	
to use them in available lightby Myron A. Matzkin	84

the past. This month: the 1931 Pilot twin-lens reflex

DEPARTMENTS

COFFEE BREAK	8
LETTERS TO THE EDITOR	12
NEW PRODUCTS.	16
PICTURES IN A MOMENT: Electric eye choice by John Wolbarst	20
TECHNIQUES TOMORROW: The future 21/4 SLRby Bennett Sherman	22
MODERN COLOR: 21/4 slide mounting by Norman Rothschild	28
ULTRAMINIATURE: Close-up techniques by Joseph D. Cooper	34
35MM: SLR convenience features	38
BEHIND THE SCENES: Consumer's Union by Herbert Keppler	45
LARGE CAMERA: Two problem picturesby Andreas Feininger	48
NEW PHOTO BOOKS	108

JACQUELYN BALISH, Editor

HERBERT KEPPLER, Exec. Editor

PATRICIA CAULFIELD, Picture Ed. MYRON A. MATZKIN, Assoc. Editor PRISCILLA HERBERT, Edtl. Asst. FAY TRAVERS, Production Dir.

IRVING RICHTER, Bus. Mgr.

WILLIAM JOHNSON, Manag. Ed. DAVID L. MILLER, Assoc. Ed. BENNETT SHERMAN, Tech. Cons A. J. PALAGONIA, Assoc. Art Dir.

W. D. BORNSTEIN, Adv. Dir.

ERNEST G. SCARFONE, Art. Dir.

JOHN WOLBARST, Consult, Ed. EDWARD MEYERS, Tech. Ed. ARLENE CASS, Edtl. Asst. PAUL M. FUCHS, Adv. Prod'n.

MILTON GORBULEW, Circ. Mgr.

Copyright © 1961, Photography Publishing Corp., 33 West © 8t., New York 23, N. Y. Phone: PLazs 7-3700. Mid-West representative: The Bill Pattis Company, 4761 W. Toulw Ave., Lincolnwood, Ill. Phone: 677-8677. West Coast office: Bert Dellins, 19016 Victory Bilvd., No. Hollywood, Calif. Phone: Thiangle 7-7917. Yearly subscription, 34.00 in the U. S. A. and possessions, 34.50 in Canada, 86,00 in Pan-American Union and Philippines. Elsewhere, 8760. Single copies, U. S. A. and Canada, 40c, elsewhere, 75c. Editorial contributions must be accompanied by return postage and will be handled with reasonable care; however, the publisher assumes no responsibility for return of unsolicited photographs or manuscripts.

SUBSCRIBERS: Send subscription inquiries and address changes to Circulation Manager, MODERN PHOTOGRAPHY, 33 West 60th St., New York 23, N. Y. Give old and new address, including none number, if any Enclose address label from last issue and allow five weeks for change to become effective. POSTMASTER: Send Form 3579 to MODERN PHOTOGRAPHY, 33 West 60th St., New York 23, N. Y.

DOUBLE-TAKE LEICINA

THE CLASSIC 35MM STILL CAMERA

PICK UP AN M-3 OR AN M-2 AT YOUR LEICA DEALER. You'll do a double-take as you react to the famous Leica "feel." It's a legend among 3 generations of photographers...the magic of Leica design that makes it a "perfect fit" for combined action of hand, brain and eye. And ... as you try it, you'll see why its rangefinder is accepted as the fastest and most precise, even in lowest light levels where others fail. Yet, in just 10 seconds (with Visoflex II) the same Leica camera becomes the most accurate eye-level reflex made. A test focus in every lens range will show you why Leica is the world's most versatile 35mm camera for every kind of picture...from extreme close-up through telephoto.

FULLY ELECTROMATIC 8MM MOVIE CAMERA

PICK UP A NEW LEICINA. You'll discover that the Leica "feel" now has a double meaning as it takes its place in 8mm movie-making. Exclusive 3-POINT RIGIDITY makes Leicina the first to overcome hand held camera movement. (Without this steadiness, the finest features of any camera can't produce needle-sharp movies.) The gadget-free exterior fits snugly in your palm; eyepiece below permits forehead brace above. Pushbutton away from the camera body in folddown handle eliminates jarring when you press. It's always ready for action at the touch of a button. From the whispering whirr of its electric motor drive to the discretely built-in automatic exposure control, Leicina is a new kind of movie camera that's built today, for tomorrow.



Dir.

E. LEITZ, INC., 468 PARK AVENUE SOUTH, NEW YORK 16, N. Y.
Distributors of the world-famous products of
Ernst Leitz G m b H. Wetzlar Germany Ernst Leitz Canada Li
CAMERAS : LENSES : PROJECTORS : MICROSCOPES : BINOCULARS

LEIGINA




Three products so carefully designed, so precision-engineered that they are

GUARANTEED FOR 5 YEARS

Here are the three most advanced photo products in the world. They are so perfectly engineered and assembled with such precision and craftsmanship that they carry the unique Bell & Howell Certificate of Excellence. The Certificate covers not only basic materials and workmanship, but all costs for time and labor required to remedy any defect incurred at any time and in any way for a full 5 years from the date of purchase. Only batteries and film, not under Bell & Howell control, are not covered by the guarantee. The feature innovations and ease of use designed into each product are startling. See and try all three at your Bell & Howell dealer.

FINER PRODUCTS THROUGH IMAGINATION




Ref

whi

Dual

remo

Watch "Bell & Howell Close-Up!" on ABC-TV Tuesday, Sept. 19, 10:00-11:00 PM, E.D.T.



Explorer Tele-Sonic Slide Projector — You get the freedom of wireless control with Bell & Howell's ultra-sonic remote control unit. From as far away from the projector as 40 feet, you


just press a button to change slides automatically—even focus!

It's the first wireless slide projector, and most important of all, the Tele-Sonic is the finest you can buy.



Reflex Zoomatic with OPTRONIC EYE—the only 8mm camera with a reflex sensing system that makes f/stop changes even while you zoom. No other 8mm camera combines so many features into one unit: reflex eye, reflex viewing, ground glass

focusing, 2-speed power zooming (even when you are not transporting film), 4:1 zoom ratio, spool or magazine models, stop and slow motion, and other feature innovations . . . unconditionally guaranteed for 5 years.



Dual/Lectric Tele-Sonic 8mm Projector — the only wireless remote control 8mm. projector you can buy. Automatic threading, forward and reverse control, automatic room light switch,

still picture—all from as far as 40 feet away. Plus, all these features come to you with famous Bell & Howell design, beauty and quality . . . guaranteed for 5 full years.

OCTOBER, 1961


are
nannce.
all
any
batthe
rod-

ell

en focus!

ortant of

APHY



Coffee Break with the editors

THIS MONTH'S COVER . . .

The two silhouetted cameras, movie and 2¼, stand back-to-back like duelists. That's the way art director Ernest Scarfone planned 'em and Conrad Studios photographed 'em. We think the two sections make a nicely contrasted issue, but cameras will be cameras, so let them shoot it out.

IT CAN HAPPEN . . .

... to the best of us! This exchange of letters between MODERN's executive editor and Mr. G. H. Murray of Sheldon, Iowa, needs no further comment:

Dear Mr. Murray:

We have consulted with our film technician, John Wolbarst, and both of us are completely unable to understand why you should not be getting excellent results with DK-50 and D-76.

May we suggest that you carefully test your thermometer, which could possibly be at fault. We do not know of any other developer we could recommend that we would consider to give measurably superior results to those obtained by DK-50 and D-76. Frankly, it seems rather odd to us.

Sincerely yours, Herbert Keppler

Dear Mr. Keppler:

At about the same time we started using Panatomic-X, we bought for black-and-white processing a thermometer claimed to be accurate to within ½° and negligently failed at the time to check it against our regular highly accurate color process thermometer. Following your suggestion, we checked it and found it off 7½°, which fact undoubtedly led us into serious over-development. . . .

We are a little red-faced at overlooking something so basic as thermometer accuracy. Thanks again for the tip.

Sincerely, G. H. Murray

OUR OWN U.N.7 . . .

We've become fairly accustomed to hearing French, English and one or two other mildly exotic accents among fellow staff members here at Modern. But we think it's worthy of special note that we now have a representative of one of the world's newest countries working for us. Ralph Modupe Ayodele Sawyerr, to give him his full name, comes from Sierra Leone, an exBritish colony on the West African coast that became an independent nation on April 27 this year. Ralph, who works part-time for Modern, is

in New York to study industrial administration. He has traveled pretty widely in Europe, and he plans to return to Sierra Leone when his studies



EDWARD MEYERS

From Africa to Modern's roof.

are completed. In the picture *above* he's wearing a ceremonial costume that was designed to celebrate Sierra Leone's independence.

OBVIOUSLY! . . .

Movie editor Mike Matzkin reports that a friend of his went into a camera store to buy some color movie film.

"I'd like some 8mm Kodachrome."
"Single or double-8?" asked the dealer.

"Double-8."

"In that case," said the dealer, "you need Kodachrome II."

COMING ATTRACTIONS . . .

The trailer that announces next week's movie is the Cinderella of the cinema, one that usually doesn't deserve a Prince Charming. Back in the 30's the "Coming attractions" rarely ran to more than a series of stills showing the stars in close-up with some mildly informative lettering. Then more and more trailers began to move: we were shown actual scenes from the coming movie, usually the cream of its passion, violence or spectacle.

Often these moving trailers were jazzed up with optical effects, including all kinds of wipes (one scene "pushes" another off the screen, sometimes straight across from side to side, sometimes swinging across like a windshield wiper, sometimes expanding from the middle in a circular shape, sometimes appearing to flip over from the back of the preceding scene, etc.). Despite these tricks, all the trailers we could remember seeing have looked depressingly alike—until recently, when our neighborhood theater

(Continued on page 10)



The man with a Nikon F is master of all he surveys


There isn't a picture problem he can't tackle; there isn't an assignment he can't handle. He need only reach out to draw upon an almost inexhaustible store of accessories. There are more than twenty interchangeable Nikkor lenses for the Nikon F, including a special micro lens, three automatic zooms and two catadioptric systems. There are two electric motor drives; a radio control; intervalometer; repeating flash; exposure meter; waist level finder, interchangeable focusing screens, microscope adapters, filters, hoods and macro-copy equipment.

The man with a Nikon F is master of all he surveys. He commands a system of photography whose scope and versatility are virtually unlimited. See it at your franchise Nikon dealer. For complete details write Dept.MP10.




Water skiing on Lake George, New York.

Have A Nice Summer?



Take Lots of Movies?



What You Need Is A KALART

Model EV-8 · only \$29.95

Your vacation movies are priceless. But think of how much more fun they can be when you don't have to change reels every few minutes... or make explanations for out-of-order scenes... or apologize for poorly exposed footage. The Kalart Editor-Viewer 8 has everything you need for improving 8mm movies. Its built-in viewer shows pictures with unsurpassed brightness, sharpness and steadiness. Single handle control provides for smooth action and rapid rewind. Efficient cooling prevents film from overheating. 400-foot reel capacity. Splicer is designed with exclusive "Dual-Purpose" feature to permit use of film cement or splicing tapes. Ask your photo dealer for a demonstration. It's your first step toward more movie enjoyment.

EDITING HANDBOOK

only 10¢ with this coupon. Packed with tips on editing for better movies. A 50¢ value. Mail coupon to Kalart, Plainville, Conn., Dept. 45

Name		
Address		
City		
Zone	State	

COFFEE BREAK

(Continued from page 8)

screened the trailer of Mad Dog Coll (shorter versions also appeared on TV). This was made up almost entirely of stills; but they were nothing like the formal, posed stills of the early trailers. Here, frames had been taken from the movie itself, and most of them showed a blur of action (see the examples below). These unusual stills were edited together in a quick-cut rhythm that matched the sound track, a blaring jazz accompaniment. Altogether it was an exciting piece of screen work.

As a technical note, since there were no paper prints of the scenes in the



Coming: whiz (above) bang (below)!



trailer (they had been printed optically straight from the movie), we had to take a somewhat devious route in order to show you the cuts. Columbia Pictures sent us a 16mm positive print of the trailer that had been used for TV showing; from that we snipped out the scenes we wanted and sent them to Compo Photo Service, who blew the frames up to 5×7 internegatives and then made contact prints.

EXPERT'S CHOICE . . .

When our printers warned us that the engraving of Norman Rothschild's portrait at the head of his "Modern Color" column was wearing out, we asked Norman to supply us with a recent picture of himself for a new engraving. A few days later he strolled into our office and dropped a couple of photos on the desk. In the words of "Modern Tests," they were "acceptably sharp and well-exposed," but suspiciously familiar in size and shape.

"Where did you have these taken, Norman?" we asked.

"In one of those automatic booths in the subway," he replied. And then, seeing our shocked faces, he added: "I'm a great believer in automation."

The automated picture of our automationist is on page 28.—THE END

OCT

TWO IMPORTANT NEW ADVANCES IN TWIN-LENS REFLEX PHOTOGRAPHY

Twin-lens photography 'came of age' with the introduction of the Mamiya C2. Its exclusive lens interchangeability feature established it as the world's most versatile twin-lens reflex.

Now, with the availability of the new interchangeable wide angle lens and the new Porroflex image-erecting eyelevel finder, the Mamiya C2 is even more versatile than ever before. There is hardly a picture situation which this camera can't tackle.


NEW 65mm f3.5 WIDE ANGLE LENS Like lens interchangeability itself, twin-lens, wide-angle photography is now another Mamiya C2 exclusive. With Mamiya C2 you can interchange lenses at any time—from normal 80mm lens to 105, to 135 or 180mm telephoto or to the new 65mm wide angle lens—even in the middle of a roll, and get the field coverage that's "just right" for the picture. The new Mamiya 65mm wide angle lens is mounted in an M-X synchro-flash shutter, with speeds from 1 second to 1/500th plus 'B'. Its angle of view is 68 degrees. Price is \$149.50.

NEW PORROFLEX IMAGE-ERECTING EYELEVEL FINDER
The Porroflex is an ingenious mirror system that interchanges
almost instantly with the standard waist-level hood, and permits
you to focus and view at eyelevel whenever you choose. The
image is bright, erect—right-side-up—and unreversed. Focusing is fast—positive—and the entire field is seen at a glance
—even with glasses. The new Porroflex is much more manageable and more convenient to use than a prism finder. It weighs
less, is less bulky and less costly. Price is only \$29.95.

P. S.—There is also a Porroflex finder (Model R) for Rolleiflex cameras with removable hoods—same price.

Initial supplies of these exciting new C2 accessories will be limited. Be sure to reserve yours early at your Mamiya dealer. For literature and the name of your nearest dealer, write Dept. MP-10

MAMIYA • A Division of Caprod Ltd., 111 Fifth Ave., N. Y. 3 In Canada: Precision Cameras of Canada, Ltd., 5385 Pare St., Montreal 9, P.Q.



FOR THE MAMIYA C2


n e eee-d

of ly

hs en,

d: n."

HY



3 lens-centered light cells full picture area accuracy



DYNAMATIC sets a new standard in automatic value

No other automatic can give you a more thorough light reading - all around the picture. Voigtlander's Dynamatic balances the values from its unique "three-eye" system — instantly sets both lens opening and shutter speed to give correct exposure. And Dynamatic continues to adjust for any perceptible light value changes until the instant you shoot. You concentrate on your subject - free of distractions.

And here's the best news. The fully automatic Dynamatic, with the superb Voigtlander Lanthar f/2.8 color-cor-rected lens, sells at under \$105. Try it at your favorite photo dealer.

DYNAMATIC II - quality features similar to the Dynamatic, plus coupled range finder and provisions for using any manual setting. See the entire Voigtlander family of fine 35mm cameras from less than \$42.



SINCE 1756

SOLE AMERICAN IMPORTER, H. A. BOHM & CO., 2814 WEST PETERSON AVENUE, CHICAGO, ILLINOIS

How Near Is Near?

I feel that I must add a warning to the article How Near for Action in your June 1961 issue. There is no doubt that the sense of really "being" close is admirable, but I would advise photographer Ernst Haas and others to be sure their accident insurance is fully valid before trying it. While photographing a rodeo (really close) in Montana, I encountered a bronco that apparently harbored a dislike for photographers. My wife took a snapshot of me



Put out of action by action.

a couple of days later and, although my Graphic was repaired, it will never again be the same. I now take full advantage of telephoto lens.

San Francisco, Calif. C. J. Atkinson

Extension Granted

In your August 1961 issue, page 59, figure 1, the explanation below the chart is incorrect. Philadelphia, Pa. Leo D. Jones

Reader Jones refers to the method for measuring lens extension. The author also noticed it and herewith sets the matter straight. Says Hermann Eisenbeiss: "Extension here is not equal to lens-to-film distance (which would be very difficult to measure) but is merely the length of the extension tubes or bellows used. Since the zero point of the scale is marked infinity the misinterpretation is obvious."-ED.

(Continued on page 14)

MODERN PHOTOGRAPHY



A studio in a travel case—only Hasselblad has it!

One camera—a Hasselblad 500C—is all you need ever carry. It sets up in seconds for everything from micro to telephoto work. The secret? The system—the Hasselblad system of interchangeable lenses (covering 9° to 90°), film backs and accessories. And the case carries all.

The

rewith rmann s not

which

e) but

ension

e zero

nfinity."—ED.

GRAPHY

For your work, change to any one of 6 Zeiss lenses, each with an automatic preset diaphragm in its Compur shutter, syn-

chronized for flash and strobe at all speeds (1 sec. to 1/500). Each with automatic depth-of-field indicators. Cross coupling and EVS system too. Switch viewfinders and film backs. (Change from b-and-w to color in mid roll.) And switch as you like between negative sizes and a host of other accessories. Isn't it time you started building your studio in a travel case? Write Dept. HMP-10 for the name of the nearest

dealer. Paillard Inc., 100 Sixth Avenue, New York. Hasselblad 500C with 80mm lens \$549.50. Accessories shown include: 60mm, 150mm (on camera), 250mm Zeiss lenses; Super-Wide C Camera, extra backs, bellows extension, magnifying hood, sports finders, micro-adapter, extension tubes, rapid crank, filters and new Pentaprism.

HASSELBLAD



for 'most any band you name -AM, FM, Airways and Marine!

3 BAND-AIRWAYS-AM-MARINE This Webcor transistor radio is built for on-the-beam reception by land, sea, and air. Transistorized down to less than two pounds, our sporting proposition pulls in aircraft beacons and weather reports, standard AM broadcasts, and ship-to-shore or ship-to-ship signals. Complete with soft leather carrying case and shoulder strap, directional compass, two magnetic earphones, large dynamic speaker, batteries, three antennae, including an 11-section telescoping rod, plus illuminated signal strength indicator for additional direction aid.

2 BAND—FM-AM Smallest FM-AM radio yet, but it's fully grown, as you can tell by its strong clear voice. Nine transistors, nine volt battery, and nine section telescoping antenna pull in signals throughout both bands;

large dynamic speaker reproduces sound as faithfully as a mating call. Also includes earphone for private listening and soft leather carrying case with shoulder strap. Weighs in at less than a pound!



WEBCOR, INC., Chicago: tape recorders, portable and console fonografs, radios, components

LETTERS

(Continued from page 12)

Keep Them Afloat

For a year I have been married to a photographer, despite prior warnings from my mother and then prospective mother-in-law. I am now the subject of test shots only.

Among his attempts to interest me in photography has been the appeal to domestic instincts. He brought home a copy of your July issue and gleefully read me the section of "Coffee Break" having to do with berries that sink when some wetting agent is dumped in the water. First of all, what housewife wants a bunch of sunken berries? Secondly, what housewife has a handy pint of strawberries, etc., around just to humor a photographer-type husband? But being in a humorous mood, I granted him a few radishes for the cause. Despite three capfuls of Kodak Photo-Flo, the radishes floated! I grant that a radish isn't a berry, but still. . . . Urbana, Ill. Amy H. Lindley

IN NEXT MONTH'S MODERN

The chaos in AG-1 bulbs and what to do about it.

Inasmuch as our labels for Kodak Photo-Flo solution specifically state that Kodak Photo-Flo can be harmful if swallowed and should not be taken internally, we think we should call this matter to your attention, and suggest that you might like to also pass this information along to Mr. Plaut. I might also note that the labels do state that if Kodak Photo-Flo solution is swallowed, vomiting should be induced and medical attention should be obtained at

Rochester 4, N.Y. Robert W. Brown Eastman Kodak Co.

Photographer Fred Plaut, the orignal berry sinker, used Photo-Flo only in the first water, to get the berries wet and under water where they would stay until ready for individual cleaning. He certainly does not recommend any further use of this water, and suggests rinsing the berries thoroughly several times afterward.—ED.

Autographic, Anyone?

I would like to find a plate back for a 3-A Autographic Kodak, Model C, and some holders and a ground glass. All I have now is the roll film back. The camera is in perfect condition and I have three lenses for it.

Bellaire, Ohio C. Lee Eddy



NOW...a focusing reflex zoom-8 camera with automatic diaphragm, electric motor drive, multiple speeds, fades, lap dissolves, remote control, and every necessary feature for professional-type home movies...under \$130

New Yashica U-Matic offers you through-the-lens ground-glass focusing and viewing—no parallax, no framing errors at any distance. fl.8 lens zooms from 9 to 28mm, and can be used at any intermediate focal length for wide angle, normal or telephoto scenes. Lens focuses from 3 feet to infinity.

Diaphragm-coupled electric eye automatically sets lens aperture

for correct exposure with all films (ASA10 to 40) Meter needle indicates if light is sufficient for filming. Where desired, diaphragm may be set manually. Stopped down lens does not reduce brightness of finder image.

ve

ne

ly

nk

in

fe


dy ist

he ak nt Small, electric motor runs the U-Matic on 4 standard penlite batteries. There is no spring to wind. Camera can be kept running continuously through an entire roll of film, if desired—at 12, 16 or 24 frames/sec. U-Matic may also be operated remotely, and is supplied with a 16 foot remote control cord and switch. Diaphragm closes-down fully for fade-ins and fade-outs. Film

rewind—coupled to footage counter—also permits lap dissolves. See the versatile new U-Matic at your Yashica dealer today! Less than \$130 (trigger pistol grip, extra). Also see the Yashica 8E with f2.8 zoom at under \$90.

YASHICA

U-MATIC





Precision plus speed

Contaflex Super is a precision camera that insures pictures of fine photographic quality. Speedy manipulation enables you to snap your subject at the crucial moment.

A brilliant viewfinder combines rangefinder, ground-glass and exposure meter indicator. Everything can be seen and precisely controlled while viewing the subject. No parallax-what you see in the finder will be in the picture.

Literature on request

Its lens is the famed Zeiss Tessar f/2.8, noted for needle-sharp definition and complete absence of distortion. Takes a full range of Proxar close-up lenses, tele, wide-angle and 1:1 Pro-Tessar lens-also 400mm Zeiss monocular for dramatic 8x close-ups.

Contafle



Contaflex Super is the flexible reflex that makes 35mm photography truly rewarding. See it at your Zeiss Ikon dealer's.

CARL ZEISS, INC. 485 Fifth Avenue, New York 17



NEW products

Information and specifications for the products here described are supplied by the manufacturer, and do not constitute tests by MODERN PHOTOGRAPHY.

Nu-Taron Rangefinder 35



The Nu-Taron The Nu-Taron Unique 35mm rangefinder cam-era is equipped with a 45mm f/2.8 lens which focuses down to 31/4 to and down to 3½ ft. and has stops to f/16. Speeds on the Cit-

Speeds on the Citizen shutter range from 1 to 1/300 sec. and B. The camera also has MX sync. and a self timer. Other features of the Unique are: frameline viewfinder, single-stroke film advance lever, rewind crank, and hinged back. The Nu-Taron Unique 35mm camera is priced at \$39.95; case, \$9.95. Write:

TARON CAMERA CO., INC. 889 BROADWAY, NEW YORK 3, N. Y.

Ricoh Auto-Zoom 8mm Camera



Ricoh's Auto-Zoom 8mm movie camera features a 10 to 30mm f/1.8 zoom lens which focuses down to 3 Focusing and viewing are through-the-lens

through-the-lens by means of a beamsplitter in front of the diaphragm. With the built-in electric eye exposure meter for E.I. 10 to 40, you match two needles in the viewfinder to set correct exposure. The camera operates on four penlight batteries which power the gear drive for lens zooming and film rewind. The Auto-Zoom also has an automatic resetting footage indicator; 16 fps operating speed; battery life indicator; and governor controlled shutter speeds. The Ricoh Auto-Zoom 8mm movie camera costs \$139.95. Write:
ALLIED IMPEX CORP.
300 PARK AVE. SOUTH, NEW YORK 10, N.Y.

Brumberger 8mm Turret Camera



Brumberger's Model 1617 8mm movie camera has three fixed-focus f/1.8 lenses mounted on a turret: a 25mm telephoto, 13mm normal, and 6.5mm wide-angle. A photoelectric exposure meter is built into the top

manually. Camera can be operated at 12, 16, 24, 32 fps or single-frame, and its governor-controlled spring motor (Continued on page 23)

GET MORE THAN "A DEAL" AT HABER & FINK

Buy with Confidence

Haber & Fink is one of America's largest Independent, exclusively photographic stores dedicated to serving the hobbiest, advanced amateur, and professional alike.

10

nd

N

on

m

m-

nd 16.

ige

lm

nd

atoovie es a /1.8

to 3 and

re

dia-

the

for

ure. ight rive The

re-

per-The

nera N.Y.

a

er's 8mm has locus

ount-

hoto, , and ngle.

ic exe top mera. set ed at

and notor

RAPHY

Haber & Fink, franchised Leica, Zeiss, Bolex and Eumig dealers — where you can receive expert advice and attention. Large assortment always on hand. Write us your specific needs. You will receive our typical "low, low" quotation by return mail.

Kindly Include postage with orders. Excessive amounts will be refunded.

BRAND NEW OLYMPUS ACE

35MM CAMERA

2.8 interchangeable lens coupled range finder MX shutter speeds 1-1/500 sec. Special price \$3950 auto reset counter single stroke lever advance

Accessories

Flash.	for	ab	ove										.\$	5	.95	
35mm	F2	8.5	wid	e	ì	q	n	g	le				. 3	7	.50	

BRAND NEW RICHO DIACORD G REFLEX 21/4 x 21/4 f3.5 lens, MX Synch

SPECIAL 39.50

USERS SAY "THE BEST" WARREN BINOCULARS

IMPORTED - INDIVIDUAL FOCUS

6 × 30	FREEI Deluxe Leather Case —Finest Quality SUPER WARREN List Spec 7 x 35 CF 89.50 45.00 7 x 40 CF 94.50 50.00
For Central Focusing Add \$1 plus F.E.T.	8 x 40 CF 99.50 55.00 7 x 50 CF 109.50 60.00 plus 10% F.E.T.

SPECIAL PURCHASE — BRAND NEW BAUSCH & LOMB ANIMAR MOVIE LENSES

N FOCUSING MOUNTS	
DISCONTINUED MODELS	Our
1" F1.9 16mm C Mount	Price 22.50
1" f2.7 8mm D Mount 11/2" f3.5 8mm D Mount	17.50 19.50
14mm f1.9 8mm D Mount 15mm f1.5 8mm D Mount	9.95 24.50
Free lens conversion adap Please specify	oters



TERRIFIC BUY! ACT NOW! **AIREQUIPT** MAGAZINES

> 3 for 4.29 Minimum Order 3 Carrying Case with 12 Mag. 19.95



SPECIAL

THE FIRST SUPER SLIDE SINGLE LENS REFLEX CAMERA KOMAFLEX-S

Speeds 1 sec. to 1/500
 Automatic Pre-Set
 Diaphragm

Big Picture Slides

65mm Prominar f 2.8

Uses 127 Film

Brand New!

Sold only Wy carrying case add 7.24

SPECIAL PURCHASE - BRAND NEW

Specials



REVERE STEREO CAMERA

F3.5 Lenses Coupled Range Finder MFX Synchronized Shutter Speeds 1/2 to 1/200 sec.

LIMITED QUANTITY

\$48.50 CAMERA

Viewer 9.00 Case 6.50 AC transformer for the viewer \$4.95



REVERE 48X

16mm Projector 750 Watt — Still — Variable Speeds — 2" 1.6 Projection Lens Clutch Operated — 400' Capacity AC-DC

ONLY \$78.50

Case Available 7.95 Shipped Express Collect

MIRANDA D

SINGLE LENS REFLEX

f 1.9 autom. lens. Penta Prism Viewfinder, instant return mirror, sync. shutter to 1/500, etc.

Sold only with case 10.95

MIRANDA D

Accessories

35mm F2.8 Preset Soligor\$	52.50
35mm F2.8 Automatic Soligor .	69.50
135mm F3.5 Automatic Soligor	69.50
Waist-level Finder	10.95
Extension Tube Set	9.00
Leica, Exacta or Practica	
Lens adapters	7.50 ea.



SPECIAL SLIDE TRAYS AND CASE

COMPLETE 6.94


12 UNIVERSAL TRAYS Fits TDC - B & H Viewlex -AO Executive & Keystone Projectors. Carrying Case. Add'l trays 4 for 1.79

BRAND NEW EXAKTA VXIIA

35mm reflex, with pentaprism. Range finder, speeds to 1/1000 sec. MX synchronization, inter-changeable lenses. W/1.9 Westrocolor automatic or F.2 \$19950 Zeiss Biotar automatic.

Accessories

Case for above	\$10.00
135mm preset 2.8 Tele-Coligon .	39.50
35mm preset 4.5 W/A Primagon	30.00
Extension Bellows	14.95
Microscope adapter	14.95
Slide duplicator	28.50
Waist-level finder	11.95





You design and make the compariments to soil your requirements! Whether you own a ministruction conserve with a surfery accessories, or a twin lows reflect. Additional inserts — 1.80 per soil. All September 1999 of the Additional Presided Inserts. SEND FOR FREE ILLUSTRATED BROCHURE HABER

12 WARREN ST., NEW YORK 7, N. Y.

SHOOT 35MM WITH YOUR 21/4 CAMERA

YOU MAY WONDER why, having chosen the 21/4 x 21/4 format, anyone should go to the trouble of fitting a 35mm adapter. Well, one practical reason is that it lets you shoot Kodachrome (for the same reason we include an adapter for 828 film-8 pictures 28 x 40mm-in our group at right). But even if you're interested only in black-and-white, there's another good reason: a 21/4 camera with 35mm film makes an ideal portrait-taking combination. First, your 75mm or 80mm normal lens becomes a longish focal-length lens with the 35mm format, thus enabling you to take close-ups free of apparent perspective distortion. Second, the adapter gives vertical pictures when the camera is held normally, and vertical's what you want for head-and-shoulder portraits. Thus the 21/4-with-35mm is in many ways better for portraits than the 35mm camera itself!

Of the adapters listed, two are designed for special camera makes and two are almost universal. Until recently, adapters were also made for and sold with the Super Ricohflex and Ricohmatic 225, and these combinations may still be found in some stores.—W.H.J.

NAME & CAMERA TYPE

Spiratone Minidapter

For All 21/4 x 21/4 Cameras



Rolleikin

For Rolleiflexes, Rolleicords



35mm Adapter






Burke & James Essenkay 828 Adapter

For Manual-Wind Cameras





revolutionary...80-slide



	DESCRIPTION	PRICE	NOTES
	Film guide plate; four spindle extensions; counter dial; viewing mask	\$5.95	Uses empty 35mm cartridge as takeup spool, so no rewinding is necessary. Takes about 17 exposures on a 20-exp. roll, 34 on a 36. The frame counter is advanced manually
	Film guide frame; takeup spool; inner spool knob; extension spindle; counter knob; focusing screen mask (for detachable hood models), ground-glass screen mask (for fixed hood models); sportsfinder mask	Model 1, \$37.95; 2, \$34.95 (for some 2.8 Rolleis, \$26)	Rolleikin 2 fits all late-model 2½ x 2½ Rolleis except model T (these models have adjustable pressure plate). Comes without counter knob for 2.8 C, D, E & Tele-Rollei. Rolleikin 1, with special back, fits early models. Takes standard number of exposures per roll
	Film guide plate; takeup spool; two spindle extensions	Sold only with Yashica 635camera, total price \$69.95	Camera comes with 35mm wind and rewind knobs, frame counter, and frame-line ground-glass screen. Takes standard number of exposures per roll
Maria construction and	Film mask; takeup spool; four extension spindles; viewing mask	\$4.95	For 828 film. Items in the set vary slightly for different camera models. With some models, it allows 9 exposures per roll. Pictures may be spaced correctly for processor to mount if care is taken with film advance



le

tray you play like a record!

NEW KODAK CAROUSEL PROJECTOR parades 80 slides across your screen with one loading. • Round tray loads like a piggy bank. • Changes like a record. • Never, never jams. It's the revolutionary new advance in color-slide projection.

The more you know about photography . . . the more you will count on Kodak

EASTMAN KODAK COMPANY, Rochester 4, N.Y.

For details, turn page

PICTURES in a MOMENT

by JOHN WOLBARST

Now there are three electric eye Polaroid Land cameras. Which one should you buy?



I've had a considerable amount of mail from readers who now own Polaroid cameras (non-electric eye models) and want to buy an electric eye type, but don't know which model

they ought to choose. I shall try to explain the advantages and limitations of the Model 900, 850 and J66 electric eye cameras, the three types now available.

First I should like to point out the similarities of the various models. They

all take the Series 40 (large size) roll films and all produce prints of the same size—about 3½ x 4½ in. All three develop the picture in exactly the same way. In fact, the rear half of all three cameras (the part behind the bellows) is essentially the same. All three cameras can produce Polaroid prints of excellent quality. If you were to make a series of bright light snapshots of the same person using all three cameras and then mixed up all the prints, it would be extremely difficult, if not impossible, to detect any differences.

Where the cameras do differ radically is in the range of picture taking conditions in which they can be used.

The J66: The simplest to operate

The J66 (price about \$90) was designed to be the Polaroid equivalent of the old box camera. That is, there should be hardly anything to set; you

simply aim the camera and shoot.

The J66 is meant to be used for two main purposes: to shoot snapshots in bright daylight, and to make flash pictures indoors, in the home or office. It is not an all-purpose camera to be used by experts (although even an expert can have fun with it). For the above two purposes it is astonishingly good.

The J66 has a simple, single-element lens arrangement with a fixed opening. It makes adequately sharp, crisplooking Polaroid prints. However, it is my opinion that these prints would probably not enlarge as well as prints made with the Model 900 or 850, which have better lenses than the J66.

Exposure is controlled only by varying the shutter speed, which is done entirely by the action of the electric eye exposure control. Outdoors in bright light the electric eye automatically sets very high shutter speeds (frequently about 1/500 sec.), so this camera can stop fast action of children, pets, or other subjects. If the print comes out a bit too dark or a bit too light, there is a simple-to-set "darken/lighten" control which will make the necessary exposure correction for the next picture you take.

Basically, this is a fixed-focus camera. There is one setting for groups and scenics, covering all subjects from about 5 ft. on out. A second setting is provided for closer pictures of people, etc., and covers the range from about

NEW KODAK CAROUSEL PROJECTOR



3 ft. to 8 ft. sharply. There is a simple folding viewfinder of the optical type.

For indoor shooting there is a builtin flashgun which makes better bounce flash pictures more easily than any other flashgun I have ever used. This is a sensationally successful device.

Finally, the essential controls of the camera are numbered: (1) is the shutter release; (2) is the lever that sets the shutter for the next exposure; (3) is the film release switch which lets you pull the film tab to start development; (4) indicates the place where you grasp the film tab to pull it so as to start development.

If you simply count 1, 2, 3, 4, and move the numbered controls in that order, it's hard to avoid getting a satis-

factory picture.

The J66 was designed around Polaroid's 3000-speed film and you can't use any of the other black-and-white Polaroid films with it. According to Polaroid Corp., it will be able to make pictures with color film, when that is finally marketed. However, I feel that its picture taking range with color will be quite limited—as with conventional box cameras and color films.

Limitations of the J66 are: you can't make a time exposure; it will not synchronize with speedlights; it is not designed for close-ups, technical photography, or snapshots by dim available light. If any of these limitations are important to you, don't pick the

J66. However, it's the first choice for the person who wants to make bright light snapshots and indoor flash pictures with a minimum of effort.

The versatile 900 and 850

These two cameras are virtually identical mechanically. The main difference is that the Model 900 (price about \$160) has the rangefinder and viewfinder combined in a single windew which also includes an illuminated white frameline to outline the picture area. The Model 850 (price about \$140) has separate windows for the rangefinder and viewfinder. You must first use the rangefinder window to focus the camera and then shift to the viewfinder window to view the subject. I consider that the Model 900 rangeviewfinder system is markedly superior and is worth the difference in price.

Whereas the J66 was designed for a rather limited range of picture taking conditions, the 900 and 850 are designed to operate under the widest range. The electric eye control is the most versatile and sophisticated mechanism of its type on any camera in existence today, regardless of price. It controls both the size of the lens opening and the shutter speed, providing an enormous range of operation.

These cameras accept all types of Polaroid black-and-white roll films. When color is marketed they will take it too, and in my opinion they will be able to give excellent results under a wide range of conditions.

The 900 and 850 can take pictures with flashbulbs, speedlight and the Polaroid wink-light. In my opinion the built-in flashgun on the J66 gives better results than the flash equipment supplied with the 900 and 850, and any of these flash devices produces better results than the wink-light.

The lenses on the 900 and 850 have three elements and are of excellent quality. In combination with the accurate rangefinders they can make very sharp pictures, even in dim light.

Around the lens there is a bayonettype fitting, intended to hold accessories such as close-up lenses, filters, etc. These have not yet been marketed, but I am sure some very interesting accessories will be announced.

The 900 and 850 are for people who want to do more than shoot occasional snapshots. These cameras are tremendously able. For all this versatility there is a small price you must pay. That is, you have to learn what the various controls are and how to set them so the electric eye can do its work with most success. They are not complicated, once you take the trouble to learn their uses.

If you now have a non-electric eye Polaroid camera, an exposure meter, a flashgun, filters, etc., and use them all with pleasure and success, you'll enjoy the 900 and 850.—THE END

Long-play performance for uninterrupted pleasure

Load It like a record player. Put on the 80-slide tray as easily as you put a record on a turntable. Your slides feed from the tray gently—by gravity. • Never worry about jamming. • Load with any kind of 2 x 2 slide in cardboard or glass mounts up to 1/10-inch thick, mixed in any way. • Slides can't fall out accidentally. • But tray's

on top, so you can edit any slide instantly. Simply lift off the locking ring, pluck a slide out, drop another in!



Play it any way you please. Use preset timer when you want an automatic, hands-off show with slide changes at 5-, 10-, or 20-second intervals. • Use 12-foot remote cord—for room-spanning control—with remote forward, reverse, and fine-tune remote focusing in a single handy unit. • Use push buttons on the rear control console of the projector. • Choose hi-lo brilliance by touching either the 300- or 500-watt selector button on the control con-

sole. • When the show is over, tuck away the power cord and remote-control unit in their own convenient compartment. • Lift the folding handle and easily carry the projector anywhere.

Store your alldes like books. Each 80-slide tray comes in its own indexed case — fits upright like a book on your library shelves. You'll like this convenient, orderly storage system, with a big 80-slide show in every box.



Don't wait. Take some of your best slides to your Kodak dealer and give them a ride on the revolutionary Kodak Carousel Projector. You'll be amazed at its convenience... delighted with the precision die-cast metal construction... pleasantly surprised at the price. • Less than \$140 with 5-inch f/3.5 lens and one 80-slide tray. • Extra 80-slide trays, less than \$3 each. See your dealer for exact retail prices.

Prices subject to change without notice.

The more you know about photography . . . the more you will count on Kodak

EASTMAN KODAK COMPANY, Rochester 4, N. Y.

TECHNIQUES TOMORROW

by BENNETT SHERMAN

The single-lens reflex of the future, Part II: The 2¼ x 2¼ design will approach that of the 35mm.



The 2¼ square reflex, whether twin-lens or single-lens, has sometimes been called "the in-between size" camera. Perhaps this was true some time ago when very sharp, high magnification


enlargements, such as are now common for good 35mm work, were seldom achieved. The large press and view cameras dominated the commercial and the professional fields. Today, the 2½ square camera has come into its own, particularly among the so-called "slick-magazine" photographers, and its use is widespread among amateurs. The demands for more versatile and precisely made cameras in this size resulted in the manufacture of such cameras as the Bronica and the Hasselblad. What's the next stage of development for the 2½ format camera?

Modern's "Behind the Scenes" column in the August issue examined the situation of 70mm film and cassette equipment. Assuming that this type of film becomes more popular, and more advanced cameras will be designed for it, what will they be like?

If we just double the dimensions of the popular 35mm double frame we arrive at 48 x 72mm, or nearly 2 x 3 in. This is close to the familiar 2½ x 3½ format of the famous folding and small press cameras, and a reflex along these lines is going to be relatively large and heavy, hardly a big cousin to the present high efficiency 35mm reflexes. Of course, the Optika reflex works in this size, yet, without disparaging this fine camera, it doesn't look like a good starting point for further advancement into a new field. The square format of the Rollei and the two SLR's seems more fruitful.

The new camera design would have the center section, with reflex mirror and ground glass, something like that of a Hasselblad or Bronica, only slimmer. On top may be a new lightweight pentaprism of plastic, or new, radically improved metal mirrors. On each side of the center section would be a film chamber to fit the 70mm cassettes. A large, easy-to-operate rapid advance lever would be found in the usual place above the take-up spool, together with a frame counter. On top of the other chamber might be the rewind and the shutter-speed dial (if this is to be a focal-plane shutter camera). The shutter release and the focusing lever or knob would be found in places best suited for rapid and convenient use when the camera is at eye level.

Does all this sound familiar? Yes, of course: it's like a big version of one of the fine 35mm single-lens reflexes



we have today. There are very strong indications that the coming larger reflexes are going to be much like them. (There was a camera that fitted much of this description—the Reflex Korelle—but it never got to the eye-level stage or acquired some of today's very desirable features.)

A balance of conflicting needs

If our new, advanced camera is going to be built, it will require some very skilled engineering, particularly in compacting some of the mechanical and optical mechanisms. The need for sturdy mechanisms, particularly at high shutter speeds, and precision will tax the engineer and the manufacturer heavily. Weight, too, will have to be minimized.

What kind of lenses will we find on the future 70mm reflex? If we use the criterion that the normal focal length is equal to the diagonal of the picture format, then for the 21/4 square picture, the focal length comes out to 81mm. Recently, some of the manufacturers of the 21/4 SLR chose 80mm as the normal focal length. I imagine that, because the design and manufacture of a high-quality lens at a speed of f/2.8 gets to be a severe problem at focal lengths much shorter than this, 80mm will probably be the normal focal length. The severe problem of increasing the lens speed beyond f/2.8, together with the improving of film speeds without excess graininess, pretty well settles the issue of lens speed at f/2.8. Shorter focal lengths are already being built, as well as longer lenses up to and beyond 250mm or 10 in. Remember, these lenses will have to cover a film area very much greater than the 35mm double frame of today. These wide-angle and long-focus lenses may be limited to f/4.5.

In any case, we can expect that the future 2¼-in. or 70mm single-lens reflex will have some of the lightweight, compact and efficient characteristics of the up-to-date 35mm SLR's of to-day. The key features are going to be compactness and convenience of operation.—THE END

DO IT, DO IT, DO

EMERGENCY CHANGING BAG. If your film jams when you're miles from anywhere and have no changing bag, get in the shadiest spot you can find and take your coat or jacket off! Fasten all the buttons and insert your arms backwards through the sleeves from the outside. Then hold camera in both hands and roll the tail of the coat around your hands, leaving just enough space to work in. The layers of your coat will provide adequate darkness.

NEW PRODUCTS

(Continued from page 16)

runs 6 ft. per winding. Frames in the viewfinder show field of view for each of the three lenses. Other features: footage counter, three built-in filters, optional pistol grip. The Brumberger Model 1617 8mm turret movie camera costs \$59.95; pistol grip, \$5.95. Write: BRUMBERGER SALES CORP.
34 34 ST., BROOKLYN 32, N.Y.

Rapidweld Process for 8mm Film

Rapidweld film restoring, formerly available only for professionals using 16 and 35mm movie film, is now available through photo dealers for 8mm film users. The chemical treatment is designed to remove scratches, dirt, abrasions, brittleness and other imperfections. Rapidweld processing costs 3¢ per foot of 8mm movie film. Write: RAPID FILM TECHNIQUE, INC. 37-02 27 ST., LONG ISLAND CITY 1, N.Y.

16mm Kalart Projector



The Kalart/Victor Model 70-0
16mm movie projector has a rheostat control which
makes possible
operating speeds
from 10 to 27 fps.
It is equipped
with a 2-in. f/1.6
flat-field lens and
a 750-watt projec-

a reel capacity of 2,000 feet. Other features include: forward, reverse and still projection; 5-foot remote control cord

(Continued on page 52)

everything ... Kodak Zoom 8 Reflex Camera

1. PUSH-BUTTON ZOOMING 2. REFLEX VIEWING 3. AUTOMATIC EXPOSURE CONTROL

Everything that makes movies exciting to take and see—scene-stealing zoom sequences, rapid cuts from wide-angle to telephoto to normal views, a scene-mastering reflex find-er—they are all at your finger tips in the Kodak Zoom 8 Reflex Camera.

Zoom's push-button easy. Press the power zoom button down and the lens zooms in from a grandstand view to a side-line close-up. You see the action come closer and closer in the reflex finder, the way your audience will see it on the screen.

Slide the button up, the lens zooms back to a wide-angle view. You can preset the lens for close-ups or scenes, or use the universal setting for most shooting.

You can zoom manually, too, by turning the dial you see in the small illustration. It also lets you set the focal length of the lens at any point from wide-angle to telephoto.

As you "reflex-view" through the lens, you see a quick succession of



views as you rack the lens back and forth. When you see the framing you like, just press the button!

No parallax at any distance. If you

see it in the finder, you'll get it on film! You can shoot titles, make fascinating ultra-close-up movies, using inexpensive Kodak Portra Lenses.

Automatic exposure control—of course! The electric eye continually adjusts the lens to the light, signals when light is too dim for good results. When you want to shoot special effects, you can lock the meter at any indicated exposure setting and expose selectively for highlight or shadow.

See for yourself how the Kodak Zoom 8 Reflex Camera puts everything new in 8mm movies right in the palm of your hand.

Costs less than \$200. Or as little as \$20 down at most dealers'. See your dealer for exact retail price.

Price subject to change without notice.

The more you know about photography the more you will count on Kodak

MOVIE VIEWER

A new movie provides not only rich entertainment but an object lesson in the use of color.



This special movie issue coincides happily with the release of a rather special movie: Loss of Innocence, directed by Lewis Gilbert and photographed in color by Frederick A. Young. This movie is not

only a sheer pleasure to watch, but it can prove an inspiration to anyone who makes movies himself. Unlike most color films, which daunt the amateur with their lavish effects, Loss of Innocence relies on simplicity and imagination to achieve its spellbinding color photography and lucid camera work.

The movie is based on a novel called The Greengage Summer, which has a good and convincing theme (the development of a 16-year-old girl into womanhood) set in a romanticized and sometimes preposterous plot (four children are vacationing in France when their mother falls ill, and they are left on their own at a country hotel, where a charming, mysterious Englishman begins to transfer his interest from the hotel proprietress to the 16year-old). The screenplay wisely emphasizes the main theme as far as possible, and irons out all of the book's rather affected flashbacks. The resulting blend of realism with a vacationer's dream simply begs for color.


This is already a rarity. Many movies these days are shot in color not because the action or images need it but because color is a box-office attraction. Even when this inessential color is good to look at, it may actually be less effective than black-and-white. (I will discuss this question in detail in a

future series of columns on the use of different films.) In Loss of Innocence, not only is the color beautiful, but it plays an integral part in the action.

For his film stock Young chose Kodak 5250, the most commonly used of the 35mm films that go under the general name of Eastmancolor. It's a negative film that's balanced for 3200K tungsten lighting with an E.I. of 50 and is used in daylight with an 85 filter and an E.I. of 32. As I write this Young is in the Jordanian desert fighting sand and over-100° heat to shoot Lawrence of Arabia, but Technicolor in London, who processed Loss of Innocence, tell me that he used no special techniques except an Aero 1 filter for shooting the few night scenes in day-



Directing Loss of Innocence on location at Reims, France (cathedral is in background), Lewis Gilbert, in dark clothes, stands in front of camera. Note man with sound boom, right.





1. The two sisters, 16-year-old Joss (Susannah York) and 13-year-old Hester (Jane Asher) on the hotel balcony. Note summery background, use of diffuse reflected light in foreground.

light. Whereas American cinematographers set up their lighting by a predetermined key-to-fill ratio, Young followed the standard British practice of taking a highlight reading and balancing the fill lighting by eye through the viewfinder.

The movie exteriors were shot on location in France (see picture opposite), mostly in the lush countryside around Reims, and the keytone to these exteriors is a range of luminous greens. Still no. 1, though in black-and-white, suggests how the countryside was used as a recurring background even to scenes taking place at the hotel. The garden of the hotel, with its dense



2. The mysterious Englishman (Kenneth More) takes the children around Reims cathedral. The artificial lighting was controlled to blend with light from candles and stained-glass windows.

foliage of trees and shrubs rippling in the breeze to create a dappled, shimmering background, was used in many scenes to heighten the lyrical, dreamlike atmosphere. There were also some shots of a flock of doves in the garden, a flutter of blazing white that skillfully reflected the girl's turbulent feelings.

The studio-made interiors are keyed to warm, muted tones: the browns of wooden panels and furnishings, the deep reds of wine bottles, and so on. This contrast with the bright greens of the exteriors preserves the movie from monotony while sustaining the general warmth of the colors.

The skillful use of color in Loss of



3. Hester looks on disapprovingly while Joss drinks wine provided by the hotel kitchen boy (David Saire). Low-key lighting here stresses the rich browns of furniture, the red of the wine.

Innocence goes beyond these general keytones and is bound up with the actual camera work. Lewis Gilbert's technique is of classical purity. When he moves the camera—which is not too often—he does so gently and unobtrusively: he pans to follow action or discover a character previously out of frame, and he dollies mainly for emphasis, closing in.

His use even of the close-up is sparing; but when he does use it, the impact is certain and is conceived in terms of color. For example, there is a sequence filmed in Reims cathedral where the mysterious Englishman is

(Continued on page 44)

open 1 box of Kodak Polycontrast Paper

Here are 12 negatives—some flat, some contrasty, some average. To get fine prints from all 12, you'd need many boxes of regular paper . . . but only one box of Kodak Polycontrast Paper.

You could print negatives 1, 2, 3, and 4, which are of average contrast, on Kodak Polycontrast Paper just as it comes from the box. No filter needed.

For those contrasty, soot-and-white-wash 5th, 7th and 11th negatives, slip a No. 1 Kodak Polycontrast Filter in your enlarger. The print you make will be rich, full-scale, as if you had used a "soft" No. 1 paper.

Negatives 6 and 10 are soft and flat. The No. 4 Kodak Polycontrast Filter will let you print rich blacks and sparkling whites even though the negative promises very little.

Number 8 negative is almost normal, but just a little contrasty. Using regular grade 2 paper could leave you with blocked up whites. Grade 1 might be a trifle too soft.

Negative 12, on the other hand, needs a subtle contrast boost. More than grade 2 paper can offer, less than grade 3.

Answers to both problems: half-grade Polycontrast Filters—No. 1½ for negative 8, No. 2½ for negative 12.

In all, every sheet of Kodak Polycontrast Paper gives you seven contrasts—including half-grades 1½, 2½, 3½, not available in regular papers.

Selective contrast control. Polycontrast Paper's selective contrast control is very handy for the likes of negative 9, in which the foreground is very contrasty, the background very flat.

Just expose the contrasty area through a No. 1 filter while dodging the other area. Then expose the flat area through a No. 4 filter for a print as normal as blueberry pie.

Kodak Polycontrast Paper has the warm-black tone and ample speed of Kodak Medalist Paper. Kodak Polycontrast Rapid has cooler blacks and



high speed similar to Kodabromide Paper. Kodak PolyLure Paper has the perfect-for-portraits warm-brown tone of Kodak Ektalure Paper.

For your next printing session, buy a 100-sheet box of a Kodak Polycontrast Paper instead of four 25-sheet packages of regular paper. Save up to \$1.40 in 8 x 10 size! Or make that a 500-sheet box and save up to \$14!

The cost of your Kodak Polycontrast Filters is a one-time investment in darkroom convenience and print quality.

The more you know about photography... the more you will count on Kodak

"Send By Mail . . . SAVE By Mail"







Simply shoot

then post



KODACHROME **PROCESSING**

8mm Roll, 25-ft. Double, Movie 35mm, 20 Exp. Rolls (Mounted)

EKTACHROME PROCESSING

35mm, 20-Exp. Roll (Mounted)

120mm, 12-Exp. Roll (Mounted)

620mm, 12-Exp. Roll (Mounted)

127mm, 12-Exp. Roll (Mounted)

ANSCOCHROME PROCESSING

8mm Roll, 25-ft., Movie 35mm, 20-Exp. Roll (Mounted)

LOWEST PRICES - HIGHEST QUALITY **Color Photo Finishing**

PRE-PAID

Processing MAILERS

MOVIE DEOCESSING KODACHDOME

MOVIE PROCESSING	KODACHKOME
8mm Roll, 25-ft. Double	98c
8mm Magazine, 25 ft	
16mm Roll, 100-ft	\$2.25
16mm Magazine, 50-ft	98c

5% OFF ON QUANTITY ORDERS

On any order of 10 or more <u>Processing Mailers</u> listed—you deduct the Special 5% OFF DIS-COUNT.

35mm Processing KODACHROME **Developed And Mounted**

36-Exposure Roll-POST L-O-W Price.....



Original Factory Packaged Film . . . FRESH DATED

35mm KODACHROME

with processing included

All Film Mounted

Daylight or Type F (Specify)

3 POLIS TO POLIS

	9 1	COLLS	10 1	COLLS
KODACHROME (Same price applies for Ek- tachrome and Anscochrome.)	\$7.50	36 EXP. 11.95	20 EXP. 23.00	36 EXP. 35.00
STEREO KODACHROME	\$9.00	28 pair 15.00	15 pair 27.00	28 pair 45.00

Please Include 5c Postage Per Roll

Send check, money order or cash with film. Please do not send your remit-tance separately. Minimum order \$1.00

Please include post-age; excess is re-funded.

We sell only Fresh KODAK FILM, packaged by East-man Kodak. Note: We do not sell re-perforated, outdated, short length or si standard film.



Original Factory Packaged Film . . . FRESH DATED

KODACHROME MOVIE FILM

with processing included

We sell only Fresh KODAK FILM, packaged by East-man Kodak. We do not sell re-perforated, outdated, short length or substandard film.

	3 ROLLS	10 ROLLS
8mm Roll, 25-ft., Dbl.	\$ 8.95	\$28.95
16mm Roll, 100-ft.	25.00	81.00
8mm Roll, 100-ft. (For Bolex)	28.50	89.00
8mm Magazine, 25-ft, Dbl.	12.00	37.50
Iómm Magazine, 50-ft.	18.00	58.00

Please Include 10c Postage Per Roll



SAVE MONEY "Direct-by-Mail Way"

PRE-PAID MAILERS

Here's What You Get: JUMBO SIZE **COLOR PRINTS and FILM DEVELOPING**

Developing and Printing

KODACOLOR

27, 620, 12-Exp. Rolls \$2.48 | 20-Exp. Rolls, 35mm with Mallet-Size Prints

CLIP THIS COUPON POST COLOR SERVICE P.O. Box 3212 Dept. M-110 Chicago 54, III. NAME ADDRESS ENCLOSED \$ Please send me



it controls brightness automatically





NEW ELECTRIC EYE SLIDE PROJECTOR

Picture it! The new Electric Eye projector that automatically balances brightness, slide after slide. It adjusts brightness from dark forest to sunny beach scene, and it does wonders for overexposed or underexposed shots. As each picture hits the screen, the Electric Eye in the lens barrel takes a light reading . . . electronically regulates light passing through the slide by opening or closing the lens diaphragm.

More Sawyer's features: full remote control—forward and reverse slide-changing plus focus. Exclusive "Easy® Edit" tray. Handles 36 2x2 slides, any mounts. Has 5" f/3.5 lens, 500-watt illumination. Handy slide-on carrying case. List price, less than \$150. See the full range of Sawyer's projectors starting at minimum budget prices.

Watch the Electric Eye 4-slide demonstration at your Sawyer's dealer.

Portland, Oregon

SAWYER'S



Makers of View-Master Products



AT DISCOUNT PRICES!

	ROME I&I (spool)		
8mm 100 16mm 50	ft. Bolex rol ft. Magazine I ft. roll and Black & Wh	(with mag.)	3.50
KODACH	ROME I & I	E . EKTA	CHROME
ANY: 20	exp. slide mtd	1	. 100
15 pair st	ereo mtd		1.75
127 slide	mtd		1.00
	OLOR SNA		
7-8 exp. 11-12 ex	127 — 120 dev. & print. p. dev. & pri	- 620	239
KODAC	OLOR 35 m	ım -19-2	0 exp.
Dev. & 3:	(2¼x3¼) p ((3½x5) prin (2 Slide mtd.	ts	4.75

Enclose Cash, Check or M.O. in Film Container
... Do Not Send Separately! (No stamps or

ACADEMY AWARD WINNING "MAGNASTRIPE" 8mm SOUND STRIPING Lowest Prices

PER FOOT (200 Ft. or more per reel Full Details upon request

Send for

FREE **FILM MAILERS**

JUST MENTION SIZE OF FILM USED! WE WILL ALSO SEND YOU

OUR BIG, NEW FREE CATALOG

- FILM and PROCESSING SPLICERS • TITLERS SCREENS • VIEWERS
- ACCESSORIES
- MANY OTHER ITEMS



CINE PRODUCTS, Inc. 4247 S. Kedzie DEPT. MP Chicago 32, III.

noderncolor

Protecting your slides, Part II: on, I've worked out the following pro-Methods of mounting your slides with glass.



At the risk of offending a few 35mm enthusiasts, I'm going to stress the 21/4 mounting problem, which is larger and more acute than the 35. However, the methods of slide

mounting described here can apply also to 35mm.

It's only in comparatively recent times that a number of processors have begun to return processed 21/4 slides in cardboard mounts. However, although these are fine for intermittent use, they do have drawbacks. Their total unsupported transparency area is far larger than that of 35mm slides. Therefore, all the aches and pains of the 35mm cardboard mount are multiplied in the 21/4. In the heat of a projector, the large film area eventually buckles. The narrow cardboard margin bends out of shape, jamming the slides in the changers. Remounting your best slides (if you want to preserve them) seems to be the only logical permanent solution. Here are a few possibilities.

For do-it-yourself mounting

1. Kimac Acetate Protectors. Although I discussed this in Part I. I mention it. here again as a possible method for the 21/4 x 21/4 camera fans. (See August 1961, page 40.)

2. Glass, Masks and Tape. This old tried and true method remains the cheapest and most versatile way of getting the job done. A great number of odd shaped masks are available, allowing you to crop your slides for more interesting compositions. (See August, page 40.)

3. Binders that slide together. These are easy to use. You simply slide the upper half of the binder into a groove in the lower half (with your slide sandwiched in between). However, these binders have a tendency to slide apart if the carrier springs are tight. This can be prevented by applying a small piece of cellulose tape across the open end of the binder frame.

4. Binders that snap together. These consist of an upper and lower metal frame. Since I've found it a bit tricky to get curly film and glasses to stay put while the upper frame is snapped

cedure. First, place transparency and glasses into the recess in the lower mount half. Hold this in place with a finger of the left hand. Slip the index finger of the right hand into the opening in the upper mount half. Next lower this half into place, at the same time placing your right index finger on the glasses so they'll stay put. Now use your left hand to line up both halves. The entire assembly can now be picked up and snapped together. 5. Metal Frame, Masks, and Glass. Called the Emde Binder, this type is offered only by Emde Products Inc., 2040 Stoner Ave., Los Angeles 25, Calif. You simply slip the cardboard mount between two sheets of extra thin glass, and slide into a metal frame. Then slide the whole assembly into place in a channel in the binder frame and close the mount by bending over the metal flap.

Slide mounts are made in both metal and plastic. Metal is stronger and more durable and won't shatter if dropped, nor will it warp under the heat of a projector lamp. On the other hand, plastic is much lighter and won't bend out of shape.

6. Fiber and Glass. Called Type-On, the binder consists of a fiber frame, glasses and a gummed paper mask, on which you can type or write identifying information. Should you accidentally drop a slide, the fiber will absorb the shock and minimize the risk of breakage. To use Type-On, you wet one half of the mask and glue the frame into place. Insert one glass while the mask is still damp, put the transparency in place and insert the second piece of glass. There is a paper flap which you must moisten and fold over to seal the mount. Essco Type-On binders are sold with the frame and paper unassembled, so that you can type data on the mount before putting it together. Every box of 100 or more Type-On binders comes with a jig which aids in aligning the fiber frame and paper. After hard continued use, the fiber mounts tend to fray and the glue dry out. To prevent the mounts from coming apart, try dipping the fiber area (not the glass) into Miracote.

Because a binder thickens the slide sandwich, some brands may jam your slide projector. Therefore, test your projector with a sample slide binder on one or two slides before investing in a large supply of the binders.

For a full list of the names and addresses of slide mount manufacturers. send 10¢ to Slide Mounts, MODERN PHOTOGRAPHY, 33 W. 60 St., New York 23. N.Y .- THE END

N

ch

pı

m

Yo

th

Ba

VO

br

sei


de

B

Oct



and 2x2, too!



BALOMATIC 755 WAS MADE FOR YOU!

Never before has there been a special fully-automatic slide projector for your 2½ transparencies! You used to face two choices: sacrifice color by cutting square transparencies down to 2x2 size or sacrifice automatic control by using manual projectors. All that's over now with Bausch & Lomb's Balomatic 755: You can project big 2½ slides completely automatically... and also, with adapters, show 2x2 slides in the same tray intermixed with your 2½ square transparencies! You can move your slides forward or backward by remote control, at the touch of a button all in a split second... or set the automatic timer to any interval from 4 to over 30 seconds. You can edit your slides by popping them right out of

Balomatic 755 into your fingers! Preview slides on a special illuminated viewer panel ... then fill up 40-slide trays while they're in the projector! And you're showing your slides with the world-famous Bausch & Lomb optical system backed with brilliant 500-watt illumination! If you're serious about 2½ photography, then seriously consider Balomatic 755. You can get one of these fine projectors at your dealer's for less than \$180.00 including case and tray.



BAUSCH & LOMB INCORPORATED, ROCHESTER 2, NEW YORK

You can fit more than 25 cameras with any 1 Kilfitt Basic Kilar

Minimum Cost, Maximum Versatility

Any Kilfitt Basic Kilar will fit the following cameras with a simple change of adapter or flange:



For more information, see your dealer or send 10c for booklet to address below.



ELING PHOTO CORPORATION 257 PARK AVE. SOUTH, NEW YORK 10, N. Y.

the MOVIE MAKER

by MYRON A. MATZKIN

Sound, Part I: What can it add to your movies and just how good will it be?



Like many amateurs you may already have a latent interest in 8 m m sound movies—but with somefairly powerful reservations. So, in an attempt to clear up some of those reserva-

tions, we're going to devote a series of columns to the question of sound.

Probably one of your biggest questions concerns equipment. Two systems for 8mm sound have come forward in recent years—synchronized tape and magnetic stripe on film. (Some amateurs use records and turntables, but good sync is very difficult.)

The ultimate position for the sound obviously is on the film. It simplifies synchronization, cuts down on the amount of equipment, and prevents unfortunate accidents like the wrong sound with the right film.

For magnetic sound on film an iron oxide stripe—a 30-mil wide version of the ¼-in. tape you use in your home tape recorder—is laminated or glued to the sprocket side of the film. The sound is recorded and played back just the way it is in your home tape machine. The 8mm sound projector serves as both recorder and playback instrument. The film passes through a regular series of sprocket drives, the film gate and a magnetic sound head.

Several projectors have been either placed on the market or shown at photographic trade shows and are to be distributed shortly. For details on existing machines see Modern, October 1960. In addition to the projectors, Fairchild Instrument and Camera Co. has marketed an 8mm single-system magnetic sound camera.

Two types of 8mm magnetic soundon-film projection equipment are available. One type is designed to be added to specific silent machines. The other is an integral projector/sound unit.

The add-on units have the advantage of splitting up your investment to meet the limits of your budget. You can buy the silent machine and then add the sound section—usually an amplifier sound head and speaker—when you feel you need and can afford it. The aggregate price for the exist-

ing add-on units tends to be somewhat higher than for complete units by the time you've finished. Add-on units are marketed by Nizo, Bolex, and Agfa.

The complete units tend to be somewhat easier to handle—since everything is in one package. Obviously, you'll also have to open your billfold a little wider than for a silent machine. But despite having everything in one piece, 8mm sound machines weigh considerably more than silent units—the lightest is around 17 lb. and the heaviest around 30 lb. Integral sound projectors are made by Fairchild, Eastman Kodak, Fujica and Tandberg.

But just how good is 8mm magnetic sound in general? We think it's often a lot better than most 16mm optical sound tracks—and often superior even to some 35mm theatrical releases.

You probably already know that sound consists of vibrations that vary in frequency with the level of the sound. Low or bass sounds vibrate less frequently than high or treble sounds. The number of vibrations or cycles per second indicates the sound range.

Most good high fidelity equipment has a rating of at least 40 to 15,000 cps, almost beyond the range that the

MOVIE TIP OF THE MONTH: Want insurance against lost film at the processor? Write your name and address on a large white card and film it with the last 6 in. of footage. Use a close-up lens if your camera won't focus close enough to fill the frame.

human ear can hear. The best 8mm magnetic sound equipment can handle a frequency range of about 70 to 7,500 cps. Sound above or below that range is liable to be lost or distorted. However, the range does encompass moderate bass and treble tones.

But obviously, 8mm magnetic sound on film doesn't fall into the high fidelity class. One reason is the narrowness of the stripe on which sound is recorded. The wider the stripe the better the recording. For instance, some 16mm machines using a 100-mil stripe have virtual high fidelity performance. Another reason is the speed at which the stripe passes over the sound head. The faster it moves, the better the sound. While many machines will transport tape at 3 2/3 in. and 7 in. per sec., pro-

(Continued on page 34)

Why do world leaders in optics... Angenieux, Carl Zeiss Jena, Isco, Meyer, Steinheil and Schneider produce 51 lenses exclusively for EXAKTA?



EXAKTA

IS THE WORLD'S

LEADING 35mm

SINGLE LENS

REFLEX CAMERA

T's no secret good photography depends on a few choice lenses to get the best picture every time. One lens cannot do all the jobs. Lenses vary in characteristics; they see things differently. To get the best picture every time, you should use the right lens-standard, wide angle, portrait, or telephoto. This is why Exakta, originator of the 35mm single lens reflex system, featuring interchangeable lenses, offers the greatest array of lenses for 35mm photography...51 of them to satisfy over 340,000 Exakta camera owners! With the Automatic Exakta VX-IIa camera and one of Exakta's 51 lenses, you are assured of perfect results every time...and each time you place a new lens or new viewfinder on the Exakta, you create a new camera!

What's more, Exakta gives you the unique opportunity to use lenses computed by the top scientists of all times. Brilliantly designed lenses of all types are made exclusively for the Exakta

by Carl Zeiss Jena, Angenieux, Steinheil, Schneider, Isco and Meyer. These names aren't newcomers to the optical field. These are the oldest lens makers in the world! Their history goes back 150 years and their experience is just as old. That's why you have the most experienced camera when you use an Exakta...and the most reliable because of its experience.

Because of the tremendous number of lenses that are manufactured for the Exakta, and the savings in manufacturing, Exakta lenses are modestly priced by comparison. Besides, all Exakta lenses that we offer have genuine, original factory mounts—no adapters, no modifications.

6 viewfinders for Exakta...yes—Exakta gives you more ways to sight your pictures...more than any other camera offers. If you see it better, your pictures will naturally be better! Two waist level viewfinders for low angle shots...penta prism with split-image rangefinder for eye-level shots...magnear for critical close-ups...stereo for 3D...lightmeter penta prism for perfectly exposed pictures. Besides, these viewfinders may be converted into 15 Exakta viewing devices!

You are invited to visit your Exakta dealer, to see the latest Automatic Exakta VX-IIa camera with any of the 51 factory tested lenses...and 6 viewfinders. Try it! Learn for yourself why Exakta has stayed in first place as the unchallenged leader in 35mm single lens reflex cameras for nearly 30 years!

Important: Every "Brand New" Exakta camera comes with an original Exakta Guarantee Certificate, Import Certificate and Registration Card. American Tourists going abroad and Military Personnel are invited to ask for our Information Pamphlet.



e id d,

at

ss ls.

idle

500

nge

ow-

ass

und

elity

s of

ded.

re-

ma-

An-

The und.

port pro-

APHY

Exclusive Factory Appointed Representative in the U.S.A. for Sales and Service of Exakta and Exa Cameras

EXAKTA CAMERA COMPANY 705 Bronx River Road, Bronxville, N. Y.

IN CANADA: EXAKTA CAMERA COMPANY, TORONTO: 579 RICHMOND STREET WEST . MONTREAL: 4781 VAN HORNE AVENUE



SAVE

POLAROII

Model 800 rangefinder NEW \$52.50

Polaroid Flash & Bounce Bracket....\$ 3.95 Orig. Polaroid Compartment Case...\$ 7.50

150 rangefinder

Print Copier, Model 230.

Orig. Polaroid Exp. Meter 23A.....

GERMAN IMPORT **Automatic**



BRAND

NEW

Revere CA-4 3-lens turret

Revere CA-8

Zoom lons

35mm Single Lens Reflex

Speed-coupled Exposure Meter

• F2.8 interchangeable lens • MXV Synchro-Compur Shutter

Speeds from 1 - 1/500Built-in Selftimer

 Rapid Advance Lever Case 9.50

 Tele or W.A. Attachment SAVE



SAVE 4 x 5 PACEMAKER

CROWN GRAPHIC

GRAFLEX RANGEFINDER

GRAFLEX RANGELITE

135mm XENAR f4.7 lens
 Syncho. Compur MX shutter
 Graflock back

BRAND NEW

• M & X synch. • Body release Interchangeable lenses • Interchangeable prism

•	MINISTER HETE
Edixaflex, F:2 lens W/L finder, speeds to 1/500	5450
Edixaflex, Westanar F:2.8 autom. diaphragm	6950
Edixa B, Westagon F:2 autom. diaphragm 1/1000	10950
Edixa B, Quinon F:1.9 autom. diaphragm 1/1000	11950
Edixa C, Quinen F:1.8 autom. dia. exp. meter	12950

1195 REVERE Special STEREO CAMERA





SAVE

Used SOUND PROJECTORS





BRAND NEW

CERTO "6"

\$16.50

SAVE

2¼ x 2¼ roll film
Autom. Film transport
MX synchronization
Coupled Rangefinder
Zeiss Tessar f2.8 lens

Mod. 80A

NEW

2850

Case 3.95 COMPARE



3650

SA

LINHOF SALE! All in Excellent Condition

2¼ x 3¼ Super Technika, Xenar 3.5 Angulon 6.8, Tele-Xenar 5.6, MX synch. all range 29750 21/4 x 31/4 Linhof Press, Zeiss 39850 Pianar F:2.8 anatomical grip 4 x 5 Linhof Press, Xenar F:4.7 coupled rangefinder... 12950 4 x 5 Linhof III, 150mm Xenar F:4.5, 17850 34800 mical grip

5 x 7 Linhof, 210mm Xenar F:4.5 revolving back 18500 Multiple viewfinder, parallax corrected .. .56.50 Rollex Rollholder for all models .. 47.50 Deluxe compartment case ... SAVE



COMPARE

SAVE CANON VI-T with f1.8 Hi-speed, 6-element lens

Coupled Rangefinder Variable focus viewfinder

Single dial shutter, 1/1000
 FP & X Flash Sync.
 Rapid advance lever

BRAND-NEW Exposure Meter and case \$10 add'l.

STEINHEIL BINOCULARS

SPECIAL WEST GERMAN IMPORT All coated optics, top quality prisms. Center focusing. Complete with case

		er.	neckstrap.		
6x30		45.00	BRAND	8x40	
7x35		60.00	DRAND		
		60.00	NEW	16x60	
8x30		50.00		add 10% Fe	ed. Tax

INCOMPARABLE

PROFESSIONAL VIEW CAMERAS

						-
	All swings & tilts					.\$145.00
ŏ	Quick release back	4x5	Pece Jr			\$235.00
ŏ	Lightweight metal	4 x 5	Pece Si	unra:		\$228.00
ō	Precision monorail	5x7	Pace U	BIVETSE	1	\$255.00
•	Rigid locking					\$485.00
	2% x 3% Slic					

Polaroid Back For All Sizes

SAVE

VISTASCOPE

WIDE SCREEN LENS BRAND

 Gives you cinemascope effect For all movie cameras

Same lens used for Projection Increases picture by 50%

8mm VISTASCOPE 16mm VISTASCOPE . . . \$36.50

SAVE

TECH COLORMAT

Slide Projector

Ready-matic changer No trays to buy
 300 WATT, blower cooled

BRAND NEW

NEW

SAVE

& H 134TA 3-Lens Turret 8mm

• 1/2" Ivotal f1.4 Ultra-speed Lens · Thru-the-lens focusing

 Optical individual Viewfinders • 16, 24, 32, 48, 64 speeds • Governor controlled motor

BRAND NEW

Single Exposure 5950



ZEISS STERITAR **Attachment** Steritar A for Contaffex | & || Steritar B for Contaffex III. IV 3950 Rapid & Super, 8' to inf. ... 3950 Steritar B Close-up 21/2' to 8' Steritar D for Contaffex Alpha, 2450 Beta, Prima and Contina . Zeiss TelesKop original Telephoto 3450 for Contaffex I or II

OLDEN CAMERA CO., 1265 BROADWAY, NEW YORK 1, N.Y.



OCTOBER, 1961

ER

Ô

rism EW

0

0

0 0

DRS

79.50 69.50 85.50 129.50 99.00 139.50 225.00

50 EW

RS

prisms.

S



THE MIGHTY MINOX sets you free! Free of cumbersome camera paraphernalia, free of bulky gadget bags. With this tiny triumph of German precision engineering, you travel light. The Minox weighs in at a scant 3½ oz. and it's scarcely larger than a cigarette lighter. Yet it's everything you need for big, bright pictures in black and white or full color. Its remarkable credentials: shutter-coupled exposure meter and filters, 50 exposure magazine load, all speeds to 1/1000 sec., focuses 8" to infinity, optical viewfinder, F/3.5 lens. Small wonder Minox owners never (but never) leave this miniature camera behind. It's all they need, in one purse-or-pocket-size package. Shouldn't you join their free, uncluttered ranks? Ask your Minox dealer for a convincing demonstration.

matchless accessories to go with it

Minox B/C Flash with built-in telescoping reflector measures 2 x 1 x ½", weighs a mere 1½ oz.—tiny all-glass "jellybean" flashbulbs—Minox pencil-size pocket tripod—Minox Reflex Viewfinder for unique viewing—Minox Right Angle Finder Mirror for candids that are outrageously candid. Take them all along. They'll fit easily in your same purse or pocket.



ultra BY JOSEPH D. COOPER



When, why and how to shoot closeups: special techniques for proper framing, maximum sharpness.



In Hollywood versions of international spy ring thrillers the ultraminiature camera plays an indispensable role, primarily as a tool for copying secret documents. Actually, this presentation of the ul-

traminiature is not at all inaccurate, but you don't have to be an FBI man to put the camera to similar use.

An almost infinite number of subjects call for the close-up treatment: flowers, coins, a detail of an ornately carved door and stamps, in addition to books or documents. It's even necessary to come within a few feet of your subject to make a portrait if you want to fill the frame with the head only, since many of the ultraminiatures have short focal-length lenses.

The GaMi, which is the only ultraminiature with a rangefinder, focuses down to 20 in. with the Prox supplementary lens. The Mamiya-16 focuses to 12 in. and the Minox to 8 in. With both the Mamiya and Minox, distance must be estimated or measured. The beaded, 24-in. distance chain which comes with the Minox is an extremely useful device. The beads are set at distances of 8, 10, 12 and 18 in. from the camera base. All you do to use it is frame your subject, measure off the proper distance on the chain, and set focus as indicated.

With the Minolta-16 and other fixedfocus cameras, your only distance control is stopping down the lens to extend the limits of depth of field. At f/16, an object about 3½ ft. from the camera will be acceptably sharp.

A set of close-up lenses is available for the Minolta 16-II. With the lens set at f/2.8 and the No. 1 lens, objects between 3.9 and 4.9 ft. will be sharp. As you stop the lens down, the depth of field increases, until at f/16 the depth of field is from 2.5 to 15 ft.

The range of sharp focus with the No. 2 lens is from 2.3 to 2.6 ft. at f/2.8; from 1.8 to 4.1 ft. at f/16.

All the above cameras have automatic parallax correction except the Mamiya-16 Automatic and the Minolta16. With automatic parallax correction, you can be certain that the view seen through the camera's viewfinder and that recorded on the film will be the same. Since parallax error becomes more of problem at close focusing distances, I suggest running a steel tape from the lens to the center of the image area if you are working with the Minolta-16 or the Mamiya-16 Automatic. If either of these cameras is mounted vertically on a tripod, the usual technique for copying documents, you can use a simple plumb line.

The depth of field of even the relatively short focal-length ultraminiature lenses is not particularly great when they are used close up. The 15mm f/3.5 Minox lens when focused at 8 in. has a depth of sharp focus extending from 7% to 8½ in.: % in. in all. Therefore, the camera must be on a solid support, preferably a tripod, to accurately maintain the correct camerato-subject distance. All parts of the subject should be on the same, or very near, planes: if not, part of your subject will be out of focus.—THE END

MOVIE MAKER

(Continued from page 30)

fessional soundmen in this country usually employ machines at 15 i.p.s.

Compare this to a magnetic sound projector operated at either 16, 18 or 24 fps—the three speeds at which magnetic sound on film is recorded and played back. At 16 fps the stripe is moving at the rate of 2% i.p.s. At 24 fps the rate is 39/16 i.p.s. These speeds cannot be changed to accommodate the needs of optimum sound quality.

However, many of these handicaps can be overcome by good amplifiers, sound heads and speakers. And in any case, you don't really need high fidelity performance for motion pictures.

performance for motion pictures. All the machines we've tested—Bolex, Tandberg, Kodak—are capable of giving good, clean sound, with an acceptable range of high, low and middle tones. The frequency range is sufficient to enhance and give greater reality to the screen image.

One way to improve the quality of sound from any of the 8mm machines is to add a larger speaker. Also, the microphones that come with them leave something to be desired. Some of the mikes aren't capable of handling the range of the projector's amplifier. An investment in a new mike often improves reproduction.—THE END

SOUNDTALK

... from the world's most experienced manufacturer of magnetic tapes



Tips on tape handling and storing

For a perfect performance every time you play a tape recording, use two kinds of care—care in selecting tape and equipment . . . and care in handling and storing tape.

You get true stereo quality sound reproduction, at an economical price—a tape that rates high in "keeping" qualities, too—in Scotch® Brand Tartan® Series Magnetic Tapes! Microscopic uniformity, both in high potency oxide coatings and backing materials, assures a crisp, clear frequency response play after play. Then, take these few simple handling and storage precautions:

STORE IN THE ORIGINAL BOX to protect against dirt and damage. Place containers "on edge," or if you lay them flat, avoid weight that might distort reels or injure tape edges. And keep tape away from magnets or strong magnetic fields that might cause accidental erasure.

AVOID LONG EXPOSURE to extreme temperatures and humidity. If humidity varies, store in sealed containers. If tape is exposed to extreme heat or cold, allow it to return to normal room temperature before playing.

CLEAN RECORDER HEADS and guides periodically following recorder manufacturer's instructions, and avoid excessive winding tension that might stretch or distort tape. To protect your recorder head, use "SCOTCH" BRAND Tartan Tapes. Exclusive lifetime Silicone lubrication reduces head wear, eliminates squeal and extends tape life.

Ask for all-purpose Tartan Tapes in any of four different series: No. 141—plastic, standard play, 600' and 1200'; No. 140—plastic, 50% extra play and No. 142—50% extra play on super-strong polyester backing . . . both in 900' and 1800' lengths; No. 144—double length, double strength on tensilized polyester backing, 1200' and 2400' with twice the recording time of standard tapes. From \$1.75 at retail dealers.

FREE IN EACH BOX: End-of-reel tape clip prevents tape spillage in handling, mailing or storage.



Мінисота Мінию ано Манитастивно сомгант



"SCOTCN", "Tartse" and the Plaid Design are registered trademarks of the 3M Company, St. Paul 6, Minneseta. Export: 90 Park Avenue, New York. Canada: London, Ontario.

n

n.

g

id

c-

he

ry

ind

or ich and

is 24

eds

ity.

aps

ers, any elity ires. ed able an and ge is eater cy of nines , the

Some dling

lifier. often

RAPHY

Make a Matte Box for Special **Effects with Your Zoom Lens**


A matte box looks for all the world like a rectangular lens shade-but it can expand the special effects potential of your movie zoom lens. Professionals use matte boxes as lens shades, but also as mask holders for many of special effects you see on TV or in movies.

Combining a matte box with your zoom lens can lead to some interesting sequences. For example, you can make a shot that starts with the audience figuratively looking at the screen image through a keyhole. Only the central portion of the image is visible. Then the shot travels through to show the entire scene.


Here's how it's done. A matte box is placed on the lens mount. A mask with a keyhole shape cut out of its center is placed in the box as shown below.

As you shoot with the zoom at wideangle the sides of the mask block out the sides of the frame so that only the action directly in front of the keyhole shape registers on film. As you zoom to tele, the lens' angle of view narrows, covering only the keyhole area and eliminating the masking effect.

Your matte box must be wide enough not to cut off the frame edges at your zoom's wide-angle position. The plan shown below is applicable to lenses having a minimum focal length no shorter than 8mm. Make it either from fairly heavy cardboard or do-it-yourself aluminum (which can be cut out and shaped with ordinary carpenter tools).



Matte box with mask on camera.





Some possible shapes for the masks.

Make the masks from the same material. The circle A in the mask illustrated merely indicates the rough limits of any patterns you cut in the center.

Once you've cut the matte box, measure the outside diameter of your lens. Then cut out a circle of the same diameter at the rear of the matte box. You can build up the rear of the matte box with additional rings laminated one on top of the other so that the box will slip on and hold securely to the lens. The matte box can also be held in place with a regular filter retaining ring.

Paint the inside and outside of box and masks matte black, using water, oil or modeling colors.—L. HOLZER





This diagram gives the specifications for a matte box (left) and mask (right) for a minimum focal length of 8mm. Cut circle A to fit your lens mount, then sand the inner rim.



Electronic Flash Unit!

Use it anywhere in the world. Power supplied by sealed-in, permanent nickel-cadmium batteries or by 110V to 220V AC, in U.S.A. or abroad. One overnight battery charge will store up enough power for more than 70 flashes...a full day's shooting.

... Guarantees High **Uniform Light Output** Flash after Flash!



stores power after each flash in just 10 seconds to same full level as before. You are ready to shoot again as soon as the faintly audible hum stops and the signal light glows. Power input is 40 watt-seconds for a guide number of 32 with Kodachrome ASA 10 film.

... Fits All Cameras!

You can mount it vertically or horizontally with the universal shoe



... Easiest To Operate!



Built-in exposure guide dial makes figuring unnecessary, shows correct lens setting instantly. Fast 1/1300 sec. flash 'freezes' any action, even with slow shutters. Monojet SP delivers perfect light for all daylight color films, requires no filter.

... Save Money Each Shot!



No more flashbulbs or bathash shots cost less than a penny for an entire roll of film! Complete with AC charger cord, dual mounting shoe bracket and PC shutter cord. Less than \$75.00.*

ALLIED IMPEX CORPORATION PARK AVE. SO., NEW YORK 10, N. Y CAGO 10, DALLAS 7, LOS ANGELES SO



Did you ever believe electronic flash design could get so really tiny? But don't trust your eyes - out out the life-size picture at the new Lifetime Monojet "SP" you see above. Measure it compactness against your present flash unit & camera!

Miniaturization without 'power sacrifice' - only from the world's foremost electronics manufacturer! If you can't wait for your dealer's free 'demo' of the world's smallest, most powerful unit of its kind, read feature run-down. Wow!





ACME PHOTO LAB Announces Lower Prices

To SAVE You MONEY

COLOR ENLARGEMENTS from KODACHROME, EKTACHROME & ANSCOCHROME

5"	I	7"	 	 	 .\$.90 ea.
					.\$.75 ea.
8"	x	10"	 		 .\$2.00 ea.
					.\$1.85 ea.

KODACHROME, EKTA-CHROME & ANSCOCHROME PROCESSING

These prices include a
Fresh Roll of Film.

120, 127 or 620 Processed & Mtd.,
plus Fresh Roll of Film. \$2.20
35mm (20 Exp.) Processed & Mtd.,
plus Fresh Roll of Film. \$2.60
35mm (36 Exp.) Processed & Mtd.,
plus Fresh Roll of Film. \$3.60

KODACHROME MOVIE FILM ...8 MM and 16 MM

8mm-25 ft. roll-plus a Fresh Roll
of Film\$3.25
8mm-25 ft. Magplus a Fresh
Roll of Film \$4.00
16mm-50 ft. roll-plus a Fresh
Roll of Film

KODACOLOR FILM

These prices include a Fresh Roll of Film, of the same size, and will be returned with your order.

$8 \exp/\text{printed } 3\frac{1}{2} \times 5$	
plus film	\$3.00
12 exp/printed 3½ x 3½ plus film	
16 exp/printed 3½ x 3½ plus film	\$4.50
20 exp/printed 2½ x 3½ plus film	2
20 exp/printed 3½ x 5 plus film	

Fast Service!

WRITE TODAY for our complete price list and Free mailing package. Free First Class Return Service.

ACME COLOR PHOTO LAB

BOX 6025-X MINNEAPOLIS, MINN.

35M

BY JOHN WOLBARST

How to choose a 35mm camera, Part IX: Sorting out some of the SLR convenience features.

In Part VIII of this series I suggested that focal-plane-shutter 35mm single-lens reflexes could be classified into four rough general groupings (basic, upgraded, advanced, deluxe) according to the presence (or lack) of mechanical features contributing to convenience in the use of the camera for general photography. These features are mainly concerned with: the closing and opening of the lens diaphragm; the movement of the viewing mirror; the design of the viewing and focusing arrangements. Of these, I think the diaphragm movements most clearly indicate into which of my four groupings a camera fits. So, let's first consider some diaphragm designs.

In the following discussion, I'm referring to an SLR with its "normal" lens as supplied by the manufacturer. Where I intend to include accessory lenses I'll make that quite clear.

The theoretical picture taking cycle of a single-lens reflex is: (1) Open the lens to widest aperture for viewing and focusing. (2) Close the diaphragm to the desired f-number. (3) Shoot. As the shutter release is pressed the viewing mirror flies out of the way to permit the exposure. (4) Advance the film and wind the shutter for the next exposure. (5) Get the mirror back into viewing position. (6) Open the lens to widest aperture to view and focus for the next shot.

In the basic 35mm SLR these are all separate manual operations except 4 and 5—the mirror is ordinarily coupled to the film advance/shutter wind mechanism and it returns to viewing position as the shutter is cocked.

No matter how you slice it, this is a remarkably cumbersome routine to have to go through in order to shoot a picture. And for some types of everyday pictures such a routine may be an almost impassable obstacle.

The upgraded SLR

Providing that the camera's shutter release is properly situated, it is possible to fit a basic SLR with a lens incorporating in its mount a spring-loaded diaphragm so designed that it

(Continued on page 40)



with the All-Electric RICOHMITE 88E

It's the smallest of all 8mm automatic cameras . . . and you never have to wind it! Two tiny flashlight batteries supply the power for more than 15 rolls of film. Perfect exposure is automatic, thanks to the electric eye. Fast f1.8 lens is tops for color. Optical tri-field viewfinder is built into the camera, ready for instant shooting. Ricohmite 88E is smaller than your hand, goes anywhere in your pocket or purse, weighs less than 17 oz. Loads in a jiffy with standard roll film. Under \$65.00*

ELECTRIC-EYE
RICOH Auto 35

Just sight and squeeze . . . and you have another perfect color shot! Pull the trigger . . and you're ready for the next! Less than \$50.00*



E

50

ar

at

de

ad

tu

dit

wil

COS


Dur

Oct

TOUR DEALER WILL GIVE YOU EXACT RETAIL PRICES IN YOUR AREA.

ALLIED IMPEX CORPORATION 300 PARK AVE. SO., NEW YORK 10, N.Y. CHICAGO 10, DALLAS 7, LOS ANGELES 36

ANY WAY YOU LOOK AT IT ARGUS PUTS THE MOST FEATURES FOR THE MONEY IN YOUR HANDS



Automatic threading through sprockets and gate, film forms its own loops...all at the touch of a switch. Handles film more gently than you could yourself.

Zoom lens! Fills 40° screen with picture, at any distance from 11½ to 19 ft.

Sylvania Tru-Flector lamp concentrates more light on screen than ever before possible! No dust-catching condensers or reflectors!

NEW ARGUS 8mm PROJECTOR
THREADS ITSELF...ZOOMS TO FILL SCREEN
WITHOUT MOVING THE PROJECTOR!

Every show is a hit when you project your 8mm movies on the new Argus Showmaster 500AZ! That's because it gives you so many advanced features! For instance, automatic threading. Just place the film in the slot and the projector threads itself—automatically in 3 seconds! The radically new zoom lens gives you a bigger picture at a shorter range than you get with any comparable 8mm projector! Ask your Argus dealer for a private showing of the Argus Showmaster 500AZ—the incredibly advanced home movie projector that can be yours for less than \$100. Same fine features available in 750 and 1000 watt-bright Argus movie projectors.



argus

GENERAL TELEPHONE & ELECTRONICS



Compact, rugged, portable — only 11" x 6½" x 8". Easy to store, set up and carry.

Quality so fine . . . it's unconditionally guaranteed! Argus will repair the product without cost upon its prepaid return to the factory or its authorized repair service by the original owner within one year of the purchase date.

Argus Cameras, Inc., Ann Arbor, Michigan, U.S.A., Subsidiary of Sylvania Electric Products Inc.

35MM

(Continued from page 38)

automatically snaps closed to the desired f-number when the shutter release is pressed.

In this design, you actually press a release button on the lens mount, which in turn presses the release on the camera. After the exposure the lens is reopened wide manually. This cocks the spring mechanism inside the mount.

By my definition this is now an upgraded SLR. Its identifying characteristic is: The lens has an externally actuated, self-closing, manual-opening diaphragm, with all the mechanism outside the camera body. The mirror may return to viewing position automatically, after the exposure, or when the film is advanced.

This is the simplest camera type to offer the most important and essential of the convenience features—the self-closing diaphragm. It is a surprisingly usable design. There are many self-closing diaphragm accessory lenses, in a wide range of focal lengths, which can be fitted to such a camera.

For macrophotography (ultra-closeups) this apparently crude system offers distinct advantages over some of the more sophisticated self-closing diaphragm designs, at least at present. By means of suitable push rods or a double cable release you can still retain the self-closing diaphragm feature even when using extension tubes or a bellows. This is not possible, at present, with some of the most elaborate and expensive cameras.

A minor variation of the system used in the upgraded SLR is that the diaphragm is spring-loaded to open instead of to close. As you press the release button your finger pressure closes the diaphragm first, and then depresses the camera's shutter release. When you remove your finger the spring reopens the lens wide. I think that addition of this type of lens does not essentially change the camera's nature, so I consider such a one still to be in the upgraded group.

The advanced SLR

In the upgraded SLR the mechanism to close and open the diaphragm, however effective, is obviously an after-thought. In contrast, the advanced SLR, by my definition, is the simplest camera design that has the mechanism for both movements built into the camera body and lens mount as an integral part of the design. It has the following identifying characteristics: The diaphragm is internally actuated, is self-closing, and opens automatically or when the film is advanced.

In the advanced SLR the picture taking cycle is as follows: (1) Operate the film advance/shutter wind lever, which opens the diaphragm wide for viewing and focusing. On some cameras this also drops the mirror to viewing position. (2) Shoot. The mirror flies up, the diaphragm closes (Continued on page 42)





COACHES YOU FOR SUCCESS THROUGH WORLD-FAMOUS EXPERTS!

Here is a partial list of some of the most distinguished photographers and writers in the country who helped in the preparation of this course:

AL AUMULLER, World Events Press Cameraman and Director of Photography, N. Y. World Telegram & Sun. KARL A. BARLEBEN, Rr., FRPS, associated with world-famous Carl Zeiss, Inc., photo equipment manufacturers, ED CLARITY, N. Y. Daily News Staff Photographer, member of Pulitzer Prize-winning team of News-Feature cameramer.

tog opport

cho

col

The

ing

per

RE

01 8

requ

stre

SAM FALK, N. Y. Times Staff Photographer, pioneer in Available Light pictures and a Miniature Camera Specialist.

specialist. MERBERT C. McKAY, FRPS, Well-known photographer, writer, teacher and camera magazine columnist. WILLARD D. MORGAN, Publisher of the widely read Photo-Lab Index and other best-selling photographic books.

books.
KIP ROSS, advertising photographer, and world globe-trotter doing assignments for National Geographic Magazine.
RALPH SAMUELS, in the foreground of photographic education, writer and Dean of N. Y. Institute of


RALPH SAMUELS, in the foreground of photographic education, writer and Dean of N. Y. Institute of Photography. JOSEPH A. SCHNEIDER, Author, "Child Photography Made Easy" outstanding photographer of children in

Lasy outstanding photographer of children in advertising. LLOYD E. VARDEN, FPSA, Columbia University instructor, writer, technician, well-known authority on color photography.

ONLY NYI GIVES ALL 6 IMPORTANT EXTRAS!

- "Free-Lance Photographer's Handbook," with 1100 active picture markets, syndicates and agencies for selling your pictures.
- "Authorized NYI News Card," admitting you to many events as a working cameraman.
- Actual negatives and prints for study, for comparison, for your own personal files.
- Exclusive NYI texts—illustrated, well-bound for permanent reference, which you keep.
- Individualized coaching by seasoned NYI experts on a personal basis, throughout the entire course.
 Detailed, point-by-point analysis of your picture output—both during the course and after your graduation.

SEND FOR FREE



"Click!" Every time that camera of yours clicks it can mean big money for you! You can walk into a successful career as a staff photographer, a profitable photographic studio of your own, increasing opportunities as a freelance photographer, or for spare-time earnings. The choice is YOURS—once you have the professional "know-how."

There is an exciting future for you in this booming, wide-open field. NYI trains you quickly and easily, as it has hundreds of other ambitious men and women like yourself, for the past 51 years. America's oldest and largest photography school will help you on your way to success sooner than you ever dreamed possible.

NYI Home Study training is so practical and complete, you can choose your career from among dozens of exciting picture-taking specialties: Advertising—Commercial—News—Fashion—Portraiture—Weddings—Children—and many others—in black and white or color. In fact, the whole profitable photographic world is wide open to you—once you're NYI trained! And here's why:

YOU LEARN BY DOING AT HOME—IN YOUR SPARE TIME!

The way NYI teaches you takes all the "hit and miss" out of mastering successful photography. You learn by doing—through practical, picture-taking assignments. Step by step, you get intensive, personalized training from some of America's best-known photographers and teachers. You receive down-to-earth coaching by seasoned experts who go over every picture with you in detail.

Your instructors are as close as your mailbox! You can master the

entire NYI course right in the privacy of your home—in your spa time—and without losing a single moment from your present job!

EARN WHILE YOU LEARN—SAVE YEARS OF FUMBLING!

So well-organized is the NYI course that you will advance quickly even after the first few lessons. Many students earn enough while still learning to help pay the modest tuition fees—and frequently for new equipment as well!

Take the first step to your own success right now! Send for complete details in NYI's well-illustrated 51st Anniversary Photography Book! But don't delay. Mail the coupon immediately and we'll be happy to send you the book by return mail—FREE OF CHARGE!

ENROLL ANYTIME-NO ENTRANCE REQUIREMENTS No Previous Technical Training Needed

Note to those on a budget: Tuition fees are surprisingly moderate. America's Oldest and Largest Photography School Leadership Since 1910

NEW YORK INSTITUTE OF PHOTOGRAPHY

Dept. 117, 10 West 33 Street, New York 1, N.Y.

The First Photography School Accredited by the NHSC Approved by New York State Dept. of Education

All NYI Instructors Are Licensed by The New York State Dept. of Education

RESIDENT TRAINING COURSES

Visit, write or phone our Resident School if you prefer On-the-Spot training. Your choice of five regular courses or special short-term courses, tailored to your individual requirements. Complete facilities include 14 studios, 18 streamlined labs, glamorous models, all types of cameras and the finest up-to-date Speedlight and Color equipment. Day and night sessions. Co-ed. Easy Payment Plan. Free Placement Service.



VETERANS: Both Resident and Home Study courses approved for all Veteran training.

NEW YORK INSTITUTE OF PHOTOGRAPHY Dept. 117, 10 West 33 Street, N.Y. 1, N.Y.

Please send me complete information regarding:


☐ Home Study Course ☐ Resident Training

(please print)

Address.

Check if eligible under the GI Bill

.Zone....



Students on a photographic assignment in front of the Administration Building on the beautiful 7-acre, million-dollar Brooks campus overlooking picturesque Santa Barbara.

For nearly two decades, students have come to Brooks Institute of Photography from throughout the world to learn by doing. Here, where the mountains meet the sea, is the campus where many of today's most successful photographers began their professional careers. You, too, can *learn to earn* at Brooks Institute, personally benefiting from every teaching skill known to the photographic art. You will study in modern studios, laboratories and classrooms with an internationally recognized faculty ... you'll also "learn by doing" in the most inspiring natural surroundings ... and soon you'll join a host of successful Brooks graduates now serving in industry, television, motion pictures and operating their own studios all over the world.

CHOOSE FROM THESE 3 COURSES!

- 1. Complete 28-month course in:
 - Professional Portraiture
 - Illustrative Photography (Advertising, Fashion, General Commercial, Pictorial-Journalism)
 - Color Printing and Techniques
 - Motion Picture Production
- 2. Custom Short Courses designed to meet your special personal needs. You may enter at any time for one week or longer.
- 3. Motion Picture Course Complete training from script to screen . . . Commercial, Television, Movies and Documentary.

Coeducational • Approved by the U.S. Government for Veterans and students from abroad · Approved by the California State Board of Education · Professional Placement Service

START YOUR CAREER IN PROFESSIONAL **PHOTOGRAPHY** TODAY...

MAIL THIS COUPON NOW!

Course outlines and other descriptive material are yours free of obligation or cost. Brooks counselors regularly help resident students meet housing and part-time employment needs.

	The gateway to your Photograps	hic Career
BROOKS	1	- Sue
INSTITUTE	A SAN R	RNNKSI
DEPT. 410		
2190 Alston Road		HOTOGRAPHY
Santa Barbara, C	. 4-7-617-1	2
Please send 1	me complete descri	ptive literature.
I am intereste	ed in:	
☐ 28-month co	urse Short Course (still photography)
☐ Motion pict		, , , , , , , , , , , , , , , , , , ,
NAME		
STREET .		
CITY	ZONE	STATE
AGE PRESENT	OCCUPATION	
☐ I am a Veter	an with educational be	nefits

35MM

(Continued from page 40)

to the desired f-number, the shutter makes the exposure, the mirror returns to viewing position (unless it is of the type which returns only when the film is advanced). (3) Advance the film, thus readying the camera for the next exposure.

Compared to the basic SLR this represents a very high degree of automatic response. The net result is that such a camera can be operated very rapidly; in fact, just as rapidly as you can advance the film, focus and shoot.

Unfortunately, little progress has yet been made in providing devices to maintain the automatic features of the diaphragm when an advanced SLR is used with extension tubes or bellows for macrophotography. This may be unimportant to you, but it is something a camera buyer should know.

The deluxe SLR

In this class of cameras the automatic features of the advanced SLR are carried one step further.

The diaphragm not only closes automatically, but immediately after the exposure it re-opens wide and the mirror returns to viewing position before the film is advanced.

So, by my definition the deluxe SLR has, among others, these characteristics: Internally actuated, self-closing and self-opening diaphragm, and selfreturn mirror.

There has been considerable debate among photographers as to the exact value of these fully automatic features. On the pro side it is pointed out that the close/open cycle of the diaphragm and the up/down movement of the mirror occur so rapidly that viewing vision through the lens is virtually uninterrupted and that this is a help for following the subject.

On the con side it is pointed out that after the diaphragm and mirror have functioned as they do it is still necessary to flip the film advance lever before another picture can be made. Therefore, it is said, for all but the most specialized situations this offers no real picture taking advantage over the type I call the advanced SLR.

I refuse to get involved in that argument. However, I think that it is important to point out that these fully automatic motions call for mechanisms which are considerably more complex and costly than those in other SLRs. Unless such a camera is very well designed and built it is likely to break down after moderate use. Therefore I limit the deluxe class to those cameras of top-notch optics and mechanics.

At the present time, just as with the advanced SLR, little has been done to provide devices that maintain the automatic diaphragm movements if you use extension tubes or a bellows for macrophotography. However, they will probably appear in time.

To qualify fully for my definition

(Continued on page 52)

If your camera...

of sheet, roll, pack, plate and all Polaroid emulsions.

SUPER SPEED GRAPHIC

can't

give you critical ground glass focusing and composing—direct, accurate, and full size.

isn't

capable of lens tilts, swings, and shifts for controlling distortion—plus bellows extension for 1:1 copying.

doesn't

give you a negative large enough for retouching and cropping, with enough scale for critical reproduction.

GRAFLEX

Graflex, Inc., Rochester 3, N. Y. In Canada: Graflex of Canada Limited, 47 Simcoe St., Toronto 1, Ontario

Get the camera that does...a GRAPHIC*

ОСТОВЕК, 1961

Dependability and convenience unmatched by any other...

FUTURAMIC II

The Heiland Futuramic II is America's fastest selling and most wanted electronic flash unit, and for good reason: no other unit on the market offers its combination of features, conveniences and dependability. It weighs but 28 ounces complete with batteries; is completely self-contained; and will flash thousands of pictures for less than a cent each,


operating on photoflash batteries or on household electricity. Your Futuramic II will freeze action . . . catch fleeting expressions . . . give you spectacular action shots. It has a special color-corrected lens for warm, natural looking pictures and a large, easy-to-read exposure dial which makes camera settings a snap. Anyone can use it and it fits all popular cameras, so don't miss out on the fun of electronic flash any

longer—try the all new Futuramic II on your camera now! With 10' cord . . . no more than \$59.95. Clamp, bracket, shutter cord and batteries at modest extra cost.

a. New slide-out tray holds three C-size batteries.
b. Exposure calculator makes camera settings easy.
c. Fits all popular cameras.

For full color folder on the all new Futuramic II, write: Heiland Division Minneapolis-Honeywell, 5214 E. Evans Ave., Denver 22, Colorado.

Honeywell



MOVIE VIEWER

(Continued from page 25)

showing the children an old statue (see still no. 2). There's a close-up of the 16-year-old gazing dreamily at the statue, her face pale and clear, with out-of-focus candles behind her; this cuts to the reddish, rugged face of the man as, for the first time, he gazes intently at the girl; and this cuts in turn to the sharp features and bright golden hair of the younger sister as she gazes in puzzlement at the man's gazing. These close-ups by themselves convey a key moment in the movie.

Another, more rapidly cut pattern of close-ups occurs in the sequence where the 16-year-old, piqued by the man's attentions to the hotel proprietress, sets to drinking wine filched by the kitchen boy, who has designs on her (see still no. 3). This time her face is contrasted with that of her younger sister, who is trying to stop her, and with that of the kitchen boy—a visible battle between the bright, clear gold of conscience and the black hair and sullen darkness of temptation.

to

sti

qu

To

cha

wh

rati

the

("A

able

wis

was

on

\$17

"Ac

CU

list

These are only a few examples of the skill and perception that make the photography of Loss of Innocence not merely beautiful but strikingly apt. This is not a great movie, but it does give great pleasure. Amid the present trend of raw and restless realism, when even the B pictures must show what they can do with zooms, dollies and shock cutting, Loss of Innocence offers a most refreshing experience indeed.

Around the releases

Three other movies have the light touch. John Ford's Two Rode Together (phot., Charles Lawton, Jr.; color) is an offbeat Western with James Stewart playing a near-villainous hero. Ford manages to convey more drama with medium shots than many directors can with huge close-ups, thanks to his sense of timing. The color is pleasant, especially in the rich-toned night scenes.

Ingmar Bergman's Secrets of Woman (phot., Gunnar Fischer; b/w) dates back awhile (1952), as one might guess from its conventional three-stories-inflashback form, but the Bergman spell is ever-present. Outstanding is a hilarious sequence in a stalled elevator, where Bergman adroitly mixes camera angles, blackouts and reflections as he shows how a woman brings her pompous husband down a peg or two.

The Girl with the Suitcase (dir., Valerio Zurlini; photo., Tino Santoni; b/w) deals with a 16-year-old boy's love for a woman. Though too long it has some fine sequences: the use of relentless camera movement and crisp cutting to convey the boy's adolescent anxiety when searching for the woman; and the use of casual camera work, with off-frame action and an erratic cutting rhythm (a silent comedy style), to convey the woman's happy-go-lucky attitude when shaking off a wolf.—The END

BEHIND THE SCENES

Consumer's Union tests washing machines, etc., but how accurate are their camera tests?—New 2½ x 2½ made in Ireland!

How reliable are the photo equipment tests made by such organizations as Consumer's Union? We've often been asked that question. In our opinion based on our own equipment tests, the CU tests up to a few years ago were rather unreliable. A few cameras listed as "Best Buys" MODERN would not give a child even as playtovs. We know of one instance where the importer in desperation was about to unload a whole line of cameras as being almost unsalable-until CU marked it as a "Best Buy." Purchasers stripped the shelves of this model in record time, to the delight of the importer. In another instance a famous 4 x 4 twin-lens reflex tested by MODERN and found to be of exceptionally fine quality was rated unacceptable by CU.

Partly as a result of this, the importer unloaded his entire stock to a mail order concern and the manufacture of the camera was discontinued. Too late, CU ran an addendum report on a new batch of these cameras, giving it a good rating. The consumer benefited, however, since he could purchase the camera at a most advantageous price from the mail order house. The camera, incidentally, is the 4 x 4 Rolleiflex.

You can readily see why various importers and manufacturers have palpitations of the heart when CU announces a test for the next month which will involve their equipment.

Happily, CU's tests in the past year or so seem far more reliable and thorough (maybe because their results are now paralleling our test results rather closely). Sometimes, however, the compiler of the various categories ("Acceptable-very good," "Acceptable—good," "Acceptable—fair") does not show the fairmindedness one could wish. A recent issue contained what was, on the whole, a splendid rundown on 35mm single-lens reflexes under \$175. However, we noticed one camera, the Petri Penta V2, was placed in the "Acceptable-good" class even though CU's remarks about the camera and list of features indicated that in many ways it was superior to some of the "Acceptable—very good" cameras.

We still note some disparity between our lens test results and CU's, which is caused no doubt by the differences of lenses from one camera specimen to another. We have tried consistently to warn our readers that this is so, and that every lens and camera must be tested by the prospective buyer. We wish CU would add a like warning in their tests. Consistency of lens quality is more difficult to maintain than consistency of steam irons, canned peaches or sun tan oil—although we're sure many housewives might like to dispute that!

Adieu YF

Without fanfare, Yashica is discontinuing making the YF focal-plane rangefinder camera to devote full production facilities in the Yashica-owned Nicca camera works to the Pentamatic single-lens reflex. This is a shame, we feel, since the YF with its very rugged body, superior rangefinder and good 50mm f/1.8 lens using the same thread as the Leica lenses fulfilled a definite need in the medium price bracket rangefinder camera field. If you've been thinking about getting one, better pick it up before the last models disappear from dealer's shelves.

Brewing a 21/4 SLR

"This week K. G. Corfield of Ballymoney, Co. Antrim (Northern Ireland), has commenced production of a new camera which may revolutionize the photographic industry," began the story in London's Financial Times of June 30, 1961.

And just what has K. G. Corfield, makers of the 35mm Periflex camera and now owned by the Arthur Guinness and Sons brewing interests, been up to? It's the Corfield 66, a 2½ x 2½



Real square Irish camera? .

single-lens reflex with focal-plane shutter, interchangeable lenses and backs and a rapid-return mirror. It will also take a prism finder. Sound good? O.K., now for some details.

The four-element 95mm f/3.5 Lumax lens has a large bayonet mount, focuses as close as 4 ft. and closes down to f/22. It has clickstops. Clickstops? What, it has no automatic diaphragm? Nope, not even a preset one.

(Continued on page 46)



Now, from Honeywell, an exclusive accessory for Futuramic II owners. These precision-made interchangeable lenses slip on and off in seconds—give complete flexibility of light—allow you to meet the demands of any picture situation quickly and easily.

Accessory Lens Kit with four lenses and retainer ring in compact carrying case, no more than \$8.95. See them at your dealer's today, or write to: Minneapolis-Honeywell, Heiland Division, 5200 E. Evans, Denver 22, Colo.



Honeywell



BEHIND THE SCENES

(Continued from page 45)

The interchangeable backs wind separately from the shutter. have no automatic film stop. A dark slide must be slipped between camera and back if you want to remove backs in mid-roll. The focal-plane shutter has speeds from 1/10 to 1/500 second. The prism? Not yet available.

In Great Britain, the camera will sell for about \$200. Add a bit of import duty and the price if imported to the U.S. would be rather steep. Still, it would be the least expensive Northern-Irish-made 21/4 x 21/4 camera on the American market.

Manual precision holds its own

The emergence of the you-press-thebutton-and-the-built-in-automaticelectric-eye-exposure-meter-will-dothe-rest cameras originally cast a black pall over much of the camera industry. Predictions were made that photographers would quit the precision, manually controlled cameras for the simpler automatics faster than car drivers forsook manual shift for automatic. Well, we didn't predict it.

An analysis of West German still camera import figures compiled by the U.S. Department of Commerce for the first quarter of 1961 shows that the total number of cameras imported dropped 21% to 35,089 when compared with the first quarter of 1960. Cause for alarm? Not at all. The picture looks bright when you realize that during this same period the total value of still camera imports rose 11% to \$2,244,029. This means that the average retail selling value of each German camera has risen between \$125 and \$150, a new high.

This was borne out in a quick spot check of five leading West German importers who reported marked increased sales in their higher priced cameras. And only one of the firms checked indicated that the sales increase was caused by an automatic camera. It seems that photography may yet remain an art!

Integrated SLR lens system

As has been deplored more than once in this column, the chaos in lens mounts and automatic diaphragm mechanisms for single-lens reflexes is appalling. Almost every brand has its own mount and its own automatic diaphragm mechanism. Often a change in camera bodies requires a clean sweep of your entire set of lenses. In addition, the incorporation of an automatic mechanism in each lens does raise the price of it.

A few years ago, Enna Optische of Munich came out with the universal socket. In the U.S. the system went by the name of "Sandmar." Buy just the socket, which remains on your camera, and simply interchange lens barrels. If you purchase a different reflex, keep your lens barrels and buy a new socket. Financially, the photo fan came out well ahead. The Enna lenses tested by MODERN proved of a very high optical quality. Unfortunately, the semi-automatic diaphragm mechanism was awkward to set. Now Enna is introducing a new socket and set of lenses. This time the socket is eminently practical. It's completely automatic: just press the shutter release and the lens stops down, take your finger from the release and it opens automatically. The line-up of lens



Glorious step in right direction?

barrels which will fit the socket and produce completely automatic diaphragm operation is impressive: 24mm f/4, 28mm f/3.5, 35mm f/2.8, 50mm f/1.9, 95mm f/2.8, 135mm f/2.8, 240mm f/4.5.

Initial sockets will fit the following cameras: Edixa, Exakta, Exa, Pentacon. Praktica.

Camera inside lens?

Before we've had a chance to test the forthcoming 50mm f/0.95 lens for the yet to be released Canon 7 rangefinder camera, we have news of yet a faster Canon lens-a 186mm f/0.63. Don't wait up for this one. It's rather bulky, very expensive and made only for X-ray photography. The design, however, is truly awe-inspiring. The film sits in the middle of the lens! The image enters one end of the lens and passes through an optical system that includes a field flattener. It then reaches the other end of the lens, where a large concave mirror reflects the image back to two small central elements and thence to the film. This is something akin to designing a lens and placing the camera body in it. It's almost worth being X-rayed just to see it in operation.

Bringing 'em back?

Now that the camera that never dies-the Argus C3-has again been re-issued, this time at \$29.95 (5¢ less than it cost in 1939 when it was introduced), we wonder whether there might not be a definite market for reissues at rock bottom prices of famous, old, discontinued cameras for which the dies might still be availablesomething like reissues of recordings on bargain labels. Take the Argus A, with f/4.5 lens, speeds from 1/25 to 1/200 sec., and two-position focusing. It cost \$12.50 new in 1936. It certainly would be a welcome sight to serious beginners at \$9.95 today. Any other candidates for resurrection ?-H.K.



BRAND

NEW

UR MOVIE

EXAKTA

IIA

na IIIS

MOR

ALL

MIRAND

FL9 AUT

50mm FI. VOIGYLA F2.8 SKO KOMAFLI

ZEISS CC

F2.8 TESS

Mage R.

MAMIYA

NOLTA F2 Auto I

m FLE

IKON F

CANONFE FLS AUTO

F2.8 Lens,

DEJUR PE

AUTO

PLAKTINA F2.8 Auto PRAKTICA

F2.8 Auto

NIKON 53 F2 Nikkor, CANON V FI.8 Canon

CANON P

HOLLEIFLE

mm Fi.8

Ост

EXAKTA V Somm F2.8

II AX

NIKON

6950

Plus yer

HIA

COMPARE FOR YOURSELF!

Compare with origine mfgrs' list prices. Com pare with other ''sale' prices. See what you sav at Wall St. Cameral

Quantities on some item Limited! Please add esti mated postage — exces refunded.

FOLLOWING CAMERAS SOLD 1695 ONLY WITH LEATHER EVEREADY CASE, & BC FLASHGUN, ADD....

JUST ARRIVED! BRAND NEW LATEST 1961

REFLEX III



ND

EST

X

DE

E RA

R

DE OVIE IS

IA

350

your ele kta IIA v)

FX or II

rtar o Tessar stagon . Tessar

:-5 EFLEX

OUR MERA

KON

F

CK

5-250mm m Nikker LENSES

EX III

6950

Plus year

Reflex S

Reflex 111 C Mex Rapid matic

HAVE?

(CH.

5, N. Y.

HY

WALL ST. PRICED

O 50 WITH F2.8 XENAR LENS

with 50mm F1.9 Xenon Lens. 169.50 tina IIIS F2.8...83.95 Retina IIC, F2.8....64.50 Retina Auto III, F2.8...97.50

MORE SELECTED VALUES ALL FAMOUS BRANDS

La Control of Di	1711100
MIRANDA D. PENTA PRISM	TOF OO
FI.9 AUTO SOLIGOR, NEW	I U5.UU
MIRANDA AUTOMEX 50mm FI.9 AUTO SOLIGOR, NEV	209 50
FZ.8 SKOPAR, USED	118.50
KOMAFLEX S. S.L.R. REFLEX	
65mm F2.8 NEW	46.50
ZEISS CONTAREX, Special F2.8 TESSAR, USED	249.50
PETRI PENTA V with double spl	
PETRI PENTA V with double spl image R.F. 50mm F2 Auto, NEW	114.50
MAMIYA "PRO" C	
10mm F2.8 LENS, USED	99.50
MINOLTA SR-3 50mm FI.8 AUTO ROKKOR, NE	w149.50
MINOLTA SR-1	Get Our
F2 Auto Rokkor, NEW	Low Price
BEELER YARCAN B	140 FO
Simm FI.8 AUTO TOPCOR, USI	D 147.3U
NIKON F Simm FI.4 AUTO NIKKOR, USED	269.50
FIJ AUTO CANON, USED	169.50
DEJUR DEKON SR	
F2.8 Lens, NEW	49.50
Somm FI.9, NEW	56.50
5/4-11	
R AUTO WESTAGON, NEW	89.50
EXA MX F2.9 P.S. PRESET MERITAR, NEW	34 95
PRAKTINA FX	
FOR Auto Torras NEW	99.50
MAKTICA FX-3	EO EO
PRAKTICA FX-3 FZ-8 Auto Westenar, NEW	38.3U
LEICA III F FI.5 Summarit, USED	139.50
MIKON 53	
F2 Nikkor, USED	158.50
CANON VI	140 EA
FLA Canon, NEW	
FLE CANON, NEW	139.50
B.S XENOTAR, USED	139.50
A PA VII	
Somm FI.8 SWITAR, USED	
Somm F2.8 ZEISS TESSAR, NEW	138.50
The state of the s	

MINOLTA SR-1 OUTFIT

154⁵⁰ FREE:

Minolta SR-1 Camera
Eye Level Penta Prism
Instant Return Mirror
12 Auto Rokkor Iens
135mm F2.E F.S.
Sonnagar Telephoto
9.C. Flash and Bracket
Leather Case

Magnifier Focus ing Eye Piece & Minolta Yellow Filter SPECIAL PURCHASE!

Wall St. Priced

IOmm F3.5 Auto Rokkor 5950 snam Telephoto Lens 550 snam MINOLTA Right Angle Finder 8.95 MINOLTA Magnifier Foc. Eyepiece 9.95 MINOLTA Hagnifier Foc. Eyepiece 9.55 MINOLTA Victor Find displer 2.55 MINOLTA Victor Find displer 4.95 MINOLTA Victor Find MinoLTA Victor Finder 4.95 MINOLTA Polarizing Filter 12.95 MINOLTA Polarizing Filter 12.95 MINOLTA Polarizing Filter 6.95

Following Contaffex Cameras sold only w/ leather Eversady carrying case & 16.95 BC Flashgun, ADD_______16.95

CONTAFLEX SUPER



ith S0mm F2.8 A Zeiss Tessar Len WALL ST. PRICED

PRAKTINA FX OUTFIT



Wall St. Price

Automatic Praktina FX Camera
Somm F2.8 Automatic Tenar Lens
135mm F2.8 Preset Sonnagar Tele Lens
Eye Level Penta Prism Finder
Automatic Spilt-Image Rangefinder
8C Flashgun & Flash Bracket
Extension Tube Set for Close-ups
Latther Tubersely Camera Case

PRAKTICA FX-3 Outfit

050



9.50

HERE'S WHAT YOU GET!

Brand new Automatic Praktion FX-3
Optical Waist Level & Sports Finder
50mm F2.8 Auto. Westenar Lens
E.C. Flashgun — 6 Lasther Case
135mm F2.8 P.S. Sommaar Lens
Extension Tube Set for Close-ups

Above outfit available with SOmm F2.S Automatic Tessar or SOmm F2 Auto 9.50 Westagon Lens, Add Somm F2 Auto 9.50 Zeiss Bye Lavel Penta Frism Finder 19.50 for Praktics PX2 & FX3

35mm F2.8 AUTO
SCHNEIDER ISCO
WESTRON WIde Angle
135mm F3.5 AUTO
WESTANAR TELEPHOTO
F, Fill, dilitac, vic.

Following Yashica still cameras sold only with leather Eveready carrying 16.95

YASHICA PENTAMATIC 35mm S.L.R. Camera With 55mm F1.8 Automatic Lons

OUR



LOWEST PRICE

9995

BRAND NEW YASHICA VALUESI
YASHICA MAT, F3.5 Lens 49.84
YASHICA THAN, F1.5, Meter 53.64
VASHICA LIVAN, F1.5, Meter 53.64
VASHICA LIVAN, F1.5, Meter 59.56
VASHICA STAN F1.5, Meter 59.56
VASHICA STAN F1.5, Meter 59.56
VASHICA STAN F1.5

RETINA IIIC OUTFIT



WALL ST. PRICED 13950

HERE'S WHAT YOU GET:

• Retina IIIC Camera

SOmm F2 Xenon Normal Lens
35mm F5.6 Curtar Wide Angle Lens
Built-In 35-50-80mm Viewfinders
2 Screw-In Filters • B.C. Folding Flashgun
Leather Everedy Carrying Case

WALL ST.



JUPLEN **5 ELEMENT** TELEPHOTO LENS

Wall St. 4695 BRAND Priced 4695 BRAND NEW

- Anodized liteuati
- Excellent Resolution
- Sharp to the Edges
- Color Corrected
- Reiland Parity. Fusion

200mm p5.3 reset Zeiss Bonnar 173.50 HERR'S WHAT YOU GET 1 Section 2 13.50 Prison Camera 2 15.50 Prison Camera

CLOSE OUT! ULTRABLITZ MONOJET II

MONOJET II
WALL ST. 39 5 BRAND
PRICED 95 NEW
BRAND NEW STROBES
Rectability
Ultrability Motor 11. 64. 25
William ST-80. 44. 25
William ST-80. 39. 50
Wecability 107. 63. 95
Wecability 107. 59. 50
Charging our & Aemers
connecting cord, ADD \$4.95

"SHOP AND SWAP CAMERA CENTER"

WALL ST. CAMERA EXCH.
120 Wall St., New York 5, N. Y. Phone: Whitehall Dept. M101

☐ I WANT TO BUY, Rush full details on

☐ I WANT TO TRADE. Rush best offer for my ...

ADDRESS

.....ZONE.....STATE.... CITY....

Send free copy of Wall Street Camera News!
All our morehandise fully guaranteed 1 year against mechanical or optical defects for free repair. 30 day return privilege on mail orders. COB orders require 190% deposit. SYORE HOURS, MON. PHT. 6-8, CLOSED SATURDAY

L ST. Camera Exchange

120 WALL ST., NEW YORK 5, NEW YORK WHitehall 4-0001

OCTOBER, 1961

EXAKTA VX OUTFIT WALL ST.

PRICED 4750



50mm F2.8 Zeiss Tessar instead of Isconar, ADD. 14.50

135mm F4.5 Telephoto inste of 100mm Lens, ADD 9.50

MIRANDA ÖÜTFIT



PENTACON 3 LENS OUTFIT







GOSSEN

PRECISION EXPOSURE METER Exclusive built-in Diffuser • READS INCIDENT AND REFLECTED LIGHT!

Get better color shots...sparkling black-and-white! The shock-resistant (jeweled movement) Gossen PILOT matches higher priced "heavies" in accuracy, versatility, handling speed. ASA 6 to 6400...1 min. to 1/1000 sec... f/1.4 to f/22EV 1 to 18...plus movie-setting! Fast...just thumb the knurled ring to match the needle ...there's your setting for perfect exposures!

AT BETTER CAMERA STORES

ANOTHER EXCLUSIVE WEST GERMAN IMPORT OF

ELING PHOTO CORPORATION 257 PARK AVENUE SOUTH, NEW YORK 10, N. Y.

Two more picture taking problems that were solved with the help of the large camera.



When New York's Metropolitan Museum of Art released the news that its three most highly prized Etruscan sculptures were not genuine, Life magazine asked me to shoot some color pictures, one

of which is reproduced below in blackand-white. My task was to make the 8-ft. tall warrior look as impressive and awe-inspiring as possible.

I selected a 5 x 7 Linhof Technika and Ektachrome film type B. To make the statue appear tall, I shot from a very low angle. Simultaneously, to prevent the head from looking too small and the walls of the room from appearing to collapse, I used the back adjustment of the camera to keep the film in vertical position-something which I could not have done without a swingequipped large camera. To further increase the feeling of hugeness and ex-

(Continued on page 50)



Phony Etruscan, Metropolitan Museum.



LO-B

A FULL SIZE, safe, rigid tripod made to professional standards . . . with world's smoothest pan head and "easy-crank"



What Has <u>Cadmium</u> sulfide Got to Do with CONTROL IN ENLARGING?

Technicians know that enlarging exposure is the most difficult control problem in photography. You must measure spot areas of an image at extremely low light levels, with extreme accuracy. Then you must measure to match the density range of each negative to the proper paper contrast.

The cadmium sulfide photo conductive cell gives a means of meeting the problem. It is thousands of times as sensitive as other photo-electric devices. Some of the finest new cameras are using cadmium sulfide for exposure control. It is so sensitive that it can operate a signal light under an enlarger image without an amplifier? To this we've added our exclusive variable area mask which gives completely calibrated automatic readings for paper exposure, paper contrast, and direct density figures. Spot-O-Matic II actually outperforms elaborate easel densitometers selling for more than \$700.00! You can buy more knobs and hardware, but you can't buy greater accuracy—you can't buy as much convenience as in Spot-O-Meter II.

RCA engineers tell us that unprotected cells, or cells encapsulated in plautic are certain to fail in time because even traces of humidity turn cadmium sulfide into a worthless salt!

End your enlarging exposure problems now—end them forever—with a Spot-O-Matic II. For black and white or color.



KINNARD CO. 5703 W. Nort

\$18 50 COMPLETE

LI

ge

or

of OW


rai

sel

Mo

ing

100-130 volts AC-DC





angle with dramatic lighting. Without a second thought, he sets proper aperture and time. From developing through cropping to final printing, he instinctively makes every expert decision. There's no experimenting, no fumbling, no guessing for this man. Every move is dictated by his professional SMP Home Training. The proof is in his pictures.

The other man may have owned superior equipment for many more years, but his results are always the same-flat, lack lustre, dull snapshots that never go any further than the family album.

Don't make the mistake of so many hobbyists...if it's photographic fame and fortune you are after, remember this—THE PHOTOGRAPHS FROM ANY CAMERA ARE ONLY AS GOOD AS THE MAN BEHIND THAT CAMERA.

SMP low cost pay-as-you-learn home training in your spare time will reward you in many ways:

1. by giving you a money-making career as a professional

photographer 2. by making photography pay off for you in your present

job
3. by providing extra income as a part-time professional photographer

4. by helping serious amateur achieve professional prize winning results

5. by preparing you for success in advertising, fashion, portrait, news, sports, color or motion picture photography.

And here's the secret of SMP's successful training ... YOU LEARN BY DOING. Included in the State Approved Program are SMP Practice Kits and 3 Dimensional Aids offered by no other school; actual negatives, professional prints, geometric forms for light and composition studies; the laboratory and darkroom devices to assure your complete grasp of every phase of photography ... all yours right in your own home. With every lesson you receive practical photography assignments to be completed and returned to the school where professionals will review them, make suggestions and corrections and return the comments to you so that you can see your own progress. Only the School of Modern Photography offers so complete and thorough going instruction. Write for free information, today.

the school of modern photography



Photos By SMP Graduates

SMP colorful 28 page book, "A Successful Career For You in Photography" answers all your questions—tells you where, when and how to capture the opportunities awaiting you in photography; pinpoints the highlights of the home study course. YOUR FREE COPY IS YOURS FOR THE ASKING. NO OBLIGATION. NO SALESMAN WILL CALL DON'T DELAY-WRITE TODAY!!

Approved by the New York State Dept. of Education. Established 1939.

1	The School of Modern Phetography, Dept. M-10 P.O. Bex 102, Cooper Station, New York 3, N. Y Please send me full information regarding SMP', famous Nome Study course. And send me your big fre- super-litustrated book that tells about SMP's method
	and teaching systems, and gives me the picture of the opportunities I can find in photography. No salesman
Namo	will call.
Namo	

ives s of ces. ium that tage our tely ure, t-O-den-can buy eni-

II

ng

ANTEE

PHY

Play It Cool

with Miranda
...the world's
'jazziest'
single lens
reflex!



Imagine a true luxury camera priced to fit the tightest budget ... Miranda 'D' with f1.9 fully Automatic lens; instant-return mirror; eye level pentaprism viewing; synch, shutter to 1/500th second; rapid film advance and rewind and lots more! See how much more value you get for less than \$170.00°. Miranda 'D' with f2.8 preset lens less than \$120.00°.

Oh, that Automatic MIRANDA'D'

*LOCAL DEALER DETERMINES EXACT PRICE IN YOUR AREA
ALLIED IMPEX CORP., 300 PARK AVE. SO., NEW YORK 10
CMI CAGG 10 * DALLAS 7 * LOS ANGELEE 38
HIBANDA CAMERA CO., LTD., TAKOS BLOS. 31-CHOME,
EDDBASM, HINDRASHI, CHUP-RU, TOKYO, JAPAN

A NEW SYSTEM OF PHOTO-BAGGAGE



MALIBU SADDLE PAK SERIES - The finest ever offered!

A new system of photo-baggage allowing the user to add up to 4 matching end pouches. The removable front pocket can be worn separately on a belt or carried over the shoulder.

Belding Saddle Paks feature completely original and practical styling and the very finest of top grain leather and hardware. Available in 3 sizes and 3 price ranges to fit your needs and your purse.

SEE THEM AT YOUR PHOTO DEALER OR WRITE ...



JOHN BELDING COMPANY 2040 BROADWAY, SANTA MONICA, CALIFORNIA

THE LARGE CAMERA

(Continued from page 48)

tension in depth I made the shot with a 120mm Aristostigmat wide-angle lens, which enabled me to move very close to the subject. As a result, the clenched fist appears disproportionately large and the right arm disproportionately small—a deliberately chosen effect of perspective distortion.

To extend sharpness all the way from approximately 12 in. (the fist) to the background, I used the lateral back-swing of the camera. Thus, not having to stop right down for depth of field, I could use photofloods (instead of brighter flash) with a fast enough shutter speed to "freeze" the people in the background. The wideangle lens stressed the statue's size by making the people look small.

Shooting a radio telescope

To illustrate the article "Life on Other Worlds," Life magazine sent me to West Virginia to photograph the huge radio telescope at Greenbank. My job was to get a picture of the telescope at night against star trails.

When I saw the location I realized that only a double exposure would produce an acceptable picture. For good perspective, the radio telescope would have to be photographed with a lens of standard or longer focal length, whereas the sky, to include as many stars as possible, would have to be photographed with a wide-angle lens.



Radio telescope, Greenbank, W. Va.

In addition, the floodlighted telescope demanded a short exposure time and the sky a longer one. And finally, the best views of each did not coincide.

The accompanying picture was made on Tri-X film with a 4 x 5 Meridian II camera. First, with a 150mm lens, I shot six sheets of cut film of the floodlighted radio telescope, exposing each approximately 10 sec. at f/16. Then I had the lights shut off, turned my camera some 45 degrees, and using a 90mm Angulon wide-angle lens exposed the same six sheets of film again to record the tracks of the stars. I varied these exposures—from 10 to 30 min. at f/11—for different effects.

Each of these two subjects could have been shot with any kind of camera, but the photographs would have been inferior in several respects because only a large camera permitted the necessary control.—THE END



						om Ko										
21/4	×	31/4	-	fro	100	35mm		128	only	y).				.\$.15	
372	*	372		Tre	n	square	me	pati	res.						.23	
474	-														26	
- 3	*			Or	- 2	51.00	mm.	3	OP	259.0	NP4				90	
	-	10		OF.	- 46	53.00	eg.	- 3	mr.	PM-G	MPH				7 75	-
11	×	14	1	er	2	\$4.75	ea.	3	or	me	re				6.50	
						DAC							-	-		

KODACOLOR PRINTS

(ANSCO	CHROME, EKTACHE	OME and K	ODACHROME
21/4 x 31/4	(from 35mm & 82	R anly)	\$ 30
972 X 372	OF 372 K B		48
	1 or 2 \$1.00 ea.		
11 x 14	1 or 2 \$6.75 ea.	3 or more	4.50 es.
NI	O CROPPING	-	*****

NO CROPPING ON 35 MM.

	MATES.
Kodacolor Processing (all sizes)\$ 35mm Transparency slides from 35mm	.90 per reli
or #2# Kodsceler segutives	.20 ea.
35mm Transparency slides from 127 sq. or 21/4 x 21/4 Kedacolor negatives	.30 ea.

Starlight COLOR LAB

20 Exposures.....\$1.40 Mtd.

36 Exposures......2.45 Mtd.

8 mm.- 25' Magazine \$1.20 8 mm.- 25' Roll1.50

16 mm.- 50' Magazine ..1.45 16 mm.- 50' Roll2.15

35 mm. Kodachrome

8 MM. & 16 MM. KODACHROME PROCESSING

Steree (15 pairs)......\$2.15 Mtd.

828 Bantam.....1.00 Mtd.

16 mm.-100' Roll3.60

PROCESSING80c per reil

KODACOLOR

P.O. BOX 36617 DEPT. M. LOS ANGELES 36, CALIFORNIA

rith gle ery the on-

ely on.

to

ral

not

in-

ast

the

de-

ize

on

me

the

My

ele-

zed

ro-

ood

ens

th,

iny

be

ns.

Va.

ope

ind

ide

ns.

he

ing

16.

ned

ng

ex-

ain

30 uld of

uld

ted

HY

New Light Ends Harsh "Flash" Contrast!

Ordinary flash

IDEAL FOR KODACHROME!

Sun-Ring Illumination



SEE the difference! TRY the first Full-Power "Round-the-lens"

SUN-RING

Electronic Flash!

Fits single-lens reflex, press, view or Polaroid cameras. Use any power pack up to 200 watt-seconds. Your dealer has Sun-Ring now! See it-try it!

Manufacturers suggested retail price \$39.95
FREE SUN RING booklet-write or ask your dealer



HERSHEY



A Division of Simpson Electric Co. 853 Dundee, Ave. • Elgin, Illinois

FOR THE NEWEST IN ENLARGERS



BOGEN Color 66

for the critical photographer. \$79.95

VOSS PHOTO CORP.

**** RESULTS EVERY TIME!



DARKROOM TIMER

SYNCHRONOUS ACCURACY IN SECONDS for automatic enlarger switching control...IN MINUTES

PLUS ALL THESE FEATURES IN ONE TIMER! Range from 1 second to 60 minutes in seconds . . . Glant 8" luminous diel . . . Automatic buzzer alarm . . . Dependable electric motor . . . Ideal for color film.

SEE IT AT YOUR PHOTO DEALER TODAY!

DIMCO-GRAY COMPANY DAYTON, OHIO Stoppentegopytest

NEW PRODUCTS

(Continued from page 23)

with forward-reverse switch; optical glass heat-absorbing filters for still projection; automatic film trip which stops projector to prevent film damage; power rewind; and swing-out lens. Price of the Kalart/Victor Model 70-0 projector is \$390. Write: VICTOR ANIMATOGRAPH CORP. PLAINVILLE, CONN.

Acme-Lite Q-Beam Movie Lamp



The 650-watt quartz lamp in the Acme-Lite the Acme-Lite Q-Beam Uniflood movie light gives illumination equal to four BEP (300w) or EBR (375w) floodlamps and has a 16 hour life expectancy. The quartz lamp is vacuum-sealed

is vacuum-sealed in a heat-resistant glass envelope and enclosed in a heat-resistant plastic housing with a series of air vents at top and bottom designed to cool the unit. A prismatic lens directs light rays in a 40° angle. The lamp can be adjusted to any angle up to 90° by a finger grip built into the back of the housing. Other features include: exposure guide for films from E.I. 16 to 40; slotted hinged camera mount. The Q-Beam Uniflood movie light sells for under \$23. Write: under \$23. Write:

ACME-LITE MANUFACTURING CO.
4646 WEST FULTON ST., CHICAGO 44, ILL.

Change of address: Fotomatic Corp. has moved from 2603 Kessler Blvd., Indian-apolis 22, Ind., to new offices at 3141 W. 10 St., Indianapolis 22, Ind.

35MM

(Continued from page 42)

of deluxe I think such a camera should also have all of the following features. and there is no reason except cost why some or all could not be on an SLR:

A wide range of accessory lenses, from wide-angle to extreme tele, specially designed for the camera, several of which have the automatic diaphragm movements of the normal lens.


Removable pentaprism to permit use of interchangeable viewing screens, providing choice of plain ground glass, fixed prism rangefinder, etc., without need for tools or mechanical skill.

Right-angle eyepiece for the pentaprism, or an optional waist-level viewfinder and magnifier.

I am aware that not all cameras are going to fall neatly into my four groupings. Once again I want to emphasize that the fact that some camera now in existence lacks one or more of the features I have listed should not be considered a reflection on the quality or desirability of that camera. My groupings are merely descriptive, not qualitative, in nature.

However, I believe that these four rough groupings serve to separate out the important 35mm SLR design trends of the past and those new ones which should be obvious to anyone who reads the ads in MODERN.-THE END

Rollei-Mayic gives quality pictures automatically... shot after shot!



Owners of Rolleimagic consistently report ... "I'm getting 12 perfect black and white pictures, or 16 beautiful Super Slide color transparencies, from every 120 roll without any effort." Isn't this what you should expect when you invest in an automatic camera?

The uniform picture results which Rolleimagic provides stem from the way Rollei builds this automatic camera. Every component is the finest, most precise available. The photo-cell and exposure meter, for example, are the same, proved type used on Rollei professional cameras. This is also true of the sharp-cutting Schneider lens employed. The shutter is the proved automatic type by Gauthier; and every other component bears the hallmark of renowned Rollei quality. In other words,

there are no uncertain or weak links within this camera. Thus when you shoot with Rolleimagic, each component functions with highest precision ... assuring precise picture results, shot after shot.

Another advantage you'll like is negative size. It gives you 12 large 2½" x 2½" negatives or 16 Super Slide transparencies from 120 rolls . . . ideal sizes for contact prints, and unequalled for enlargements and for projection. And Rolleimagic provides for strobe and flash shooting, and permits taking time exposures of any duration.

Your dealer will be glad to demonstrate the versatility and simplicity of Rolleimagic. Visit him today; or, write for a free copy of the new illustrated Rollei camera brochure.



BURLEIGH BROOKS, INC.

420 Grand Avenue, Englewood, New Jersey

PONDER & BEST, INC., 841 North Cole Avenue, Hollywood 38, California

tnedsnrr)drypddictiesdae

al

a-

se

ns,

ut

W-

our

m-

era

of

not

ity

My

not our out

ign nes

PHY



CONTROL CENTER: large, single dial centers the simple controls vital to fine movie-making.



ELECTRIC DRIVE: penlite batteries run the motor, roll after roll after roll! No interrupted scenes, no troublesome winding.

Konica Zoom II, unlike ordinary zoom cameras, lets you use its full zoom range at any distance as close as 27 inches from your subject! No need to "back off" when shooting full telephoto, you zoom in from up close for remarkable effects never before possible! And even at 27", you focus thru the lens (no tape measures or guesstimates!). To go a step closer, Konica's wide converter lets you focus and shoot from as close as two inches!

Looking through the lens you see that the film is always properly exposed (meter needle always centered when you're "set" to shoot). Your dealer will gladly show you how professional fades and dissolves, and impressive titling, are possible with your Konica, because of its special frame counter that permits accurate, measured rewind. Compact, lightweight, balanced . . . simplicity itself to operate! With V-Hexanon f2, 12 to 32mm range, the list price of \$229.95* plus case buys you a lifetime investment in professional home movies. See for yourself at your Konica dealer.

*THE LIST PRICE SHOWN IS ESTABLISHED BY THE MANUFACTURER, BUT MAY VARY HIGHER OR LOWER, DEPENDING ON THE SALES PRACTICES IN YOUR AREA. CONTACT YOUR DEALER FOR THE EXACT PRICE IN YOUR AREA.

KONICA CAMERA COMPANY, 76 WEST CHELTEN AVE., PHILADELPHIA 44, PA.
IH CANADA: MCQUEEN BALES CO., 1843 W. 4 AVE., VANCOUVER 9. B.C. IN VENEZUELA: SEJJIRO YAZAWA: APARTADO 3179, CARACAS
MFG. BY KONISHIROKU PHOTO IND. CO., LTD., TOXPO-FOUNDED I 6376

TOO HOT TO HANDLE

I am interested in the Rolleiflex 3.5F, which can be had either with the Carl Zeiss Planar or the Schneider Xenotar. Is the Planar worth the additional \$20 asked for it?—M. G. Murphy, Meriden, Conn.

We feel that both the Schneider Xenotar and Zeiss Planar are truly outstanding lenses. The only reason for the price discrepancy is the difference in labor costs, shipping, etc. We see no reason to spend the extra \$20 for the Planar.

What is your opinion of the Wittnauer Cine-Twin movie camera and projector combination?—C. W. Plowright, Ludlow, Pa.

The Wittnauer Cine-Twin which is rather bulky lacks many of the camera features of modern machines—integral electric eye and multiple fps speeds, for example. It's also rather inconvenient if you want to use the camera as a projector when unexposed film remains in the machine.

Would the Leica M3 with 50mm f/1.5 Summarit and Habricht 8 x 30 binoculars be a workable combination for telephoto effects?—Cpl. J. N. Clarkis, N.S., Canada.

We don't think you'd be happy with the results. The Summarit has too large a front element to allow a good fit with the Habricht binoculars. In addition, we would not consider the Habricht binoculars to be of first-rate quality. We think you'd be better off with an inexpensive tele. Incidentally, binoculars are generally recommended only for single-lens reflexes. How would you focus with them on the M3?

Can you compare the Canon Zoom 8 with the Konica Model II Zoom 8mm movie camera?—D. L. Powers, Canton, N.Y.

low

are

me

act.

Vith

95*

onal

Starting from the top, the Canon has a spring-driven, 6-ft. film run, while the Konica has an electric motor which can run off the entire 25 ft. of film at one burst. The Konica has speeds of 16, 24, 32, and also 48 with accessory booster. The Canon offers 8, 12, 16, 24, 32, 48 and 64 fps. The beamsplitter for the Konica through-the-lens focusing and viewing system is behind the diaphragm. Thus, the image gets somewhat dimmer

when the lens is stopped down. Since the Canon beamsplitter is ahead of the diaphragm, image brightness remains the same throughout. The Konica has ground-glass focusing and the Canon a built-in split-image rangefinder. The Konica is much more compact than the Canon, with most of the 8 to 32mm f/2 Hexanon Zoom lens recessed in the body. The f/1.4 Canon offers a slightly greater focal-length range-10 to 40. Our tests indicated that both lenses are extremely good, with the Hexanon slightly superior at maximum aperture, to be expected when comparing an f/1.4 with an f/2.

I'm considering the purchase of the 100mm f/3.5 Canon for my Leica M2. Which accessory viewfinder should I use for accurate, parallax-free images?—R. Klettke, Fond du Lac, Wis.

You can use either the Leitz Imarect—which has settings for 90 and 135mm—or the Canon finder. Neither represents a perfect solution. If you use the Leitz finder, parallax correction will be perfect but image framing will be slightly off. If you use the Canon finder, you'll frame the image perfectly but may have some slight problem with parallax because there's a slight difference in finder placement between the Leica M2 and the Canon.

Can you rate the 105mm f/4.5 Accura Anastigmat in short mount for extension bellows?—D. M. McDonald, Halifax, N.S., Canada.

While we have never run a formal "Modern Test" on the Accura Anastigmat, personal use by various members of MODERN's staff indicates that it is extremely good value for the money provided the lens is stopped down to about f/6.3 or f/8.

I would like to purchase a tele to be used with my Heiland Pentax lens for wild life photography. Is the 4X Tamron auxiliary lens adequate or should I buy the 200mm f/3.5 Komura?—A. Jaffee, Ann Arbor, Mich.

In our opinion, results with the 4X Tamron auxiliary would be inferior to those with the 200mm f/3.5 Komura.

Which is best for the Nikon F single-

lens reflex camera—the 58mm f/1.4 Nikkor or the 50mm f/2 Nikkor?—M. Sendin, Madrid, Spain.

Our tests in the past have indicated that the 58mm f/1.4 Nikkor is superior to the 50mm f/2 Nikkor. However, Nikon tells us that the present 50mm f/2 lenses are extremely fine. We have requested samples for testing.

I own a Nikon S-2 with a 50mm f/2 Nikkor lens, 35mm f/3.5 Nikkor and varifocal viewfinder. Is it reasonable to expect that I can trade this equipment for a used Nikon F with a further \$30 to \$50?-J. D. Slocum, Birmingham, Mich. No, it would not be reasonable. The trade-in value of your Nikon S-2 with 50mm f/2 Nikkor is about \$60. The S-2, while an excellent camera, is a discontinued model, which makes your position a bit weak. The 35mm f/3.5 Nikkor lens will bring about \$30 or \$35 on a trade-in, although it too is a good unit. A new Nikon F with 50mm f/2 Auto-Nikkor sells for \$329. The camera hasn't been in circulation long enough for many used models to be available. Also, a used model is likely to be in at least good condition-and would certainly cost more than the \$90 for your equipment plus another \$50.

I've tried two different 50mm f/2.8 lenses with my Retina Reflex S with the same result—fuzziness at the edges, particularly at f/4 or greater. Pictures were made on a tripod using a cable release. Moreover, when I use the Retina Reflex with a Balscope monocular there's definite vignetting. Can you recommend a good reflex camera?—B. Eck, M. D., Ladue, Mo.

We're surprised that you have such troubles with the Retina Reflex S. Our tests of the Retina 50mm f/2.8 lenses indicate that overall quality is, in general, quite high. Before you decide to sell the camera, we suggest you take it to the store where it was purchased and have them send it to Eastman Kodak Repair Division, Rochester, N. Y. for a checkup. It's possible that there is a slight defect in the camera's lens mount which could cause the lenses to be improperly seated. By the way, we doubt that you'll be able to cure the Balscope vignetting problem, since practically all monoculars will cause this to happen. Only a tele or long-focus lens specifically designed for photographic use can produce corner-to-corner sharpness.

I have a supply of outdated 16mm film. Since I use 8mm equipment I'd like to know if there's any way to convert the film so that I can shoot it.—E. St. John, Elmont, L. I., N. Y.

First, we don't recommend that you use outdated film unless the subject matter is of no great importance. Second, we feel there's a definite danger in resprocketing 16 to 8mm use (there are twice as many sprockets on double 8mm film as there are on 16mm film)—since this is a job requiring a high degree of precision and hardly the thing to try on your kitchen table. Even the most carefully converted film can jam.—THE END

THE ROCKY ROAD TO THE TRUTH AROUT FLASH

YOU SHOULD BE ABLE TO FIND THE GUIDE NUMBER, FLASH DURATION, RECYCLING TIME AND COVERAGE OF ANY ELECTRONIC FLASH UNIT. BUT CAN YOU?—BY CHARLES HELLMAN

THERE'S EVERY GOOD REASON why the popularity of electronic flash as a light source is still growing. Today's units are almost ideal photographic light sources. The short duration of the flash practically guarantees sharp pictures without blur due to motion of subject or camera. You can use small apertures in most picture situations, further improving sharpness. The short flash duration is much easier on subjects than the intense heat from floodlights. The color balance approximates daylight so that daylight type color film may be used directly or with slight filtering.

The latest compact amateur portable units are particularly attractive with their new tiny flash heads, built-in rechargeable nickel-cadmium batteries with

claimed "life" expectancies.


Unfortunately, the technical improvements in electronic flash have not been matched by an accompanying increase in information on their abilities and use. Claims and counter-claims and rivalry in guide numbers have all but benumbed the poor user or would-be purchaser. Some of the questions puzzling photographers are: What do the numerous ratings used to indicate the output of electronic flash mean-watt-seconds, BCPS, ECPS, guide numbers? Do exposures by electronic flash require heavy overdevelopment? What is reciprocity failure and how serious is it? Are filters necessary with electronic flash with color films even when manufacturers claim they are not? What are the advantages and disadvantages of nickel-cadmium cell batteries? And just how effective are those tiny reflectors of unconventional design? Why are there no standards for electronic flash to help clarify claims?

Let's start out by examining what originally was used as a standard—watt-seconds—and see why it wasn't practical. Early units were built and used largely by electronic technicians. It was natural and easy to rate the units in terms of electrical measurements. Since all the energy supplied to the flashtube is stored in the capacitor, the measure of this energy in watt-seconds

became one of the first output ratings. (The physicists call the same unit the joule.) Watt-seconds stored in a capacitor can easily be calculated from the formula:

Watt-seconds = $\frac{1}{2}CE^2$

(where C is the capacitance of the capacitor in microfarads and E is the operating voltage across the capacitor expressed in kilovolts). Thus a modern small portable unit may have a capacitor of 320 mf (microfarads) and operate at 500 volts (½ kilovolt). The electrical energy stored is 40 watt-seconds. A studio unit may have a capacitor of 100 mf and operate at 3 kilovolts. This works out to 1800 watt-seconds. Note how the watt-seconds increase very rapidly with the voltage. Therefore, in large units, high voltages are necessary. Studio units operate in the kilovolt range.



IDEAL SOLUTION TO GUIDE NUMBER MESS? By lining a straight-edge ruler across the ASA index of your film and the BCPS of your flash unit, you can intersect proper guide number. If ASA standard is adopted, such nomographs (this is Ascor's) may accompany each unit.

The watt-second rating is important. It does indicate maximum possible output. However, actual light output depends on the efficiency of the flashtube and reflector as well as the amount of energy stored. Thus the watt-second output in itself cannot represent the photographic effectiveness of the unit. There's been much competition in the designing of tubes and reflectors, so units having the same watt-second ratings may vary widely in actual light output. However, you should be suspicious of the truthfulness of photographic ratings of units that are too far out of line compared to others with the same watt-second ratings.

Reliable guide numbers are the most useful ratings of a flash unit's output. These ratings can be used directly by the photographer to find the aperture setting for his camera. Establishing guide numbers for Kodachrome film is the most reliable means of rating flash units since the speed of the film and the processing are held to close tolerances. Guide numbers for black-and-white films derived from Kodachrome guide numbers are also reliable. Here's how you get them:

GN (Guide Number) for film of index I =


Kodachrome GN \times \vee $\overline{1 \div 10}$ Thus if the GN for Kodachrome for a portable unit is 25, the GN for Daylight HS Ektachrome E.I. 160 is $25 \times \sqrt{160 \div 10} = 25 \times 4 = 100$

Be sure when calculating the GN's for black-and-white films that you use the new ASA ratings. These ratings will give you guide numbers which will produce negatives or transparencies of the proper density. Former ratings included a generous safety factor, resulting, in most cases, in over-dense negatives. You don't need to do all this math each time you use a new film, however. Here's a concise table to help shorten the work load. Find the index for your new film and simply multiply the Kodachrome guide number of your unit by the corresponding Multiplying Factor. This is your new film's guide number.


E.I.	Multiplying Factor
25	1.6
32	1.8
50	2.2
100	3.2
160	4.0
200 .	4.5
400	63

We are progressing however, to some measure of standardization so that we can calculate the guide number of any film from the technical specifications of any unit. Here's how it's developing.

The brightness of the flashtube itself is measured in candlepower. However, total illumination from a flashtube is also dependent on the duration of the flash as well as the brightness. The duration is generally much shorter than the actual shutter speed used. At first electronic flash manufacturers stressed the short exposures that could be obtained to stop motion and to help produce sharp pictures of rapidly moving subjects. Then reciprocity failure reared its ugly head. You should be able to double the brightness and maintain proper ex-



HOW DO YOU MEASURE DURATION? Oscillogram shows total flash duration for 500-volt unit is 2.5 ms or 1/400 sec. Under proposed ASA standards, useful duration would be measured between the points at which it reaches and returns to ½ full intensity. Thus it's 1 ms or 1/1000 sec.



CAN YOU SHORTEN IT? By connecting two flash-tubes to the same unit as above, the discharge time is nearly halved. Time axis is now .2 ms per box; flash duration is half that of one tube.

posure by halving the duration. However, at extremely short flash durations this relationship breaks down. There isn't time enough for the image to register properly. Either a longer duration flash or a higher brightness is needed.

Once this effect was recognized, electronic flash makers reversed field and stressed the long exposure times of their units as minimizing reciprocity failure. This double interpretation of the duration of flash was possible because of the peculiar shape of the graph of light output against time of the flashtube (see illustration above). The flashtube does not put out a light of constant intensity. When a unit is flashed, the light reaches its maximum intensity almost immediately and then gradually decreases to zero. Thus a typical portable unit may be said to have a flash duration of 1/500 sec., relatively long, if the time includes the full sloping tail in the graph. This is misleading, as almost all the light output is represented in the area of the graph before the curve slopes to the axis.

The proposed ASA standard (which we'll discuss later) sets the time interval "from the instant the flash reaches one third of its peak intensity to the instant it decays to the same value." This proposal is quite valid and will provide a useful yardstick. Most portable units on the market will probably test out at 1/1000 to 1/2000 sec, when measured according to the proposed standard.

The photographic effectiveness of a lamp at a given


distance may be expressed by the product of the brightness and the duration in candlepower-seconds. When a reflector is placed behind the lamp, the brightness along the beam is increased, and the new product is called Beam Candlepower Seconds (BCPS). This is useful for comparing the output of units along the central beam axis but it does not tell what is happening all over the picture area. By designing a unit which produces a hot-spot in the center of a picture, a manufacturer can obtain high BCPS at the expense of even illumination. However, an average portable electronic flash unit of 50 watt-seconds usually has about 1500 BCPS output.

To arrive at one single number evaluating the light output of a flash unit, the candlepower-seconds at different angles must be measured and then a weighted average must be found. This is expressed as Effective Candlepower Seconds. ECPS penalizes hotspotting units and is more representative of the light distribution. It suffers from the basic fault that it is an average over a wide angle. It does not tell what light the film in the camera will receive. And film response is not to an


average but to point-by-point intensity.

Conflicting claims for different electronic flash units can largely be attributed to the obvious lack of standardized measurements. After a number of years of effort a committee has finally agreed on a proposal for an American Standard for measuring the performance of electronic flash equipment. "The chances of this document being approved, substantially as it is, as an American Standard are very good, but until such approval has been secured we must be careful not to refer to it as a Standard" states J. A. Van den Broek, chairman of the committee, to whom we are indebted for our copy of the current draft proposal.

In view of the importance of this proposed standard, we will present details of most concern to the photographer, and discuss their photographic implications.



DO FLASH FILMS NEED OVERDEVELOPMENT? Curves for both 1/1000-sec. and 1/50-sec. flash on Ilford HP3 film were shifted at toe so they'd overlap. Only at high densities is there a slight separation of the curves. For practical purposes, you ignore this separation. Modern high-speed flash doesn't need extra development.



WHAT'S THE RIGHT RECYCLING TIME? Rechargeable battery units increase in relative output swiftly at beginning of charge. Charge rate tapers off as they reach capacity. Proposed standard would set 70% of charge as proper recycling minimum. Recycling time here would be 12 sec. even though full charge takes whole minute.

Quantity of light or light output is to be measured in Beam Candlepower Seconds (BCPS) using an electrical meter that integrates light intensity and time. But there is an important qualification: measurements must be made at 84.1% of peak voltage. Thus the light output rating will be obtained from an electronic unit after a practical delay time between flashes rather than a rating obtained after a long wait (which may be a minute or more for some units) to reach peak voltage.

"Coverage of light is the spread of light emitted, or the included angle of the beam of light produced within defined limits of quantity and orientation." The proposed standard recognizes the great importance of evenness of illumination of the flash head over the subject area. In fact, as we will see later, the "merit figure" for an electronic unit gives equal weight to the coverage of light as well as the quantity of light.

Coverage of light is measured with the same integrating light meter used for the measurement of quality of light. The lamp head is rotated and measurements made at 5-degree intervals on both sides of the center line (top right, opposite page). "The designated angle of coverage shall be the included angle between points where the strength of the light is 50% of that measured on the axis of the lamp head."

This definition gives you a good idea of the light fall-off over the subject field with any unit. For instance, with a 50-degree angle of coverage, the intensity of the light at 25 degrees from the center will be ½ that at the center. This is a full stop difference in exposure—an appreciable drop, particularly when it is added to the decrease in corner illumination of the lens itself. With the "normal" focal-length lens angle of 50

degrees, such a unit will cause an appreciable falling off of illumination. If you need a more even light coverage, try a unit with a greater coverage angle, say 60 degrees. From it you will get more even illumination over 50 degrees. This "angle of coverage" definition will be invaluable if you use wide-angle lenses and want to know if a unit will cover your viewing field without running an actual test.

Gimmicks in reflector design which produce hotspotting are largely outlawed by a rule that "no two readings five degrees apart will vary more than 25%."

The increasing use of lamp heads with non-circular reflectors is recognized, as the coverage in the horizontal and vertical planes may be appreciably different. Thus a rectangular reflector may have its coverage specified in two angles. "Units having an angle of coverage in the vertical plane differing from that in the horizontal plane by more than 10% shall have separate designations for the angle of coverage in the two planes, for example, as follows:

2500BCPS/60° - 45°

e-

as

et

le-

gh

red

ec-

ne.

nts

ght

nit

nan

e a

ge.

or

hin

TO-

of

ub-

re"

ver-

rat-

of

ade

line

e of

ints

red

ight

in-

sity

1/2

ex-

it is

lens

f 50

lling

ver-


60

Here we see the shape of things to come if the proposed standard is widely used. Light output will be given as the top of the slant line and angular coverage at the bottom of the slant line.


BCPS ratings cannot be used directly to set the aperture in picture taking. An appendix to the proposed standard recognizes this problem and "It is suggested that manufacturers who choose to designate the performance of their equipment in accordance with this standard furnish in the literature that accompanies the equipment a conversion factor which may enable the user . . . to convert BCPS to guide numbers."

Examine the sample nomograph for converting BCPS to guide numbers for various ASA indexes with one unit (page 56). If every electronic flash maker rates his unit as suggested by the ASA group, we can have easily understood and quite truthful nomographs for every unit. Let's pray for the day.

For the meantime, there are several other important misconceptions and theories that should be cleaned up.



DOES REFLECTOR EFFICIENCY VARY? Even a circular sealed beam reflector varies in efficiency, both horizontally and vertically. Note disparity between graph lines. Proposed ASA standard would measure coverage from half energy points (here 1000 CPS). So this reflector, according to the graph, would measure total of about 40°.



CAN FLASH COVERAGE BE MEASURED ACCURATELY? By placing a light meter directly in front of a reflector you can measure the brightness headon. When the reflector is rotated, brightness decreases. At the angle where light falls off to ½ that measured head-on, the half-angle of the effective flash coverage is measured.

Some writers, and even instruction books for electronic flash, recommend increased development times, up to 50% for exposures made with black-and-white film. Overdevelopment poses a problem to most users who have exposures made by ordinary light as well as by flash on the same roll. It causes several undesirable effects, such as increased graininess and probable loss of print quality. But modern amateur portable units no longer require overdevelopment of negatives.

The first electronic flash units marketed operated on high voltages. Consequently they had short flash durations, in the range of 1/5000 to 1/10000 sec. Reciprocity failure and inflation of guide numbers led to underexposure. Considerable overdevelopment, currently called "pushing," was resorted to in order to overcome these difficulties. Several high-energy developers were marketed to push shadow detail. There was some justification for overdevelopment with these early electronic flash units. Today, despite the continued publication of advice to the contrary, there is generally no need for overdevelopment. Current amateur units have flash durations that approximate 1/1000 sec., not far from the highest speed available on many cameras. At such durations, the need for extended development is negligible, and most popular films show practically no reciprocity failure.

Continue to use your favorite film developer with normal times. Normal contrast and density should result if reliable guide numbers are used. If low density occurs, reduce guide numbers. (Dividing the guide number by 1.4 will effectively double the exposure.)

Because of the widespread disagreement on the effect of reciprocity failure of films, we have obtained the following latest available information from several major film manufacturers:

Eastman Kodak: "The average total duration of the flash from a portable unit is (Continued on page 100)

MODERN'S GUIDE TO 21/4 X 21/4 PROJECTORS

THE 2½ TRANSPARENCY has one big advantage over the 35mm when it comes to projecting them both on a screen. To fill the width of a 40 x 40-in. screen with 35mm, you need a magnification of about 30X. But with 2½, you can fill the same screen with a magnification of only about 20X. Assuming the same proficiency of exposure and focusing, this means that your 2½ transparencies are going to look appreciably crisper and less grainy than the 35's, even to people who are sitting close to the screen.

Until recently, however, the $2\frac{1}{4}$ color enthusiast had practically no way of taking advantage of this advantage. Only a handful of $2\frac{1}{4}$ x $2\frac{1}{4}$ projectors existed, and none of them was automatic. Worse still, even if he had a $2\frac{1}{4}$ projector, he had to mount the transparencies himself. The only convenient way of getting his color onto the screen was to have it mounted in superslide form—but even if he planned his shooting to allow for the masked edges, he was obviously sacrificing much of the advantage of the larger format.

At last the manufacturers are coming to the $2\frac{1}{4}$ man's rescue. They began by modifying 2×2 projectors so as to accept $2\frac{1}{4}$, either with or without accessory adapters; and some models that work automatically with the smaller format require manual operation with $2\frac{1}{4} \times 2\frac{1}{4}$. However, automatic $2\frac{1}{4}$ projection is here: four models have built-in automatic changers, and another offers it as an accessory. Although the number of $2\frac{1}{4}$ projectors on the market does not yet rival the number of 2×2 models, the 15 listed at right do offer a pretty reasonable choice, from the simple and inexpensive up to the advanced and expensive. Modern hasn't yet had a chance of testing any of them, but we hope to report on them soon.

Since the best projector in the world is no help unless your color is mounted, we're glad to report that the mount situation has brightened considerably—not only will processors now return your $2\frac{1}{4} \times 2\frac{1}{4}$ color transparencies in cardboard mounts, but there's also a pretty wide range of more durable mounts for you to choose from. (For a full discussion of this subject see "Modern Color," page 28.) So cheer up, all you $2\frac{1}{4}$ color enthusiasts—the time has come when it's both possible and convenient for you to put your full-size transparencies on the screen.—W.H.J.

NAME, COUNTRY OF ORIGIN	WATTS	LENS	t
Anscomatic U.S.A.	500	5-in. f/3.5; acc. lens, 7-in.	
Bausch & Lomb Balomatic 755 U.S.A.	500	7-in. f/3.5; acc. lens, 5-in.	
Brumberger Fleetwood 1406 U.S.A.	500	5-in. f/3.5; acc. lenses, 3-,4-,7-,9-in.	
Brumberger Fleetwood 1406 W/140 U.S.A.	500	5-in. f/3.5; acc. lenses, 4-,7-,9-in.	
Brumberger Riviera 1422 W/140 U.S.A.	300	5-in. f/3.5	
Bell & Howell Headliner 708 Duo U.S.A.	300	5-in. f/4	
Bell & Howell Headliner 709 Duo U.S.A.	500	5-in. f/4	
Ferrania Fer-Color 6-6 Italy	100	85mm f/2.8 (57mm f/2.8 for 35mm)	
Leitz Prado 66 Germany	500, or 750 w/ heat filter	150mm f/2.8; acc. lenses, see price column	
Linhof 500 Germany	500	200mm f/4	
Polaroid #610 U.S.A.	500	6½-in. f/5.6	
Realist 620 Deluxe U.S.A.	300	5-in. f/3.5	
Rolleiflex Automatic Universal Germany	500	150mm f/2.8; acc. lenses, 110mm, 250mm	
Rolleiflex Projector Adapter Germany	150	Uses finder lens of Rolleiflex	
Viewlex Model V-53 U.S.A.	300	5 or 6½-in. f/3.5 optional	

AUTO	MATION				
35	21/4	NOTES	PRICE		
Built-in	No	Manual showing of $2\frac{3}{4} \times 2\frac{3}{4}$, 2×2 and single-frame stereo, by means of 3 slots atop projector; automation for 2 x 2 uses TDC type tray	\$119.50 w/case		
Built-in	Built-in	Tray holds 40 2½ x 2½ slides, or 2 x 2 slides with adapters; slides may be cardboard or glass intermixed; timer cycle 4 to 30 sec.; manual changer operation; remote control built in; editing feature	\$179.50 w/case; remote control cord, \$4.95; 2 x 2 adapt- ers, 20 for \$1.25		
Accessory	Accessory	Manual carriers for $2\frac{1}{4}$, 35mm, Polaroid and single-frame stereo, \$3.95 each; automatic changer for $2\frac{1}{4} \times 2\frac{1}{4}$, with timer and remote control, \$29.95; Airequipt automatic changer for 2 x 2 slides, \$14.95	\$79.50; case, \$14.95		
Accessory	Built-in	Manual carriers for $2\frac{1}{4} \times 2\frac{1}{4}$, 2×2 and single-frame stereo, \$3.95 each; Airequipt automatic changer for 2×2 slides, \$14.95; $2\frac{1}{4} \times 2\frac{1}{4}$ automatic changer includes remote control and timer	\$99.50; case, \$14.95		
Accessory	Built-in	Manual carriers for 23/4 x 23/4, Polaroid 46L, 2 x 2, single-frame stereo, \$3.95 each; Airequipt automatic changer for 2 x 2 slides, \$14.95	\$79.95 w/automatic changer; \$59.50 w/ manual; case, \$14.95		
Accessory	No	Selectron Semimatic semi-automatic changer for 2 x 2 slides, \$12.50; uses TDC type trays	\$59.95; case, \$5.95		
Accessory	No	Same as 708 Duo above	\$89.95 w/case		
No	No	Projects on 12 x 12-in. built-in screen, or on wall; folds into case 14 x 13 x 4 in.	\$179.50 w/case, 2 lenses; \$151.50 w/case, 85mm lens; \$149.50 w/case, 57mm lens		
Accessory	No	Manual changer for 2 x 2 slides, \$7.50; automatic changer for 2 x 2 slides, \$21 (needs new front assembly, \$72.60 w/90mm f/2.5 lens)	\$201; \$240 w/ 150mm f/2.5; \$294 w/175 f/2.5; \$216 w/200mm f/4		
No	No	Takes 2½ x 2¾-in. 70mm Cine Rollex slides in special 85 x 85mm mounts; adapter for carrier to take 2½ sq. slides in 2¾ sq. mounts, \$5.95 per pair; conversion kit for 35mm, w/condensers, 100mm f/2.8 lens, slide carrier, \$72.60; kit w/150mm f/2.8 lens, \$87.50	\$290; case, \$39.50		
No .	No	For 21/4 x 21/4 Polaroid Type 46 slides in special Polaroid #630 Slide Mount	\$109.75 w/case		
No	No	Adapters for Polaroid slides, single-frame stereo, \$4.95; 35mm adapter w/conversion lens, \$4.95	\$44.50		
Built-in	Built-in	Has two channels, one for 35mm tray, other for $2\frac{1}{4}$ slides; both sizes can be shown alternately with both trays in place at same time	\$240; case, \$25		
No	No	Uses finder lens of Rolleiflex camera models having removable hood	\$49.50		
Accessory	No	Automatic changer for 2 x 2 slides, price on request	\$67.95; case, \$9.90		

CUT LOOSE WITH YOUR TWIN-LENS REFLEX

EVERYONE KNOWS that the twin-lens reflex is a no-nonsense camera, ideal for the straight, standard, middle-distance shot. But don't sell it short. This doesn't mean that twin-lens reflexes can't be used for experimental purposes as well. Several months ago, Modern assigned color expert Norman Rothschild to try some experiments and devise some techniques for making abstracts with the twin-lens reflex. A few of his results appear on the following pages. With the exception of the picture bottom page 64, these photographs were made by placing a transparent object in front of the camera's lens: a circular diffraction grating, opp.; a piece of clear 35mm film with microscopic lines engraved on it bottom page 65; a five-sided prism, top page 65; and a plastic button, top page 64. Rothschild's method, one which you will find essential in your own twin-lens experiments, is fairly standard. Since most of the gadgets which he used covered only the taking lens, he first attached them to the viewing lens to see the effect he was getting, then moved them to the taking lens before making the exposure. Most of the gadgets fitted a standard Series VI filter adapter ring: for the others, such as the

ruled screen, Rothschild devised his own method of attaching the gadget to the camera, in this case mounting the screen in a cutout cardboard holder, which he slipped into an Eastman Kodak Gelatin Filter Holder over the lens. The devices which Rothschild used in making these photographs came from a number of sources: the least expensive, the embossed plastic button, was purchased for 29 cents at a five-and-dime store; the most expensive, the five-faceted prism (actually a Proskar Trick lens originally intended for special effects work in movies), cost \$60 and is available from Aetna Optix, Inc., 350 W. 31st St., New York 1, N.Y. Edmund Scientific Co., 101 E. Gloucester Pk., Barrington, N.J., source of both the circular diffraction grating and the engraved 35mm film, has a free catalogue which lists a great number of optical devices which can be used for experimental work. Since the subject matter of most of the photographs consisted of lights, Rothschild relied on experience in estimating exposure; we suggest that you bracket exposures when you launch your own experiments, using Rothschild's tried and tested f/stops and shutter speeds as "normal." For details on the tools and techniques which produced these pictures, see the captions .-- P.C.



DIFFRACTION GRATING was inserted in filter holder, placed first over viewing lens for choosing precise angle, then over taking lens in making this late afternoon picture of the New Jersey shore. Since the Rolleiflex's f/3.5 lens had to be used wide open (when stopped down the iris diaphragm cut off the grating pattern), Rothschild also used both 2X and 10X neutral density filters in the adapter ring to cut down the light reaching the film. He calculated exposure from an incident reading with a Norwood Director meter, opening up two stops to com-pensate for backlight. Anscochrome Daylight Type, f/3.5 and 1/500 sec. This Circular Transmission Diffraction grating can be obtained from Edmund Scientific Co. for 75¢.







PLASTIC BUTTON plus red and green Wratten Rheinberg filters taped to lens produced kaleidoscopic rendition of light bulb. The design embossed on the button broke up the light rays, the circle of dots surrounding the sharp image of the bulb itself are from the thread holes. Rothschild exposed S u p er Anscochrome Tungsten at f/3.5 and ½ sec., calculating exposure from a reading with a Norwood Director meter, and opening up two stops to take into account the filter factor. It is not necessary to use these specific filters, which are designed for use in photomicrography and are relatively expensive. The same effect would have been produced by color gels, available from your local photographic dealer.



ROTATING CAMERA transformed New York's Broadway into unrecognizable pattern of moving lights. Since the viewing image with twin-lens reflexes is not blacked out during exposure as with single-lens reflexes, Rothschild was able to observe approximate final effect on the ground glass while actually shooting. As there is no way to measure the intensity of light exactly with most meters we suggest bracketing exposures until you gain sufficient experience to guess. Exposure, actually, need not be as critical as for continuous-tone scene since the viewer has no way of knowing what the scene really looked like. F/4 and 1/4 sec. with Daylight Anscochrome film rated normally in a Rolleicord Va camera.









FIVE-FACETED PRISM multiplied light pattern of Palisades Park, N. J., ride to produce five overlapping images. This device was originally intended for making trick movies, but can be used with any 2½, or 35mm reflex. Rothschild taped the prism onto a Series V bayonet adapter ring, which he first mounted on the viewing lens and then shifted to the taking lens. This particular prism, the Proskar, is available through Aetna-Optix Corp.; others can be obtained from any optical supply house, range in price from about \$16 to \$60. No exposure increase is needed even though path of light reaching optical system is split into a number of separate images. Rolleiflex T, f/3.5 and 1/30 sec. on Super Anscochrome Tungsten.






RULED SCREEN, when slipped into home-made adapter cut out of cardboard and affixed to taking lens, also covers viewing lens, need not be moved for viewing and shooting. Colored lights make best subject for shooting with this gadget. When used for an ordinary, continuous-tone scene, results are unspectacular. Here, Rothschild photographed the neon lights on a ferris wheel at Palisades Park, N. J., exposing Super Anscochrome Tungsten Type film at f/3.5 and 1/15 sec. in a Rolleiflex T. There are no problems in calculating exposure, since screen does not reduce the amount of light reaching the lens. These screens, and various other devices suitable for experimental photography, are available from Edmund Scientific Co.

TWIN-LENS PORTRAITS



IF A PHOTOGRAPHER had to pick a single camera for portraiture, he would probably select a twin-lens reflex. Why? First, the normal, waistlevel viewing position is ideal for seated subjects (pages 68 and 69); second, the photographer can raise or lower the camera to shoot from a higher (left) or lower (opposite) angle without moving from his upright position; third, fast and silent operation. George Moffett took all of these photographs with a Rolleiflex camera on Tri-X film. His sole light source in each situation was diffused daylight from a window, or (page 69) from a skylight. Though these portraits seem casual, unplanned, each of them has been carefully posed and the props that also appear-furniture, paintings, and other objects-have been consciously selected and arranged. Before Moffett actually begins to photograph, he talks with his subject as long as time permits. While he

Willard Cummings. Rolleiflex camera, Tri-X ⊳ film, 1/30 second and f/3.5.



talks, he searches for clues to the man's personality, and looks about for objects or locations which can be used in the picture. When he is satisfied with background and props, he composes the picture in his mind, then moves furniture, pictures, or other objects to create the frame he feels is most suitable. "Then," says Moffett, "I place the subject in this milieu, and ask him to sit, stand, or do something appropriate to his occupation or background. At that point, I start taking pictures. More often than not the whole session is given to photographing the subject in this prearranged environment. By concentrating on one particular situation, exploring its possibilities to the full, and allowing room for the unexpected to happen, I find that more satisfactory pictures result than if I move the subject about. If I try to tackle too many locations and situations, I find it becomes difficult to control the composition." Moffett used a tripod in making these photographs, which freed him to concentrate on gesture and expression once composition was set.—P.C.

Top: Bessie Breuer. Rolleiflex, Tri-X, 1/60, f/5.6.

Rt.: Jacques Lipchitz. Rolleiflex, Tri-X, 1/30, f/5.6.

Opp.: Raphael Soyer. Rolleiflex, Tri-X, 1/60, f/5.6.







PETER KEETMAN

PRESENTS STARTLING 2½ COMPOSITIONS THROUGH DISCIPLINED 2½ TECHNIQUES

compare the photographs on these six pages with the color pages 64 through 66. Unusual 2½ techniques produced each group; yet they could not be more dissimilar. Rothschild's color was made by placing optical devices in front of the taking lens; Keetman's black-and-white is the result of straight, classic craftsmanship. The experimental aspect of his work is confined to his way of seeing.

Keetman, a 45-year-old German freelance, was introduced to photography as a child, for his father was an avid amateur. After deciding to become a professional photographer, Keetman attended the Bavarian State Institute for Photography in Munich from 1935 through 1937, was apprenticed to a well-known professional for two years. During the war he served as a combat photographer until he was wounded in 1944.

Recuperation was a slow process, and during his year in a hospital Keetman continued to photograph. There he was free to indulge his interest in purely creative, non-commercial work. In 1947 he returned to school for his masters; in 1949 he and a number of avant garde photographers founded the group Fotoforum; since 1952 he has been freelancing, doing industrial and commercial as well as experimental photography.

For specifics on Keetman's approach and techniques, see the captions.—P.C.

MULTIPLE IMAGES of pedestrians on a busy street were made by three separate exposures: one at 1/250 at f/4, two at 1/250 and f/11. Multiple exposures are possible with all Rolleiflexes manufactured since 1953, except the Rolleiflex T, simply by moving the release ring at the base of the crank in the direction indicated by the arrow, then moving the crank through one backward revolution until it stops. Keetman had Rolleiflex clamped to edge of balcony when he made this photograph, could not see ground glass when making exposures. Before shooting he checked area covered by lens, planned placement of figures simply by watching the pavement as they passed by. Ilford FP3 film, straight print.










 \lhd **EXTREME CLOSE-UP** is of oil drops on a window; crosses which appear in each drop are reflections of the window frame located behind the pane. Keetman made this photograph with a 4 x 5 Linhof camera, Schneider Symmar 210mm f/5.6 lens. He owns two other view cameras: a 9 x 12cm Peco and a 10 x 15cm Linhof, which he uses only for Ektachrome. While Keetman does most of his black-and-white shooting with his $2^1\!\!/_4$ x $2^1\!\!/_4$ cameras, he does employ the view cameras when swings or tilts are needed, or when making extreme close-ups. Here Keetman exposed for 8 sec. with lens set at f/32, but actual working aperture was considerably less. The formula which Keetman used to determine working aperture will be helpful to you in your own close-up work: multiply the lens-to-film distance by the f-number, and divide this product by the focal length of the lens. Initial light reading made with a Weston Master II meter.

⊲ OPEN SHUTTER allowed Keetman to track car's passage down a country road at dusk by recording headlights only. Keetman estimated the length of time it would take car to travel down the road, and used a Norwood Director incident light meter to determine the f-number he would need to expose normally for the snow-covered landscape. He opened the shutter as soon as headlights were visible, closed it before car drove out of view. Hasselblad camera, 250mm f/5.6 Sonnar lens, Ilford FP3 film.



TWO VANTAGE POINTS were used in making this double exposure of the sun pouring through the wall of an old woodshed. Keetman first focused on holes in wood, made exposure, changed camera position, focused and shot again. His exposure was correct for the landscape outside, and of course burned out the direct rays of the sun and "underexposed" the inside of the shed. Enlargement was straight, with no dodging or burning in. Each exposure was at 1/60 second and f/8, in Rolleiflex camera on liford FP3 film.

LONG LENS enabled Keetman to close in on a solitary swan, capture early morning stretch toward the sun. Keetman was photographing a large flock of 50 or 60 birds that winter on the Chiemsee, a river running through Breitbrunn, Germany, where he lives. After he had taken a number of overall shots of the group, one bird separated itself from its fellows, Keetman rapidly switched from a 150mm to a 250mm lens, and shot at 1/250 sec. and f/11f/16 on Ilford FP3 film. This exposure setting indicates relatively high illumination typical of hazy weather. Since haze reflects much light back into shadows, decreasing lighting contrast, Keetman took overall reading with a Weston Master II meter, stopped down one f-number from exposure indicated. Hasselblad 500C, 250mm f/5.6 Sonnar.




3 WAYS TO EFFECTIVE ZOOMS

THAT FIRST ROLL of movie film you shot with a zoom lens may make you wonder whether the investment was worth it. You may find that monotony sets in as one swooping scene follows another.

It's all a matter of knowing when, where and how to zoom. The illustrations at right show three specific zoom lens techniques—straight cutting, straight zooming, and panning with a zoom. Each has its place in your movie making technique.


Straight cuts: The zoom lens is used to shoot a sequence of long shot, medium shot and close-up. Each shot has a change of angle, framing, and camera-tosubject distance. The infinite variety of focal lengths between the widest and narrowest angle of the zoom makes it possible for you to frame each shot perfectly. With single focal-length lenses there are times when you can't move around to get the exact composition you want at a baseball game, for example. The sequence at right was photographed from behind home plate. We used the zoom to emphasize the action by varying framing and cutting quickly from one shot to the next. We made a wide-angle shot of the pitcher to show the field and established the scene. Next, we swung around, moved the zoom lever to the normal (13mm) position, and filmed the batter as he swung at the ball. When he connected, we just about had time to go to tele and swing around to first base. A final cut (still at tele) to second base caught the batter sliding into the bag and the umpire calling him safe. Total screen time adds up to about 15 sec., but this type of cutting tells a complete story and has sufficient shot variety and pace to keep the audience interested. It wouldn't be quite as easy with separate turret-mounted wide-angle, normal and tele lenses, since going from one to the other would take too much time.

Straight zooming: The zoom goes from long shot to medium shot to close-up without interruption or change of angle. It's used to emphasize an action that takes place in a restricted area. There are two features of the zoom shot of the children swinging that heighten its interest. First, notice the (Continued on page 106)



STRAIGHT CUT: Surprisingly enough, a series consisting of long shot, medium shot and close-up is one of the most effective zoom lens sequences. All cuts, above, were made from the same spot on field, but camera direction and focal length were varied to maintain interest. Frame each shot tightly, to include only important subject matter.





II d,



PANNING PLUS ZOOM: Straight zoom to top of construction work would lack detail of interesting surroundings. Panning from right to left shows new, modern building, old structure (second from top, left), and finally zooms into work on new building. Pistol grip, if you can't use a tripod, steadies camera, improves overall quality of shot.

INSIDE MOVIE PROJECTORS

MODERN'S TECHNICAL CONSULTANT BENNETT SHERMAN LOOKS AT 8 AND 16MM PROJECTORS AND TELLS YOU HOW AND WHY THEY TICK.

IT'S AMAZING that a movie projector works at all. Here's a machine that takes a tiny frame and enlarges it to a screen image big enough to be comfortably viewed by 20, 30 or more people. To do a job like that, motor, gears, sprocket drive, pulldown claw, shutter, optical system, and a battery of switches must be coordinated into a smoothly functioning machine.


In the early days of amateur movie making, the sturdier looking projectors were usually the best. But today industrial designers have added high styling in every price bracket. No matter what you spend, you get more for your money in looks, at least. You can even buy projectors for under \$50—unheard-of years ago.

To make the best choice, however, you'll have to find out what's inside the machine. Knowing how an 8 or 16mm projector works will give you the real clues to why one machine throws a sharper image, keeps the image steadier or shows less flicker than another.


First let's examine your projector's mechanical system. All the power to drive the various moving parts comes from an electric motor fed by regular house current. The motor is geared to the sprocket drives, shutter, pulldown claw, reel arms and blower (Fig. 1, page 80). The speed that the film moves is governed either by a rheostat device or a system of resistors.

In a rheostat-controlled machine (Fig. 1) projection speed can be varied from about 12 to 28 fps. While a rheostat does have some limited use in changing screen movement for special effects, its real function is to make up for fluctuations in house current caused by the use of other appliances, etc. By adjusting the control, you can feed electricity to keep the frame rate constant.

In one- or two-speed projectors, resistors control the



FEED REEL TAKE-UP REEL REFLECTOR LAMP FEED SPROCKET DRIVE SHUTTER EDITOR-PROJECT APERTURE FILM GUIDE EDITOR SWITCH GATE FURNO RYRSE STILLY REWIND SLOW CONTROL PANEL HEIGHT ADJUSTMENT



fps rate. The resistors allow only a fixed amount of current to reach the motor. Obviously, fluctuations in house current will affect the steadiness of fps rate.

Once loaded on the feed reel arm, the film leader goes through the first sprocket drive. During regular projection the feed reel runs free—the film is pulled from the reel by the continuous action of the sprocket drive. After leaving the sprocket drive the film forms a loop—and if you've ever lost the loop you know why it's important. It prevents the film from binding and being damaged as it passes from continuous action to an intermittent one in the gate. The film is pulled through the gate one frame at a time by a claw. As in your camera, the claw engages sprocket holes, pulls the frame into position, withdraws, and rises to engage the next frame (see illustration page 98). Each frame remains stationary in the gate for a fraction of a second.

While most cameras have one-toothed claws, projector claws usually have two teeth. Each tooth engages a separate sprocket hole, which places less strain on the film and at the same time provides better registration (frame positioning) in the gate in front of the aperture.


The shutters in your camera and projector are both rotating flat plates. But while the camera shutter opens only once per frame, the projector shutter is usually divided into three open and three closed sections (Fig. 1), and the shutter opens and closes three times for each

frame. Flicker is greatly reduced because the eye tends to retain the image of light for a time after it's cut off.

The open sections on your projector shutter are larger than the closed ones, as you can see from Fig. 1, so that each frame is projected for a long enough time to appear bright. In the Keystone K110-AZ, for example, the shutter is open a total of 3/4 of a cycle. The three-bladed shutter rotates once per frame. Thus at silent speed (16 fps) the shutter interrupts the light 48 times per second, at sound speed (24 fps) 72 times per second. A few rare shutters with only one opening rotate at the rate of 3X per frame.


The shutter on the Bolex 18-5 8mm projector differs somewhat from other machines. The Bolex is a two-speed machine—18 fps for normal silent footage projection and 5 fps for a slow-motion effect utilizing normally shot footage. The shutter ratio is 7/9 open time to 2/9 closed time for regular projection. But even with such a high ratio, flicker at 5 fps could be objectionable. So the Bolex uses a variable shutter. A special double-bladed attachment on the shutter divides each of the three openings into three more openings for a total of 9. The result is a flashing rate of 45 per sec.—only three less than at 16 fps—and virtually flickerless projection at 5 fps.

But while the three-bladed shutter provides a comfortable viewing image it allows precious little time to



3. THE PETZVAL LENS: The basic design for the lens in your projector was developed more than 100 years ago. The two achromatic elements in the lens are designed to balance out each other's aberrations. The Petzval design produces image curvature on the screen. Since, in motion pictures, the central portion of the image dominates the viewer's eye, this curvature usually goes unnoticed.

2. HOW AUTOMATIC THREADING WORKS: Several systems are used. Illustration, left, follows Bell & Howell design. To start automatic threading, turn projector on and depress upper and lower loop-formers or guides (A). Insert film leader by hand into feed spool sprocket drive (B). From then on, machine works automatically. Film goes through formers and film gate (C) to take-up sprocket drive (D). As it emerges from lower guide it is pulled against trip-out lever on lower film guide idler (E). This releases connecting lever inside projector (F) which in turn snaps formers away from film which has formed loop (G). Film continues to takeup reel where teeth on reel hub engage sprocket holes and start taking up. In some machines film pressure on formers causes them to snap out of way. Not all machines with automatic threading also have the automatic reel takeup feature.



move one frame out of the gate and the next one in.

The major mechanical problem faced by manufacturers is one of assuring film stability-flatness of the frame in the gate and absence of side-to-side movement. Even with film guides, a short gate permits the sprocket drive to move the film out of position when the claw isn't engaged in the sprocket holes to hold footage in the correct path. A really long gate increases stability-but it adds more metal to scratch film. As with most engineering problems that must be solved with a reasonable price in mind, manufacturers compromise. Most projector film gates are about 13/4-in. long-sufficient to provide a high level of film stability but not long enough to endanger the film surfaces. Even with the compromise, the gates in most projectors are longer than those in most 8 and 16mm cameras. Highly polished, extremely hard metal surfaces with a minimum of contact with the film keep scratches down.

e

ıt

8

r

g

S

)•

g

n c-

al

But projector gate design isn't the only thing that affects registration. If your camera has an improperly adjusted gate or film transport, frame lines may fall above or below the sprocket hole center during exposure. This can, of course, be taken care of to some extent with the frame-line adjustment in the projector, which moves the aperture up or down (G, in Fig. 1).

After leaving the gate, film goes to a second sprocket drive that keeps the lower loop formed and at the same time prevents the film from binding again as its movement changes back from intermittent to continuous. The take-up reel, spinning at a constant rate, picks up the film and the cycle is completed.

Your machine has one more job—rewinding the footage onto the original reel. Practically all 8 and 16mm silent machines and most 16mm sound machines have powered rewinds of some sort. One-way clutches on the feed and takeup spindles holding the reels make it possible to run the projector forward or backward. When you switch to forward, the clutch on the takeup reel spindle engages and the clutch on the feed reel spindle disengages. Switch to rewind, and the clutch on the feed reel spindle engages and the one on the takeup reel spindle disengages. In looking at a prospective projector purchase, make sure that there's no free play in the spindles to indicate improperly working clutches.

Now let's turn from the mechanical to the optical system, starting from the back with the projection lamp. Most 16mm machines have either 750 or 1000-watt conventional filament lamps. The filaments are fairly thin and have a great many coils requiring high voltages to produce sufficient screen illumination. Older 8mm machines using conventional lamps have wattages from 300 to 1000. The problem of getting enough light on the screen is complicated by the small size of the gate aperture. Increasing the wattage of conventional lamps

—like boosting the horsepower in an automobile—is one way to get more light on the screen. But this raises the cost, since it necessitates a powerful blower.

The lamp requires a reflector behind it and a series of condensors in front (Fig. 4, opposite). The reflector re-images the filament on itself and is slightly angled to fill in the spaces between the filament coils. The light goes forward through a series of condensors which concentrates most of the light beam on the frame. The condensors represent another compromise—between color correction (which prevents color fringing of the screen image) and aberration correction (which prevents too much light loss).

But no matter what manufacturers do with conventional lamps they are hard pressed to maintain the required 8 to 10 foot-candles of light on the screen. They do in most cases—but it costs money.

The major breakthrough came around 1958 with the development by both General Electric and Sylvania of the highly efficient internal reflector lamp (Fig. 5, opposite), which revolutionized projector design by eliminating condensors. In this lamp the reflector aims the light at the gate.

The reflector lamps made in the U.S.A. have a heavy duty, low-wattage filament rated at about 150 watts. In Europe, Philips manufacturers a lamp rated at only 50 watts. While current draw on the house line is greater for a reflector lamp—7½ amperes as against 4.8 for the conventional 500-watt lamp—they burn cooler, because it takes less voltage to heat a heavy filament with fewer coils than a light filament with more coils (Fig. 6, opposite). Reflector lamps use either 12 or 21 volts, and 115-volt houseline current is reduced by means of a step-down transformer in the projector. This reduces the need for heavy duty blowers, cutting costs.

Dichroic lamps are another advance in the reflector lamp field. Instead of a metal coating the reflector has a special film that reflects all the visible light but not infrared. Since infrared generates most of the heat, dichroic lamp projectors tend to be cooler.

With the elimination of condensors and the need for smaller blowers, designers have turned their attention to low silhouette designs—as in some of the new Keystone and Argus projectors.

The reflector lamp is hardly the last step in light source design. It's quite possible with modern films and lenses to achieve fairly large screen images—as much as 6 to 9 ft. wide. But for truly big audiences the present 8mm systems just aren't good enough and 16mm is still a must. The compact lamps—the type used in big searchlights—may hold the answer. The lamps are about the brightest light source ever developed and it may be feasible to produce them someday in 150-watt sizes for 8mm machines.

Now, let's take a look at the projector lens and the job it has to do. The average living room allows you a distance of about 17 to 18 ft. between screen and projector—barely enough to fill a 30 x 40-in. screen.

The normal 8mm projector lens has a 25mm focal length, and the 16mm has a 50mm local length. Both

are designed around the Petzval formula developed more than 100 years ago (Fig. 3, page 31). The Petzval lens can be made quite fast—f/1.4 or f/1.2—but has the drawback of a curved field on the screen. Since speed in a projection lens means better light transmission and more light on the screen, some curvature is tolerated by designers. The central part of the movie image is usually the most important, so corner softness caused by lens curvature will often go unnoticed.

In the wide-angle lenses of many new 8mm projectors, the curvature can have a more pronounced effect. Some of the poorer lenses show noticeable distortion and lack of sharpness in the image corners, but the moderately wide-angle lenses of about 20mm usually provide adequate performance. They definitely cut down on projection distance, filling a 30 x 40-in. screen at only about 15 ft.

With zoom lenses, another recent innovation, you can vary focal lengths to fit projection distance instead of moving the screen. A good, low-cost zoom lens is virtually impossible to make because of the involved corrections for aberrations and the need for keeping the lens in focus over a wide range of focal lengths. Also, speeds must be kept to at least f/1.9, further complicating design. Thus, most projector zoom lenses do not compare in sharpness with single focal-length lenses, and certainly not with good camera zoom lenses. If they did, the projectors would be most expensive.


When is a screen image sharp?

Just how sharp does a projection lens have to be before it provides a satisfactory image? The human eye can clearly see a sharply defined object 2mm wide at a distance of 8 ft. This would roughly be the best distance for viewing a 30 x 40-in. screen image with 18 ft. between screen and projector.

Now, to obtain that 40-in. image the 6mm-wide 8mm frame must be magnified 166X—a resolving power requirement of 83 lines per millimeter (166 ÷ 2). Nice if you could have it—but this is beyond the limits of most 8mm camera lenses and the sharpness of generally available films. Most top-rated 8mm movie lenses provide a resolving power of about 70 to 75 lines per mm at their best aperture. Since some fall-off can be expected at the corners—both in taking and projecting—we accept an average, overall screen resolution of about 50 to 60 lines as being satisfactory to the eye. Apparent sharpness is also aided by the fact that the image "moves." Generally, 16mm film and projectors produce better images than 8mm, as the frame is 4.9X larger.


Image brightness and contrast also have a lot to do with what we'll accept as sharp. Brightness fall-off at the corners of more than about 50% makes the image look dark and unsharp.

The projectors of just a few years ago were truly austere creations. But today's machine has refinements that make projection a lot easier and the projector itself a good deal more versatile. Some of the refinements you may be interested in are automatic threading, single-frame projection, and built- (Continued on page 98)




4. LAMP AND CONDENSOR SYSTEM: The condensor lenses (A) project an image of the box-like filament in the lamp (B) on the back of the projection lens (C). The external rear mirror (D) picks up light from back of the lamp and makes an image of the box filament on itself as shown by insert (E) at lower right-hand corner of

the drawing. The mirror is positioned slightly off-center so that the reflected image of the filament does not coincide with the direct image. The shutter (F) is situated between the set of condensor lenses and the film gate. High lamp wattage produces a great deal of heat that requires a powerful blower.



5. OFF-AXIS REFLECTOR LAMP: This system completely eliminates conventional condensors. The box filament (A) is mounted above the elliptically curved reflector (B) off the lamp-to-film axis. The reflector directs the filament image to the rear of the lens. The mirrors are purposely made less than perfect to prevent imaging of the filament on the rear of the lens. Instead, a smear of light goes through the gate. Lamps use considerably less

wattage—150—to produce light output roughly equal to that of a 500-watt conventional lamp. Blackening takes place above the filament at the top of the lamp and is therefore out of the path of the light path. This means that the blackening here has little effect on lamp life. Also, much smaller size of this lamp system makes projector streamlining possible.



6. ON-AXIS INTERNAL REFLECTOR: A heavy wire filament is placed ahead of an elliptical reflector, but in line with lamp-to-film axis. This provides slightly less light smearing at the gate and somewhat better light concentration. The reflector produces a rough filament image at the gate (C), beyond the shutter (D), but since some smearing effect is retained, filament is not

imaged on the screen. Lamp produces much useful light on the screen without resorting to high wattage. Since voltage is also low, lamp burns cooler. Dichroic lamps have reflectors coated with a film that allows infrared (heat) rays to pass out back, and so they burn cooler than lamps whose reflectors are coated with metal and reflect the infrared.

A DIM VIEW WITH COLOR

FASTER COLOR FILMS NOW MAKE IT EASIER TO SHOOT BY AVAILABLE LIGHT WITH 8MM.

ONCE, NO SENSIBLE 8mm movie maker—or at least one who had to pay for his own film—would think of shooting indoors without some fairly powerful photofloods. Any daring soul who tried available light movies in most cases restricted his shooting to electric signs, store fronts and perhaps an occasional scene shot indoors by sunlight coming through a window. With a really fast lens—f/1.1 or f/0.9—he might tackle somewhat more difficult lighting situations.

But if you haven't taken advantage of new fast 8mm color films for available light—Ansco Moviechrome and Kodak Kodachrome II—you're missing an oppor-

tunity for a really new type of image.

Your present equipment should do admirably for available light. Even a lens as slow as f/2.5 has definite possibilities, while the more usual f/1.9 lens on modern 8mm cameras can deliver well-exposed footage under a wide variety of conditions. And if you have a lens as fast as f/1.4, f/1.1 or f/0.9 you're equipped to tackle scenes that used to be best left to 35mm still camera enthusiasts with super-speed films.

Ansco Moviechrome (E. I. 20) is available only in daylight emulsions. But that doesn't stop you from shooting available light scenes where the illumination comes from fluorescent lamps of daylight quality. Scenes like the one top this page can be shot in any kitchen with light walls and a comfortably high light level from a fluorescent fixture. Naturally, you can also use Moviechrome for indoor scenes where illumination is from sunlight streaming through an open window, as in the shot bottom this page. The speed, double that of regular Kodachrome, lets you shoot with the subject some distance from the window, where light intensity may be somewhat weaker. Thus, when your youngster does something for the first time, you just pick up the camera and start shooting.

Kodachrome II Daylight (E. I. 25) is slightly faster, and can be used for the same available light situations.

But most people think of available light for night scenes lit by tungsten fixtures. Here, we'd recommend Kodachrome II Type A (E. I. 40). It's balanced for regular photofloods but delivers good images with light sources of lower color temperatures. Overall image color may tend slightly toward red—but not objectionably so, we've found.


The photo middle this page and all those on the opposite page represent various scenes that we shot in and around New York using Kodachrome II 8mm film.



FLUORESCENT LIGHTING: Many kitchen fixtures throw enough light for impremptu shooting. Shot above was made with two units of daylight quality. Use Daylight Kodachrome II or Moviechrome.



DISPLAY LIGHTING: This type of lighting is usually strong enough to give good color rendition of main subject. But, as in shot above, surrounding details are lost. Often you can shoot at f/2.5 or smaller.



WINDOW LIGHT: Sunlight and faster daylight emulsions make it feasible to shoot almost anywhere in a room illuminated by sunlight. Slower color films usually require placing subject close to window.



SPORTS LIGHTING: Not all arenas are well lit. But most supply sufficient light to shoot with Kodachrome II, depending on film's latitude to deliver an acceptable image. Best bet—shoot wide open.



OVERHEAD LIGHTING: Well-lit areas, as this newsstand in a subway, are easy for f/1.9 or even slower lenses. Overhead lighting is diffused by magazines. Take close-up reading on darkest area.



REFLECTED LIGHT: This sports shot differs from one on top, where floor surface is dull. Here, shiny basketball floor helps fill shadows, boost overall light level. Light uniform and skin of player helps.

Using your meter correctly is an important part of successful available light movies. Best results (top and bottom opposite page and middle this page) are obtained by taking close-up readings from important details in the scene.

But for sports and many night scenes you won't be able to get close enough. We've found that overall readings for long shots where there are few shadows will often provide adequate results provided the cell is shielded from light fixtures. But for close-ups with your tele or the longest focal length on your zoom lens, open up slightly for better shadow detail. Also, with a scene dominated by, say, a well-lit theatre marquee, it's wise to open the lens slightly to prevent underexposure of the rest of the scene. With automatic electric eye cameras, take the reading on automatic and then use the manual adjustment to hold the lens at the indicated f-number.

Your electric eye camera may give you a problem in determining what you can and can't shoot under available light conditions. If you have a selenium cell electric eye camera, the meter may not be sensitive enough to read under poor light conditions-even though there's enough illumination to shoot at f/1.9, for example. Cadmium sulfide cells—in cameras or as accessory meters—are generally more sensitive. There are two ways to overcome this first problem. One is to shoot a test roll or two under conditions that you can expect to film under at some future time. Use several different exposures for each shot. For example, you may want to shoot a wedding by available light. A test roll will tell you quickly enough if it can be done with the existing light fixtures and which f-number will give the most pleasing results.

The second method is to use an accessory meter. Even the inexpensive ones have a greater range of sensitivity than many electric eye cameras. Quite often they'll indicate that you can shoot when the electric eye warning flag says you can't.

But what happens when your meter indicates that you need one more f-number than the maximum opening on your lens? Here you must consider film latitude—the degree of under- or overexposure that will still result in an acceptable image. Kodachrome II provides acceptable results with as much as one (or slightly more than one) f-number underexposure. Thus, if you have an f/1.9 lens and the meter indicates you need f/1.4, you can still shoot.

In shooting available light, you'll have to pay more attention to focusing, since you'll be shooting most of the time at fairly wide apertures: depth of field is shallow and even minor errors in judgment can be serious. Through-the-lens focusing cameras—except those with split-image rangefinders—are difficult to focus at night. A good accessory split-image rangefinder is a big help.

The very nature of available light shooting—the quickly captured scene under adverse conditions—makes it impossible to use a tripod most of the time. A pistol grip or chest pod will give you mobility and a large degree of camera support for scenes when you must shoot quickly.—M.A.M.

STESTS SERVING PERM

NEWEST CAMERAS · LATEST FILMS · IMPORTANT ACCESSORIES

MODERN PHOTOGRAPHY'S exclusive monthly equipment report devoted to informative, unbiased field tests of production models submitted to and passed as acceptable by our technical department.

BRONICA S 21/4 × 21/4 SINGLE-LENS REFLEX



Manufacturer's specifications: Bronica S 21/4 x 21/4 single-lens reflex. Lens: 5-element interchangeable 75mm f/2.8 Nikkor with stops to f/22, focusing to 18 in. Shutter: Cloth focal-plane with speeds from 1 to 1/1000 sec. plus B, FPX sync. Focusing: Waist-level reflex with interchangeable hood. Other features: Automatic diaphragm reopens instantly; rapid-return mirror; interchangeable roll film backs; preview stop-down button; folding rapid wind lever. Price: \$399.50. Importer: Caprod Ltd., 111 Fifth Avenue, New York 3, N.Y.

Any 2½ x 2½ completely automatic single-lens reflex with interchangeable backs and the odd, unique shape is a hellishly compli-

cated mechanism, as the history of the breed will attest. Manufacturer X has lovingly laid to rest a less-than-100% reliable focal-plane-shutter model in favor of a leaf-shutter camera. This camera today is a fine professional example of a bug-free unit. First attempts to fill the focal-plane-shutter camera void promised much. The handsome gray and chrome finished, stainless steel Bronica Z seemed to offer just about every possible SLR appurtenance including an astounding sliding down interior mirror. This mirror allowed a very short (50mm f/3.5) wide-angle lens to be used automatically. But even after the majority of the initial bugs were ironed from early cameras, the Z remained a delicate machine.

Camera manufacturers often insist that new models solve all the problems of the old. We were therefore understandably quite skeptical upon receipt of a production sample of the new, almost \$100-lower-priced, S model. However, after some months of extremely rigorous testing and extended use, we must report that the Bronica S is, in our opinion, a vastly superior machine. We couldn't find a single bug. Despite efforts on our part to trip up the mechanisms and stick our fingers through the shutter, and after the S received more than a few unkind bumps and bruises, we are happy to report that the camera worked perfectly in every instance. It never misfired and never jammed. Individual frames were evenly spaced. Each roll wound up tightly.

A cursory glance at the new S reveals only the few surface feature changes. There's a folding rewind crank set concentrically within the focusing knob. The second speed dial with slow speeds from 10 sec. to 1 sec. has been eliminated in favor of a single ring with speeds from 1 to 1/1000 sec. A heavy splash of chrome trim and minor exterior alterations do

make the Bronica look less like Brand X (and also less like the Bronica Z).

None of these changes is basically responsible for the exceptional behavior of the camera itself.

Inside the camera the basic viewing and focusing design continues unchanged from the Bronica Z. Bayonet mounted lenses of both models are fully compatible. When you press the shutter release, the mirror slides downward, the lens diaphragm closes, a blind covers the ground glass to prevent light leakage and the shutter travels to the accompaniment of a highly audible but satisfyingly sharp clatter. Immediately afterwards, the mirror springs back, the blind withdraws and the aperture reopens fully.

The big change will be found behind the shutter—in the film back. The back of the new S model does not interchange with that of the Z for good reason: it is completely different in design. Instead of a very delicate but completely automatic three-piece back which was complicated to load (three hands helped), the rear plate of the sturdy new semi-automatic back springs open to reveal a single heavily constructed metal cage which can be removed. Wind the film around the cage and turn the take-up spool until the arrows on the film backing line up with red arrows on the cage. Now replace the cage in the back. Lock it in place and wind away. The film will stop at the first frame.

The new back is quite ingenious. To prevent any light reflections from the metal slide as it is removed or inserted, or light leakage through the slide slit in case sunlight is falling on it, each back is equipped with a rubberized cloth blind. This blind grips the slide edge and is pulled across the front of the film as the slide is inserted. It withdraws with the slide, covering the slide entrance during shooting. In addition, the back interior is padded with a black matter rubberized material to soften bumps and jars and eliminate light reflections.

On top of the back is a small rectangular frame. It's actually a film reminder slot and is just big enough to hold the flap end of the 120 roll film box. You won't forget to change film box ends since you must flip up this rectangle in order to reach the sliding bar which releases the loading catch.

You no longer need to remove the back to load the film; but you can if you want to, or wish to interchange backs in mid-roll. Just push in on the metal dark slide and the back separates instantly as in the Z model. The slides can't be removed until the back is replaced and when in place prevent accidental firing of the camera.

The ability of the camera to be

loaded without the back being removed makes it feasible to purchase separate interior cages (\$32.50) and keep them preloaded for fast film changes. Of course, for mid-roll changes you'll need the whole interchangeable back (\$82.50).

There are several other mechanical changes that merit attention. The focusing knob, when rotated, causes the lens tube to move in and out. On the Z test, we reported some wobble in the tube. Improved gearing on the tube of the S has made it as rigid as a cannon.

In shooting we found it advisable to cradle the Bronica in the palm of our left hand with our left forefinger stretched across to the shutter release. This freed our right hand to operate the focusing knob and film wind.

The folding film and shutter wind crank is a vast improvement over the Z's knob. On the Z you focus with the knob then pull the same knob outward and turn to advance the film. Consequently you could conceivably change focus by error between shots. The nearly four-and-a-half revolutions of the wind knob made rapid operation over a long shooting session a fairly arm-wearing technique. With the wind lever you can grind 12 exposures through the Bronica S in less than 30 seconds, using relatively little effort.

Changing apertures on the lens mount of the older Z model was always quite simple. However, the single shutter-speed dial of the S is a vast improvement over the double dials of the Z. Speeds can now be set without the high finger pressure necessary on the Z model. The lens mount has an outer bayonet to help secure extremely long lenses.

Although there are countless small changes which could be analyzed, the other major camera features-good evenness of illumination and brightness of the ground glass, operation of the depth-of-field preview button, impossibility of mismatching wound back with unwound camera (or vice-versa), individual estimation of lenses (MODERN found all to be superior optics), etc., etc.—are fully discussed in the test of the Z model published in December 1959. However, you'll note one important omission on the new camera. It no longer has a tiny screw to unjam the mechanism should anything go wrong. There's a good reason why it's no longer featured: the Bronica S doesn't need it.—H.K.

Editor's note: We are told by the importer that the older Bronica Z will henceforth be delivered under the description "Bronica Deluxe." It's claimed that the Z will incorporate the

mechanical improvements of the Model S while retaining such features of the Bronica Z as: shutter speeds from 10 to 1/1250 sec.; self timer; three-piece back, etc.

MAMIYAFLEX C2 MULTI-LENS REFLEX



Manufacturer's specifications: Mamiyaflex C2 Professional 21/4 twin-lens interchangeable lens reflex camera. Lens: 80mm f/2.8 Mamiya-Sekor taking and viewing with stops to f/32. Viewing: Waistlevel with fine focusing screen, parallax correction marks, eye-level sportsfinder. Shutter: Seikosha-S manual setting leaf type with speeds 1 to 1/500 sec., B, and MX sync. Other features: Twin knurled focusing knobs; semi-automatic film advance; removable focusing hood; accessory rapid film wind crank (\$11.50); mirror eye-level focusing hood (\$9.95); accessory hand grip (\$9.75); interchangeable 65mm f/3.5 Mamiya-Sekor lens assembly in Seikosha shutter with speeds 1 to 1/500 sec., B and MX sync (\$149.50); 105mm f/3.5 Mamiya-Sekor lens assembly in Seikosha shutter with speeds 1 to 1/500 sec., B and MX sync (\$99.50); 135mm f/4.5 Mamiya-Sekor lens assembly in Seikosha shutter with speeds 1 to 1/500 sec., B and MX sync (\$109.50); 180mm f/4.5 Mamiya-Sekor lens assembly in Seikosha shutter with speeds 1 to 1/500 sec., B and MX sync (\$149.50). Price: With 80mm f/2.8 lens, \$179.50 (body alone, \$95). Importer: Caprod, Ltd., 111 Fifth Ave., New York 3, N. Y.

Ever since the first twin-lens 2 1/4 reflex appeared in the late 1920's, the more serious picture takers have been asking for a similar camera, but one which accepts a complete line of interchangeable lenses. In 1957 the Mamiyaflex Professional was an-

nounced. It was the first practical solution to the interchangeable lens problem. This camera, called the Model C, along with the 80mm f/2.8, 105mm f/3.5, and 135mm f/4.5 Maniyafs. Sekor lenses, was reported on in the December 1957 MODERN. The C2 Mamiyaftex is a slightly improved version of the Model C. Since the Mamiyaftex has never been Modern Tested ("Modern Tests" started in 1958), and since there are two additional available lenses for the camera, we decided to take this opportunity to Modern Test the entire set-up.

Of course, it is the only 21/4 twinlens reflex with interchangeable lenses presently available. Instead of automatic parallax compensation found only on the more expensive twin-lens reflexes, the Mamiyaflex has two compensation marks etched into its fine focusing screen to be used as guides for shooting at closer-than-normal distances. Unlike fixed-lens 21/4 reflexes, which usually limit focusing to about 3 ft., the Mamiyaflex' extra long bellows permits focusing to 4-in. with the 65mm lens, 7 in. with the 80mm lens, 16 in. with the 105mm lens, 24 in. with the 135mm lens, and 36 in. with the 180mm lens.

To make a camera rich in some features (interchangeable lenses) while keeping the price down, the Mamiya people had to give up such things as a shutter which is automatically cocked when the film is advanced. With all five lenses the Mamiyaflex shutters must be cocked manually before each exposure. The cocking lever

IN NEXT MONTH'S MODERN

Mammoth depth-of-field tables for 35mm camera lenses.

is situated on the left side of the camera and the release on the right side, and film advance is semi-automatic—you release a lever and then wind an easy-to-grip knurled film advance knob (there's also an accessory crank available) until it automatically stops. It's possible to make a double exposure since there is no flag or other device to warn you that you have already made one. It's also just as simple to get blank frames since there is no warning mechanism connected to the film advance.

To change lens assemblies, set the lens at infinity focus, then position the lens lock lever at "unlock" and unhook a large steel spring which firmly holds the lens assembly on the camera. Incidentally, when the lens lock

(Continued on page 88)

MODERN TESTS

(Continued from page 87)

has been set to "unlock," a red flag is automatically positioned under the focusing screen, indicating that a baffle is covering the film plane—this prevents unnecessary film fogging while you change lenses. To secure any of the lenses on the camera, you simply reverse the procedure.

These features are common to both the Model C, introduced in 1957, and the new Model C2. The innovations on the newer camera are simple constructional improvements: a more solidly built metal base which supports the bellows and lens assemblies, and a second focusing knob—so now there is one on each side of the camera's lower structure.

In testing the 65mm f/3.5 lens we found very good sharpness at f/3.5 with some sharpness fall-off at the corners. When it was stopped down to f/5.6 to f/8, sharpness was excellent with slight fall-off in the corners. Overall sharpness decreased slightly at smaller apertures.

Our tests of the 80mm f/2.8 lens showed that sharpness was good at f/2.8 with some fall-off at the corners. When stopped down to f/5.6, sharpness was very good with slight fall-off at the corners. Overall sharpness decreased slightly at smaller apertures.

In testing the 105 mm f/3.5 lens we found sharpness at f/3.5 good with some sharpness fall-off at the corners. When it was stopped down at f/5.6 to f/8, sharpness was very good with slight corner fall-off. Overall sharpness decreased slightly at smaller apertures.

With the 135mm f/4.5 lens our tests showed good sharpness at f/4.5 with some fall-off at the corners. Sharpness was good when the lens was stopped down to f/8 to f/11, with slight fall-off in the corners. Overall sharpness decreased slightly at smaller apertures.

In testing the 180mm f/4.5 lens we found sharpness good at f/4.5, with some fall-off at the corners. When it was stopped down to f/8 to f/11, sharpness was excellent with slight sharpness fall-off in the corners. At smaller apertures overall sharpness decreased slightly.

Some of the corner sharpness falloff found with these lenses is caused by curvature of field. At all but moderately close focusing distances this effect of curvature of field on corner sharpness is slight.—E.M. 55MM DISTAGON LENS ON WIDE-ANGLE ROLLEI



Manufacturer's specifications: Wide-Angle Rolleiflex 21/4 x 21/4 twin-lens reflex: Lens: 55mm f/4 Distagon taking and 55mm f/4 Heidosmat viewing, stops to f/22, focusing to 2 ft. Shutter: Synchro-Compur with speeds from 1 to 1/500 sec., plus B, MX sync, self timer. Viewing: Waist-level with Rollei-clear focusing screen, automatic parallax compensation, eyelevel sports-type viewing. Other features: Same as Tele-Rolleiflex. Price: \$399.50. Importers: Burleigh Brooks, Inc., 420 Grand Ave., Englewood, N. J., and Ponder and Best, 814 N. Cole Ave., Hollywood 38, Calif.

The obvious follow-up to a telephoto camera such as the recently introduced Tele-Rolleiflex is a wide-angle camera—and here we have the appropriately named Wide-Angle Rolleiflex. It looks and handles exactly like its tele cousin. In fact, as far as physical appearance is concerned, its inverted telephoto design 55mm lenses jut out almost as far as the 135mm lenses of the Tele-Rolleiflex.

Nearly all features of the Wide-Angle Rollei are identical to the Tele's, such as: film loading; automatic film advance; dialed shutter and f-number setting with provision for interlinking to make use of EVS; removable focusing hood and screen so that the Rollei Prism or the new projector adapter (not yet available) can be added; a removable glass plate for insuring a flat film plane for optimum sharpness (see "Modern Tests" report on the Tele-Rollei, January 1960).

Minor additions consist of a simple

optical sportsfinder built into the hood (on all other Rolleis this is just a square hole) to accommodate a 71° angle of view, the same provided by the 55mm lens. Also, the focusing magnifier pops into place when you press a small button situated on top of the hood.

Our tests made with the 55mm f/4 Carl Zeiss Distagon lens showed very good sharpness wide-open with some sharpness fall-off at the edges. At f/8 sharpness was excellent with only slight fall-off at the edges. Overall sharpness remained the same at smaller apertures. Some of the corner sharpness fall-off with this lens is caused by curvature of field. At all but moderately close focusing distances this effect is slight.

When we first examined the Wide-Angle Rolleiflex, we thought that the moderate apertured 55mm f/4 Zeiss Distagon lens would produce a darker, more difficult to focus groundglass image than the f/2.8- and f/3.5-lensed Rolleis we're accustomed to using. To our amazement, the Wide-Angle Rollei showed no apparent loss of viewing image brightness. It seems as though its highly efficient focusing screen extends the light-producing powers of the f/4 lens. Unlike many reflex cameras which are quite difficult to focus when used with shorter-than-normal focallength lenses, focusing with the Wide-Angle Rollei is a pleasure—the image seems to pop in and out of focus abruptly.

Workmanship on the Wide-Angle Rolleiflex is the same as on all Rollei cameras—impeccable. And its performance is typical of what we'd expect from any superb precision instrument.—E.M.

HEILAND PENTAX 3/21 UNIQUE REFLEX METER



Manufacturer's specifications: Heiland Pentax 3/21 Exposure Meter. Features: ASA indexes 3-6400, apertures f/1 to f/45, speeds 4 sec. to 1/4000, dual range with meter needle indicator visible through reflex viewing finder; power supplied by two 1.3-volt

mercury cells, one 22.5-volt dry battery. Price: \$79.50. Importer: Heiland Division, Minneapolis-Honeywell, 5200 E. Evans Ave., Denver 22, Colo.

Exposure meters up to a few years ago were like many pet dogs-they love everything and have no discrimination. Their selenium cells take in a vast angle of view, often far larger than that of the camera lens, and produce an average exposure reading. For more critical work, you move in for a close-up reading of the subject. If this isn't feasible, you might find a substitute subject for purposes of exposure calculating. These meters have no finders. You point them in the direction of the subject and hope your aim is adequate. A football player on a field, a stage actor, a skier in the middle of bright snow are imponderables requiring a meter, crossed fingers and luck. Enthusiasts for long lenses find it virtually impossible to get a proper reading for a narrow angle of view. A few difficultto-use meters have existed which remedied the situation partly or at great expense. The battery-powered cadmium sulfide cell meters, however, are solving the problem and the 3/21 goes further than any other CdS meter yet available.

It resembles and is the size of a small waist-level single-lens reflex camera. It has a single-element 100mm lens and no diaphragm. On the ground glass, viewed through a conical magnifying hood, you can see a 22° field of view with a small circle marking the 3° covering area.

At the bottom of the viewing area a meter needle and a double scale with both high and low light markings are visible. Locate the important subject material within the interior circle and press the shutter-excuse me, the exposure meter release button. If there's insufficient light, and the needle doesn't swing over appreciably, press the release further. The low-light circuit then goes into operation and you read the needle setting from the low-light scale. The result will be a number from 3 to 18 (the meter calls this an EV number but it isn't). By setting the ASA index and this number on the circular scales around the lens mount you can line up all the possible lens-opening/shutter-speed combinations.

In use we found that the meter could give us an accurate reading of a distant subject speedily, that it was sensitive and quite discriminating—almost too much so, since a tiny shift in aim would change the reading drastically. In addition the meter must be

used with caution if a particularly bright area falls just outside the 3° covering area. In such cases the bright area does inflate the reading. Viewing the scene and scale on the ground glass will require some practice. The non-focusing lens seems to be set at about 6 ft. At near or farther distances it is somewhat difficult to focus your eye on the subject and scale simultaneously. There's a convenient slotted screw head to allow zeroing but no battery check. The batteries should be replaced at least each six months to play it safe. The meter can read a low-light exposure of 1/8 sec. at f/2 with a film having an exposure index of 400. In low light the calculator rings with their between-number markings may be somewhat difficult to see if your eyesight is less than good.

While overall readings of any scene can be calculated by checking both highlight and shadow area and then averaging them out, the physical size and angle of view definitely make the 3/21 meter more of an essential unit for the man interested in obtaining proper exposure of a small element within a scene. The 3/21 can do this with ease.—H.K.

ACUFINE, FAST-WORKING FINE-GRAIN DEVELOPER

Manufacturer's specifications: Acufine film developer. Features: Single-powder, high energy, softworking, usable over wide range of temperatures, designed to give sharp images and low graininess. Price: 1 qt. can, \$1.; replenisher, 1 qt., \$1. Manufacturer: Baumann Photo-Chemical Corp., 125 West Hubbard St., Chicago 10, III.

Acufine is an excellent film developer. It should be considered as being among the top rank products, along with Kodak D-76 and Microdol-X, Ethol UFG, Edwal FG7, and similar formulas which provide high film speed with moderate contrast, low graininess, and good sharpness.

The performance of any developer is the result of a series of compromises. In Acufine these have resulted in a very favorable and useful balance of film speed, contrast, sharpness, and graininess. It was my impression that in its performance and general characteristics Acufine resembles UFG more than it does any of the other developers.

I found that Acufine gave best results with films in the speed class of Kodak Plus-X Pan and Tri-X Pan. It works particularly well with Ansco Super Hypan. With Hypan it appeared to produce slightly more useful film

speed (that is, more shadow detail) than normal development in Ansco Isodol 1:1, and perhaps a shade more than development in Edwal FG7, 1:15, and UFG.

Observers who were asked to judge the overall quality of 15X enlargements of similar subjects similarly exposed and developed in all four formulas were hard put to distinguish any outstanding differences in apparent sharpness and graininess. Since Isodol, UFG, and FG7 have been my favorite combinations with Super Hypan, I felt that this was very good performance by Acufine.

Similarly exposed Kodak films were developed in Acufine, Microdol-X 1:3, D-76 straight and 1:1. These tests indicated that all gave approximately the same very high effective film speed. The Acufine/Plus-X Pan or Tri-X Pan combination produced negatives which can rank in quality alongside the very best possible with any developer.

Acufine developing times are brief. Examples at 70F: Plus-X Pan, 4 min.; Tri-X Pan 35mm, 4¾ min.; Ansco Super Hypan 35mm, 7 min. For the very slow films, times are so short (2 min. for Panatomic-X) as to present problems.

The instruction sheet is clear, concise, and gives detailed developing times for many films at temperatures from 65F to 85F. It also recommends exposure indexes for use with the various films. I think this should be explained.

A film speed of 1200 is given for Tri-X Pan. This might lead someone to think that Acufine has the property of boosting film speeds enormously, compared to the results obtainable with standard developers, since Eastman Kodak Co. recommends a film speed of 400 for Tri-X Pan developed normally in D-76 or Microdol-X 1:3.

My experience did not indicate that Acufine produced such an increase in film speed, compared to the Kodak recommended development. However, I found that I could get nicely exposed Tri-X Pan negatives, using a film speed of 1200 in daylight, with subjects and lighting of low to moderate contrast range, and making my readings with an accurate incident light meter or a reflected light meter used correctly against a gray card. I could also get approximately similar results when the films were developed as recommended by Kodak.

In general, I found that I got my best results, under the widest range of conditions, when I set my meter for the film speeds currently recommended by Kodak and Ansco for their films.—J.W

ameras by

LOWEST PRICES . . . TIME PAYMENTS . S&H GREEN STAMPS ON EVERY PURCHASE.



Yashica Pentamatic 35mm Reflex F:1.8

BASS PRICE \$10995 GET 1,000 SAH Green Stamps tool

Case \$1.50 Shpg. Chg. \$1.50 NEW YASHICA CAMERASI BASS PRICE
BASS
BASS VASHICA CAMERASI BASS PRICE
BASS VASHICA CAMERASI PRICE
BASS PRICE
B

GET 345 S&H Green St

New from KODAK matic Push-Button Power

KODAK

Zoom 8

Reflex

34.50 Emm 'E3' Turret. 3 '1.8 ASS PRICE Lenses. Electric-Eye Meter. 73.75 Film Back-Wind GET 730 S&H Green Stamps KODAK



Camera Automatic fl.9 \$14400 BASS PRICE . \$144NEW

BASS PRICE
GET 1,440
S&H Green Stamps
Now zoom movies with
push-button cover
press a button down
button down
the lens z-o-o-m-s automatically from
sweeping wide-angle views to telelens z-o-o-m-s automatically from
sweeping wide-angle views to
lens z-o-o-m-s automatically from
sweeping wide-angle views to
lens z-o-o-m-s automatically
from
sweeping wide-angle views to
lens z-o-o-m-s automatically
from
sweeping wide-angle views to
lens z-o-o-m-s automatically
from
provides fully automatic exposure
control, signals when light is too
dim.
Sole w (case only) \$10.88
Shys. 10%
BASS Says: 10%
Down—12 Mths. to Pay

AUTOMATIC \$LI

Signet 80



Offers finest in 35mm cameras: photoelectric meter, rangefinder, easy leading, f/2.8 lens, push-bar film advance, EVS settings.

BASS PRICE \$5995 SEH Stamps 59NEW

Signet 80 CASE \$11.98 90mm F/4 Signet Tele, Lens _____\$49.95

35mm F/3.5 Signet W/A Lens _____\$44.50 Chg. \$2.00

MITHS. TO PRY SHP. CH KODAK CAVALCADE PRICE CUT! Model 520



Changes alides at selected intervals.
Also changes sides by remote converse. Even edit. In Case with "preview" Screen, 800-watt Lamp.
BASS PRICE
GET 699
SEH Green Stemps
MODEL SION DeLUKE CAVALCADE,
RASS PRICE.

KODAK RETINA IIIC



KODAK Retuna III CAMERA Super-fact 1/2 lene, built-in light meter, built-in light meter, lens system for super-and telephote engels. Rangefinder, solf-timer,

BASS PRICE GET

(Sold only with case) Shpg. Chg. \$2.00 BASS IVr. QUARANTEE

EXAKTA SALE



EXAKTA IIA Body With Waist Level Finder

PRICE . \$10800

GET 1080 S&H Green Stamps Tool
Latest Model Exakta 11A
includes: waist level finder.
27 shutter speeds. Rapid
film wind, fully synchronized for flash, Penta
prism rangefinder., 230.00
17r. 8ASS QUARANTEE

IN STOCK!

KODACHROME || FILM

KR 135 36 Exp. ...\$3.25

KR 135 20 Exp. ...2.25

8mm Roll KR459 ...3.25



Brand New! Fotolargers

- For all negatives 35r to 21/4×31/4 Exclusive distortion
- Exclusive distortion control Cool Aluminum Lamphouse Rotating glassless neg-carrier
- carrier 360° Tilt for horizontal Projection & distortion
- control
 2" Forward extension
 for extreme cropping

KODAK Retina eflex S Camera



ing. Popular Model with fast \$0mm F2.8 lens.

BASS PRICE GET 1245 S&H \$12450 Green \$124NEW

Greee \$12450
Stamps RETINA CASE...\$11.95
(Sold only with case)
Shop. Chg. \$2.00
BASS 1Vr. QUARANTEE



V **ENLARGER SALE!**

1

ON DOWN . 12 MONTHS TO PAY

CAMERA CROSSROADS OF THE WORLD!

QUALITY CAMERAS SINCE 1918

BASS Photo

Post WE GIVE

STAMPS

Model E w/Diffusion Glass

ACCESSORIES FOR MODEL E FOTOLARGERS ### AUGUST OF MODEL E FOOLANDERS
AUGUST OF MODEL E FOOLANDERS
STATE OF AUGUST OF STATE OF ST

Price Cut! POLAROID 80B

* Accessories for 808
Wink Lite____511.95 Case_____
* When purchased with 808
Shps. Chg. \$2.00
BASS POLAROID BARGAINSI

#958 Camera (New) \$49.95 #800 Camera (New) \$5.95 * Accessories for 958 & 800 Wink Life \$11.95 Case \$6.95 * When Purchased with 958 or 890 Cameras Shpg. Chg. \$2.00

\$24950

KODAK Sound 8 **PROJECTOR**



YOU GET 2,495 S&H Green Stamps

shp. chg. \$3.00

Record your own sound!

Now! You can add sound to your Bmm movies—old or new! Put your own commentary and music on by your imagination! Projector is complete with speaker, microphone, high-illumination lamp, and a switch for forward, reverse, "citil."

NEW & USED SPECIALS 35mm CAMERAS

Description

Agram Machanatic Kit
Argus Matchmatic F/1.9
Canon F (Body) Canon F (Body) Canon F (Structure F/1.8
Contax IIA F/2 Sonnar (used)
Contax IIA F/2 Sonnar (used)
Contax IIA F/2 Auto Blotar
Exakta IIA F/2 Auto Blotar
Fujica Kignet 40 w/nash (New)
Koda Kignet 80 Used
Konliette \$74.50 46.50 46.50 59.50 98.50 98.50 174.95 149.50 139.85 21.50 48.50 189.95 189.00 249.50 249.50 249.50 249.50 249.50 25 Kodak Signet 80 Used
Konlistes
Leica (Rody only)
Miller (Rody only)
Konlistes (Rody only

Twin Lens Reflex Camera Sale!
 Twin Lens Reflex Camera
 Sale:

 Maniyaftex C2 w/80mm F/2.8 (used)
 124.50

 Rolleiftex 4x4 F/3.5 (used)
 95.50

 Yashicamst F/3.5 (used)
 129.60

 Rolleiftex F/3.5 (used)
 147.60

 Polaroid 900 Kit (New)
 147.50

 Polaroid 110B Kit (New)
 (sold with case only)

 (Case extra sed sl.o.e)
 (sold with case only)

 Qct S & H Green Stamps on these Soli
 147.50

MINOX B



Sub-Miniature (Latest Model)
F/3.5 Lens, focuses from 8" to infinity, speeds from 1/2 to 1/1000
second, Built in exposure meter in

nnty, apects from 1/2 to 1/1800 meter in 5.9.4 Meters in exposure in exp

MANSFIELD Reporter 8



TRIPOD SALE Get 84 S&H Sta



NOW ONLY

Basco 3 section with lift. 60" open, 18" closed, 14" elevator. Shpg. Chg. \$1

4 x 5 CROWN GRAPHIC (Latest Model)



EASY TERMS. UP \$2000 TO 24 MONTHS TO PAY

CAMERA CO.

DEPT. M110 179 W. MADISON ST. CHICAGO 2, ILL.

ONLY 10% DOWN

END	ME_		
MO	UNT_	_	

ADDRESS

ZONE STATE

Trade-Ins · Imports Easy Time Payments Guaranteed Quality Bass Catalog—Send 25c C.O.D. Orders Send 10% Deposit

U. S. Color Photo offers you:

You can now save more than ever before and still enjoy the highest quality photo finishing from the largest independent color photo processor in the world. We invite price comparisons,

U. S. Color Photo has plants from coast-to-coast and satisfied customers in all fifty states and most foreign countries. Your film is developed by skilled craftsmen on the most up-to-date electronic equipment.

- * All work is Guaranteed. If you are not completely satisfied, your money is promptly refunded,
- * Fast Service. Your photos are delivered by mail to your door. We pay return postage.

KODACHROME • EKTACHROME • ANSCOCHROME DEVELOPED AND MOUNTED

35 mm, \$ 20 Exp. rolls

1

(

0

50

und!

PA CO.

M110

ST.

N

rts its ty 5c

35 mm, \$1

COLOR PRINTS from transparencies

Kodachrome, Ektachrome, Anscochrome . . . Printed on new Kodak Ektachrome paper.

JUMBO prints.....

WALLET SIZE prints

5 x 7 COLOR ENLARGEMENTS

from your favorite KODACOLOR negative or TRANSPARENCY.. 980

Developing and Printing from KODACOLOR Film

8 exp. roll dev. and JUMBO prints......\$1.98

12 exp. roll and JUMBO prints......\$2.48 20 exp. roll, 35 mm, with WALLET-SIZE prints......\$3.25

SAVE MONEY ON

with processing included!

Kodachrome · Anscochrome · Ektachrome

We sell only fresh Kodak film, packaged by Eastman Kodak. All processing is guaranteed by U. S. Color Photo. Add 5c per roll for postage and mailing, 10c per roll for movie film.

FILM	more rolls	rolls	rolls
35 mm, 20 exp Ektachrome	\$2.30 ea	\$2.40 ea	_\$2.45 ea.
35 mm, 20 exp	2.45	2.55	2.70
35 mm, 36 exp	3.60	_3.75	3.85
8 mm, 25' Roll			
8 mm, magazine	3.80	3.90	4.00
16 mm, 100' roll	8.15	8.40	8.65

MOVIE PROCESSING KODACHROME

8 mm roll, 25'.... \$1.10 8 mm magazine, 25' 85c 16 mm roll, 100'. . \$2.50

16 mm roll, 50'.... \$1.35

16 mm magazine, 50' \$1.10

Reprints from KODACOLOR Film

JUMBO Size.....19c WALLET Size......15c (from 35 mm only)

BLACK and WHITE Developing and Printing

8 exposure roll developed & enlarged to JUMBO Size 50¢ 12 exp. roll...... 70¢ 16 exp. roll...... 90¢ 20 exp. roll...... 1.25 36 exp. roll..... 2.00 REPRINTS, JUMBO Size.

Plants from Coast-to-Coast to Serve you Better

Send film to city nearest you for faster service . . . Enclose cash, check or money order . . . Minimum Order \$1.00

IMPORTANT: Write Dept. H on envelope

Boston, Mass., P.O. Box 774 New York, N.Y., Canal St. P.O. Box 42 Washington, D.C., P.O. Box 1001 Cleveland, Ohio, P.O. Box 5190 Dayton 2, Ohio, Walnut St. P.O. Box 127 Detroit 31, Mich., P.O. Box 704

Chicago, III., P.O. Box 8413 La Crosse, Wis., P.O. Box 199 Minneapolis, Minn., P.O. Box 926 St. Louis, Mo., P.O. Box 7090 Atlanta, Ga., P.O. Box 230 New Orleans, La., P.O. Box 1466

Dallas, Tex., P.O. Box 5622 San Antonio, Tex., P.O. Box 91 Denver, Colo., P.O. Box 1231 Seattle, Wash., P.O. Box 2004 San Francisco, Calif., P.O. Box 447 Los Angeles, Calif., P.O. Box 5891

TRUME GOT MERCHAN TO CLOSEN PRICE STATE OF USE AT COMPACTOR OF USE

with reflector floods, Proxi-e Sr., all as illustrated \$27.95

GOOSENECK LIGHT 2 units, with C-clamps, fit copy ATTACHMENT stand or enlarger pole. \$6.95 2 SPECIAL REFLECTOR FLOODS, \$2.49 ADDITIONAL Shipping Weight 4 lbs.

PROXISCOPE SR. WITH CLEVATING SAGE TIME CLEVATING SAGE TIME SAGE T Action
An absolute must for any kind of coloseup and copy work. Doubles omer accessories for comer, with both roped and comer, with both roped and comer. With both roped and comer accessories for comer, with both roped and comer. Shipping Churge size

Shipping Shipping Shipping size

Shipping Shipping Shipping size

Shipping Shipping size

Shipping S

e D

Proxiscope alone \$4.95

CLOSEUP (Portrait) and **EXTREME CLOSEUP LENSES**

g within EVERY photographer's reach subjects which would be small if photographed at the regular 3 ft. closest camera setting, a and shoulder portraits, children's pictures, copy work—a whole field of picture taking.

nead and shoulder portraits, children's pictures, copy work—a whole new field picture taking. With extreme closeup lenses, you can get as close as 8" with a Plus 4. "I with a Plus 5, 5½" with a Plus 6, 3½" with a Plus 10. You can use two extreme closeup lenses, with a double retaining ring, for even more extreme closeups. With a Plus 5 lens, you can fill the complete Simm frame when reproducing a postcard; a Plus 10 is just right for insects, stamps and cons. Extreme Closeup lenses make macropholography possible with a liny investment. All aze, Plus 10, measurable in match lings.

Shpg. Chge. 1-4, 15c	Series	Series	Series	Series VII	Series
		\$1.94	\$2.44	\$3.74.	\$7.29
Plus 2 (ctd.) (to 13")	1.54	1.94	. 2.44	3.74.	7.29
Plus 3 (ctd.) (to 10")	1.54	1.94	. 2.44	. 3.74.	7.29
Plus 4 (to 8")		1.75	. 2.25	. 3.25.	
Plus 5 (to 7")		1.95	. 2.55	. 3.75.	
Plus 6 (to 51/2")		2.25		4.25.	
Plus 10 (ctd.) (to 31/2")		2.65	. 3.50	5.25.	
Double Retaining Ring	.85	.85	95	. 1.50.	2.60
Deluxe Leather Filterban	k, hold:	10 fit	ters,		
adapter, shade			. 3.00.	. 3.50.	
If bought at same time	as \$10.	00 worl	th of ad	apters,	shade,
filters, closeup lenses		1.25	. 1.50	1.75	

6-PC. EXTENSION TUBE SET

FOR EXAKTA, EXA, TOPCON. Set \$795 contains two precision-ritted brass adapters and four tubes, 5mm, 15mm, 30mm and 45mm, work from Fouch providing the greatest possible range of closeup work from Fouch 3.4 reduction to a 2.2 magnification ratio. Shirpping \$92.

charge sec. but with one FOCUSINE TUBE from \$11.50
40mm to 55mm, alone a \$10.00 list, Complete set 11.50
2 in 1 Adapter, makes 5mm ext. Comp. list \$10.00\$5.95

FRIC. 4-PC. EXTENSION TUBE SET for PRAKTICA, PRAKTIFLEX, PEN-\$695 TAX, PENTACON, PETRI PENTA

This exceptionally well-made set includes in addition to the usual Samn, Isom and 30mm tubes a 45mm tube, thus permitting up to 2X magnification, when the complete set is used: a tiny object. \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the complete set is used: a tiny object, \(\frac{1}{2} \times \text{ Magnification, when the c

FOLDING Leica Canon Exakta BELLOWSCOPE Exa Topcon Praktica Prakti-

For: Man For: Niken (RF), Leica M3, Con-tax, Praktina, Yashica Pont flex Pentax matic \$19.95

Most useful lens to camera closeup accessory. Weights only 6 oz., has line leather beliows, gared track with magnification factors engraved, positive lock. Sturdy, accurate, with precision male and female adopters for specific camera. Extends to 5°, folds up for compact storage. Shipping Charges above and \$1.00°.

DUPLICATING ATT.



.0)

greater sturdiness For Leica, Exakta, Exa, Praktica, Pentacon. \$19.95 Pentax \$19.95 For Minolta SR-1. 2, 3\$24.95 For Nikon F. Canonflex\$29.95

LEATHER POUCHES

Singly | Each, 3 or more \$1.00 1.35 1.85 \$2.75 (Singly) diameter, 81/2" high...

135mm hard pigskin Lenscase. \$1.98 Two fer plush lined, 2%"x5%" \$3.59

20 FI. REMOTE SHUTTER RELEASE

Nathing like it for free themelable!

Shipping
Dock, cleme cylinder, value and lock.

Cently acting through aspressure. Vinyl
Dock, cleme cylinder, value and lock.

Camera in it includity any 33, 98

Linica, Vashica, etc. nipple 25c; 30 ft. Medel 54.98

Eatra Pawerd, SUPPR Medel, with larger valve,
for Polaroid, Automatic SIR lenses

LINE CARLE RELEASES, with part erger.

for Polaroid, Automatic StR lenses extre 88C LONG CABLE RELEASES, with set screw: 40" \$1.50. 60" \$2.50

TWINLENS REFLEX FAN

Rolleiflex Ricon Diacora AUTOCORD Vashica IKOFLEX

Rolleicord

MAGNIFYING HOOD \$2.95 PPD FOR VIRTUALLY ALL TWIN LENS REFLEX CAMERAS.
Twin magnifier makes possible accurate focusing and composing of entire groundglass image with BOTH EYES and at comfortable distance, while protecting ground-

comfortable distance, while protecting ground-om glare. Saves eyestrain, helps accuracy, dim light focusing. r removable and collapsible. Magnifying Heed plus deluxe Fieldlens



A flat thin Fresnel ring plate which fits over groundglass in your reflex camera, greatly increasing brilliance of viewing image, making the often almost invisibly dark corner image ten times brighter! No installation—just drop fieldlens onto groundglass. Pastpaid.

Without astallation, the Junior Minidapter enables you to use 35mm film in your 120 Rollerlex, Rollercord, Cirollex, Yashica, Minolta, etc. —yet, you can change back to your regular size any time you wish Minidapter comes complete with groundglass mash, car-

inidapter comes compared to the control of the cont

Perfect portraits and close-ups every time sets int cameras without any adapters, are guaranteed to equal \$20.00 sets in performance =1 set focuses from \$2.95 price includes 2 close-up lenses. The performance is set form \$2.95 price includes 2 close-up lenses. The performance is set form \$2.95 price includes 2 close-up lenses. \$2.95 price includes 2 close-up lense

*BAYONET COATED FILTERS For Rollel F.3.5, Minolta Autoria St. 1981 For Rollel F.3.5, Minolta Autoria St. 1982 For Roller Fo Special Square Bayonet Shade \$2.98 BAYONET FLASH MOUNT 1.98 PPD

COMBI. OFFER B-F. Flash Mount with BC Bounce Fanflash with tester, standard cord, ext. outlet, Shipping Charge 35c \$5.55

PARALLAX-ADJUSTER FOR ALL TWINLENS

\$1.98 Compensates for difference between viewed and exposed images — works even with extreme closeup lenses! Ch. #Bayenet Mounts, Filters, Shades, Closeup Sets for PLANAR, 20c XENOTAR available at Higher Cost.

FOR ROLLEFLEX (sec. 2.0). ROLLEGORD,
YASHICA, RICOH, AUTOCORD, IKOFLEX
Compile with abjornet adapter-literholders, topgrain
case. Set consists of matched viewing & taking lenses.
FELEPHOTO OR WISEARCHE ST '86" \$19.95 Complete with bayonet adapter-filterholders, topgrain case. Set consists of matched viewing & taking lenses. TELEPHOTO ON WINEAMES EST "166" 339.35 19.95
For 4 x 4 camera, Set ... \$14.85 Cembi Set (4 lenses) ... \$27.95
Ship. Charpe each tens set \$35e, both sets 75e

FOR THE DARK ROOM

ENLARGING TIMER

60 sec range, with second ings Current shuts off autocally at end of desired timterval Built-in lock holds kn
desired position, until togg

You'd expect to pay over \$2.00 each for these fine acid-proof trays which Spiratone offers you at less than half the usual cost \$Sh, W.t. 5 lbs.

11" x 14" ENAMEL TRAYS

\$2.50 each 3 for \$6.50 16" x 20" ENAMEL TRAYS

(Suited for 14x17, smaller sizes) \$3.95 each 3 for \$9.95 Shipg, Wt. 5 lbs., (3) 12 lbs.

Shipg. We. 5 tos., (37 to 18 18 14 EASEL

Spring steel masking bands.
 Adjustable for all sizes from 2x3" to 11x14".

243" to 11x14".

Variable margin
Extra sturdy (net wt. 3% lbs.!)
Shipping Weight 6 lbs.
8x10 Enlarging Easel, same construction as above,
Spiratone priced at

ALL METAL ADJUSTABLE EASELS, 10 \$4.95; 11 x 14 \$6.50

peat exposures for focusing Er plugs right into Show, (

\$849

TRAYS 3 for \$3.98

from \$2.29 etc.

ELECTRIC 2-SURFACE ALL METAL DUO-DRIER

GIANT 131/2×18" \$1598 WITH PRINT ROLLER & 2 12x17" HEAVY DUTY FERROTYPE PLATES

FERRUITE Transcentification of the state of the state of the surface drier with a capacity of 8 state of 56 24s 325 prints, singleweight or doubleweight, glossy or dull finish studily constructed, as efficient as units

georgy to dust imma — stunding constructed, as efficient as units costing several times as much, with adjustable agron tension. Works on AC or DC. The several times of times of the several times of

SELF-LOADING

DEVELOPING TANK

Jample baynet lock for different size of different size of quick changing of support of the support of support

St. Wt. worth double Tank are to the with spare reel, \$3.55.

Stainless Steel Film Clips, 4 for \$1.00; Funnel, 19c; 10' Priest tangs, P. 59c; Film Squeege, \$4.50; Film Squeege,

ave 50%

Omp. list

Omp. list

An efficient paper cutter, with ruled \$2,000 An efficient paper cutter, with ruled sa.98 14" 8

Shpg. Wts. 5 lbs. & 7 lbs. \$5.98 with Steel Board: 10" \$4.65; 14" \$6.85

OFF COMP IN ENLARGING LENSES



Six unusual values in brand new, coated, color-corrected, anastigmat lenses, specially constructed to give corner to corner sharpness in enlarging— at prices half and less than those you'd expect to

To pay for such sharp-outing lenses. Sh. Ch. 25c-25c. Sharp-outing lenses. Sh. Ch. 25c. Sharp-outing lenses. Sh. Ch. 25c. Sh. 25c.

35 21/4 2 Naz N GLASSLESS CARRIER, for single negatives and rolls supplie EXTRA CARRIERS AVAILABLE at \$3.95 each 35mm or Superslide 35mm. subture or 21/4" Sq RECOMMENDED STANDA LENSES, COATED, CLICK-STOPS — REGULAR 3"1:3.5 2" 1:3.5 \$7.70 | \$8.70 | \$9.70 4½" * 7.98 extra 4", incl. RED FILTER
BELLOWS, RACK & PINION FOCUSING
LINE SWITCH 100 100



ALL METAL CONSTRUCTION

Shipping Weight 2 enlarging lamps 99c

PROJECTION Flash light \$5.95 Batteries POINTER

14 lbs. 22 lbs. 22 lbs.

*Diffusion Glass Incl.

Ship na Ch

SPIRATONE Dept. M10 369 7th AVE

DESIGNATIONS, SIZEST and we will recommend meet jation, of course.

ER HUTS SURE 49

nark-mat-b at e is re-tion nter acle from \$2.29 etc.

DEL P8







5 19

-7.00 3.5 3.5 5.5

300 que 397

N A mus all

N A mus a

" A war a " once and a man a m

Sensational new lens actually increases the focal length of your camera lens flow imes: changes a 50mm into 200mm, an 30mm into 320mm and so on. Wonderful For Contaffex, Retina, Rollei fexc. 2.8), Yashica, Minotla etc. Fits Ser. V adapter of Ser. VI by Visp-down ringle, Liestize-Finder (for 35mm or Polaroid) 3495. Series V Adapter \$1.80, Shrip. Chye. 75c Series V Adapter \$1.80, Shrip. Chye. 75c

3X(axa) TELE similar to 4% \$21.90

LENSES

WITH LIFETIME SERVICE GUARANTEE

Hardcasted, superby color-corrected; do not affect exposure or lons opening; require no installation — If into Saries adaptar (literatesidor) — interchangeable with other adaptars, so one less
can be used on many cameras. Spiratene Telephoto honess bring distant objects, closer, help
fill ontire negative or slide with important subject matter, crop out unwanted background.
Spiratene Widesage lesses add coverage in cramped quarters; are wonderful for groups, landscapes. They increase depth-of-field, toe, for foreground-to-infinity sharpness.

TIME EXPOSURES

standard cables of the standard cables of the

1/2 SECOND TO 11 SECONDS, WITH EVERY CAMERA

CAMERAS USING SERIES V ADAPTERS \$995

39.95
in double-sippered feather case, with fifter retaining ring, complete outfit \$22.44
V-TWCR \$22.44

1:1 LIFE SIZE TELEPHOT WIDEANGLE FINDER Matched to your telepho and wideangle lenses, w (If bought at same

SERIES VI ADAPTERS

\$1188

FOR

Shipping Charge for

JUMBO PRESS BAG Giant 16x11x6" size-designed for the own-er of large cameras several small cam



135mm f-2.8 preset true telep 135mm f-2.8 fully automatic i Geared Folding Bellows Unit ... Complete Extension Tube Set Wast Level Finder with Magni Miranda Manual, just out ng Charges Extre Skin

SLIDE TRAYS in CARRY CASE

Extra-strong, plastic trays, hold care glass slides intermixed, with index. glass slides intermixed, with ITDC, B&H, 30 CAPACITY TRAYS, for TDC, B&H,

Viewlex, Keystone, Ansce, Sewyer 12 for \$5.48 incl. carry case Shpg. Wt. 5 lbs.

12 for \$9.48 incl. carry case Wolls Shpg. Wt. 6 lbs.. 40 CAPACITY TRAYS, for TDC, B&H, Viewlex, Keyste 1 2 for \$7.48 incl. carry case. Sh. Wt. 8 lbs. Ansco, Sawyer 40 CAPACITY TRAYS, for B&I. Bulomatic, spittpress

12 for \$10.48 incl. carry case. Sh. Wt. 6 lbs.
36 CAPACITY AREQUEPT MAGAZINES with cavers
6 for \$11.48 incl. carry case
12 for \$21.48
Shpg. Wt. 4 lbs. for 12 magazines
Shpg. Wt. 7 lbs.



SER. V SER. V \$1.50 \$2.15

Increase focal length of your camera lens SX, 7X, BX with Spiratone's new acclusive front-focus monoculars specially made for cameras Photo-Monoculars work with all single lens, visit-lens reflex cameras. Prices include pigshin case, strape, front-focus monocular bs fit standard Szr. V filterholder.

SINDEMOLVIS for all a \$

Sturdy cardboard mounts like those wised by photolinishers1, for all size transparencies, to lift all projectors, changers, 222" mounts available in standard (doubleframe) 35mm, single-frame Osal-lize, Mercury, Olympus Pen etc.) 35mm, 127 superside, subminiature (filinoita 16 etc.), oquare (filinoita 16 etc.), oquare (filinoita 16 etc.), oquare (filinoita 15 etc.), oquare (filinoita 15 etc.), oquare (filinoita) 254"— square mounts, 100 fer \$3.00; 200 fer \$3.00; 1,000 fer \$3.00; 200 fer \$3.00; (Shipp, II)

100 200 1,000 for for fer 1.50 for for 2.75 18.88



\$29.95 29.96 6.96 12.95 30.95 4.96

SPIRATONE SLASHES FILTER COSTS IN HALF!

COATED FILTERS IN

SYNCH YOUR OLD
CAMERA \$2.75 PD
Edity adjustable* mechanical
trippor, requires no installaton, wecks through standard
cable release society of most
Standard fliesh cord, With leather
sees \$2.94, "For flish & strobe.
Trippor w. BC Bouncerlass \$A.89.
Shup. Chee. \$5e.

Fits back of almost every 35mm came removable back—lets you check lens accuracy, effect of closeup lenses installation — snaps in and out of file

GROUNDGLASS FOCUSER

OTHER FILTERS
IN SERIES SIZES
Avail. unctd. only
Neutral Density 8X,
10X, Haze 2A, 81,
81D, Flash 1D, UV-17,
Infra-Red COATED FILTERS IN COATED FILTERS IN COATED FILTERS SIZES to fit standard filterholders for B & W.; Lt. Yel., Med. Yel., Green, Red, Orange, Haze. For Associations. Super Associations Devilight: UV-15, UV-16, 82A, 80A, No. 10, 81A, For Redachrome, Type A: 85(A), 35B. 82C. 81A, UV-15.

HEUTRAL DERSITY: 23, 4X. For KOBACH RON E, EKTACHROME DAYLIENT: Haze, Skylight (1A), 82A, 80B, 81B, 81A, 80C.
FOR ANSCOCHROME, KOBACHROME, EKTACHROME EXTACHROME TYPE F: 85C, 82A, 82C, 82B. Coated Uncoated Ser. IV \$1.54 Ser. V \$1.49 Ser. VI \$1.54 Ser. VI \$1.59 Ser. VII \$3.29 Ser. VIII \$3.29 Ser. VII \$3.29 Ser. VIII \$5.29 Ser. VII Infra - Red.

For: LERA, CANON, NIKON, CONTAX, PRACTIFLEX, HEXAGON, CONTAFLEX, PRACTICA, PRAKTINA, PERTAGON, ARGUS CS. C4, C44—Rose yeor caners, 5 shorts in 8 seconds! No installation—

Clip here for this

Clip here for this SPECIAL.

OFFER

Buy at least three Ser. VIII or five Ser. IV, V, VI, VII filters and clesson Bases at one time and we will a up ply COATED filters (in colors listed) at uncoated prices, saving you even mere off our low prices.

off comparable list POLARIZING SCREENS with Spiratone For all Color and black and



Polarizing Polarizing SER. IV SER. V SER. VI SER. VIII

\$1.54 \$1.54 \$1.94 \$2.44 \$3.74 \$8.84

For all Color and black and white film. Eliminate glare and reflections in scenery, water, show-windows. . emphasizes clouds, the ONLY sky lifter usable with Kodachrome, Anscochrome, Ektachrome. Polarizing Screens have double threaded rings to allow use of extra filter or closeup lens, handle for convenient adjustment of maximum polarizing effect.

Shipping Charge 1se Polarizing Screen Leather St.75 \$6.99 . 59 \$4.75 \$4.75 \$9.99 . 79 \$11.75 \$11.75 \$14.75

HIGHEST QUALITY

SALE SQUARE LENSSHADES

Finest quelity, fit standard filterholders. Locking Flange for orienting. Comp. List \$3.50 to \$6.25. Shipg. Chg. 10c. SERIES V \$1.75 • SERIES VI \$2.25 • SERIES VII \$3.25

OPTICAL GLASS HOLDS &

Available in Ser. IV (\$1.00), Ser. V(\$1.00), Ser. V(\$1.01), Ser. V(\$1.01), Ser. VII (\$1.50), Ser. VIII (\$1.5

Shipping Charge \$5c

BOUBLE RETAINING RINE
Permits use of two closeup
lenses (for extreme closeups: +2 and +3 make +5),
closeup lens and filter (correction, conversion, pola),
two filters, two minus
lenses, at same time. Fits
standard filterholders.
Ser. C er IV 85c; Ser. V 88c;
Ser. VI 95c; Ser VI \$1.80;
Ser. VIII \$2.60.

A NEST FRA
PORTRAITE &
PO

NOTE: All series accessories fit series fitterhelders. If you do not have a filterhelder, write, amming camera and lons. Ser. VS 1.5.5 Ser. VIII \$4.75.

STEP-UP RINGS Ser. V to Vi Ser. Vi to Vii ... Ser. Vii to Viii

4 x area FOR TWINLERS, 35MM, POLAROID CAMERAS. Deluxe Leather Case \$1 95 29

3 UNIT REFLECTOR OUTFIT \$5.99


#1 or #2 1 One builet reflects complete with . . . at a fracti

plete with swivel joint, switch, socket, clamp at a fraction of their usual cost. BESTIRM: 2 #2, 1 #1 photofood bulbs 90c.

Stundy 4 sec. Geliuse matal Professional Washington Stundy 4 sec. Geliuse matal Professional Stundy 4 sec. Geliuse matal Professional Stundard Stun

Spiratone heavy ELEVATING TRIPOD

Madel Ed For the photograph
Madel Ed For the photograph
mum sturdiness, yet
195 mum sturdiness, yet
handle to control it
diameter legs, full 72"
strong 15" geared elevate
elevator leck; 3% lb. nel
PROJECTOR TABLE diameter legs, full 72" extension with sale strong 15" geared elevator; positive leg, pen and elevator lecks; 3% lb. net weight. Shpg.Wt.6lb. each item



whether shipping weight is stated or not. Check with local post office 5% deposit on C.O.D.'s. guaranteed against defects. 25

SPIRATONE JAC. 369 7th AVENUE, N. SEND MAIL OFFICEN BLVD. DEPT MID. 135.06 NORTHERN BLVD. DEPT MID.

369 7th AVENUE, NEW YORK 1, N. Y. ...



see your movies on your projector



as comfortably as you can watch TV



8mm projector scope

With the SCOPE, your projector can be used to preview films as soon as you get them. Show your films to small audiences of 5 or 6 people without darkening room or setting up a screen. With the built-in film notcher, you can edit right on your projector. Only \$14.95 at all camera stores.

HUDSON PHOTOGRAPHIC INDUSTRIES, INC.
Irvington-on-Hudson, New York

Write for free booklet #500- MP on how to edit movies. Please include self-addressed, stamped envelope.

HOW FAR HAVE WE GONE?

Editor's Note: Herewith another in the series of lesser known but fascinating cameras of yesteryear, written up just as it would have been in "Modern Tests" when it was new.

TWIN-LENS REFLEX FITS INTO YOUR POCKET



Manufacturer's specifications: Pilot folding twin-lens reflex, 1½ x 1½ in. (18 pictures on 127 film). Lens: 50mm f/3.5 Carl Zeiss Jena Tessar with stops to f/22, focusing to 3 ft. Shutter: Compur with speeds from 1 to 1/300 sec. plus B, T. Viewing: Waist-level ground glass with magnifier. Other features: Two-stroke rapid wind lever; automatic frame counter; eye-level optical finder. Price: \$85. Manufacturer: Kamera Werkstatten, Guthe & Thorsch, Dresden, Germany.

With the recent highly successful introduction of the tiny 35mm candid camera, the Leica, it's good that some thought has been given this year of 1931 to the non-35mm enthusiast by placing into his hands an almost equally small reflex camera complete with ground-glass focusing. The Pilot reflex when closed can easily fit an overcoat or sports jacket pocket or lady's handbag. Yet it is a full-fledged picture taker with first-class optics and a famous shutter.

(Continued on page 96)

CUSTOM COLOR NEGATIVE PROCESSING

Dodged — cropped — Color corrected

16x20 ... \$6.50 11x14 ... \$4.50 8x10 ... \$1.50 5x7 ... \$.65 3½x5 ... \$.15 2½x½ .. \$.10

First Run Price List

Special Price Offer for color candid weddings

Professional Quality Prints
Price includes film processing

AGFA COLOR-KODACOLOR

"Plus" 250 A.S.A. meter "Experimental" Color negative. Send \$5.00 for film including processing and 12 prints

35mm Kodacolor our specialty

Roll film orders printed to size when film is developed. Add \$.50 for film processing

EXPOSURES	31/2"	31/2×5	5x7	8x10
8	\$.80	\$1.20	\$4.00	\$10.00
12	1.25	1.80	6.00	15.00
20 (35 mm)	1.60	3.00	9.00	

Minimum order \$3.50

Orders under \$10.00 must be prepaid.

Orders over \$10.00 are prepaid or C.O.D.

Credit slips returned on over paid orders.

SEND FOR COMPLETE PRICE LIST

HAUSER COLOR LAB. INC.

1466 South 92nd Street West Allis 14, Wisconsin

NEVER NEVER PRICED SO LOW! **1961 MODEL** EXAKTA VXIIa WORLD FAMOUS YOUR CHOICE OF LENSES AUTO-/ f2 Zeiss Biotar MATIC or f1.9 Isconar **PHOTOCOPIER & PRINTER** Complete camera with PENTA PRISM and RANGEFINDER. THE UNIVERSAL COPY MACHINE THAT 10% DOWN-TRADES CAN MAKE ANY NUMBER OF GLOSSY or MATTE STAT PRINTS or the SHARPEST TRUE, TRUE WIDE ANGLE OFFICE COPIES IN A JIFFY 30mm f2.8 RODENSTOCK **EURYGON ©**50 for EXAKTA & PRAKTICA 250mm f4.5 FOLLO-FOCUS EXAKTA, HEILAND, PENTAX, PENTACON, PRAKTICA, & similar single lens reflex.

The exciting new lens with the amazing FOLLO-FOCUS lever that keeps scenes in focus instantly, derman-made. PRE-SET DIAPHRAGIS; AL STOPS. **BRAND NEW** surface blemishes anogany surfaces, them . . and if BRAND NEW -400mm fs.5 FOLLO-FOCUS NEW ____79.85 1.50 post & handl. 10% DOWN--TRADES PHOTOGRAI HI-SPEED DOUBLE WEIGHT WARM TONE PORTRAIT
ENLARGING PAPER
DOUBLE-WEIGHT, FINE-GRAIN LUSTRE
(FORTRAIT F) Baziling with the portrait T Cream-white FORTRAIT Y White Silk Vields, pleaning shahilants and a revealing shahilants. LUXOR ENLARGING PAPER
DOUBLE WRIGHT MONO-CONTRAST
CHLORO-BROBINE
LUXOR T Cream-white, Silk sarface.
Supplied in one normal contrast printing grade, feathering a wide letitude. For most negatives from modium set through normal to modium set through normal to modium set well at qualify is limportant. Image tone is 263
swarm black.

5x7 100 sheets 263
Sx7 200 sheets 263 BROMIDE ENLARGING PAPER
WHITE SMOOTH
believable prices for a top quality import
por, Vields blue-black prints. Has a wide ran
tween sparkling radiant white and charo
to [FF] in normal contrasts. [M] and [C ween sparkling radiant white and charges it FF in normal contrasts. N and C powtrasts 1, 2, 3, 4. Specify FF for GLOSSY, for enemimate; and, C for dead matte 100 100 sheets 8x10 8x10 100 sheets 12.50 100 sheets 2.50 100 sheets 2.00 800 sheets 2.05 80 sheets 2.07 800 sheets 2.07 800 sheets 15.00 900 sheets 15.00 500 sheets 100 sheets 500 sheets 50 sheets num order 5.60 lost & insurance sheets 8x10 8x10 579 11x14 SINGLE WEIGHT
BROMIDE ENLARGING PAPER
WHITE SMOOTH GLOSSY [—]
bit Brown Commercial Language and Control
detail and density range. Beautiful blue-bit
miss. High gloss results annot be surpassed. LUMIPAN PANCHROMATIC FILM

Trook 1963-63 Sim in ASA 40, ASA 100 and ASA 200.

Ito grain, thin emulsion, Factory peeted in GERMANY

SIZE QUANY ASA 40 ASA 100 ASA 200.

40, ASA 200. 8x10 MULTI-CONTRAST ENLARGING PAPER results cannot be surpaned by prices results cannot be surpaned by prices, Contrasts 1, 2, 3, 500 sheets - 9.30 \$2.10 sheets - 9.30 \$2.10 sheets - 4.40 \$2.00 sheets - 4.40 \$3.00 sheets -NO FILTERS REQUIRED 100 shoets pack contains: 10 sho No. 1; 35 of No. 2; 45 of No. 3 of No. 4. Choose either. 19.95 23 50 100 19.95 DOUBLE WEIGHT 55 25 for 6. o & In AGAIN IN STOCK STILL THE BEST BUY 35mm MAGNALUX CONDENSER ENLARGER COMPLETE with 14.5 LENS All metal import featuring glassloss, STERLING-HOWARD ORDER FORM 21/4x31/4 Dept. MS-10, 561 E. Tremont Ave. New York 57, N. Y. &J PRESS netal import featuring gla cas negative earrier. R in fecusing HI-FLEX bolic reflector Light-in-fying condenser. BRAND NEW

Dept M5-10 561 E

Tremont Ave

d

5

0

0

0

1"

Ilm

ing

0

00

00

D.D.

PHY

State

City



PEERLESS CAMERA STORES, 415 Lexington Avenu	e, New York 17, N.Y. • MUrray Hill 7-1	000
Please Rush 🗌 B & H Explorer Slide Projector	r at \$59.91	
40 x 40" Beaded Tripod Screen at \$7.95	Extra Slide Trays at \$2.35	ea.
ENCLOSED FIND \$	CHECK MONEY OF	DER
PLEASE SHIP C.O.D. (10% DEPOSIT EN	CLOSED).	
☐ I am Interested in Time Payments, Please Add estimated shipping charges.	send application.	
WORLD S LARGEST VOLUME CAMERA STORE	NAME	
PEERLESS CAMERA	ADDRESS	
NEW YORK 17, N.Y.	CITY	
415 LEXINGTON AVE., NEW YORK 17, N.Y.	STATE	
(N-PHILADITPHIA TOTO MAIN		

HOW FAR HAVE WE GONE?

(Continued from page 94)


If you press a convenient button on the side of the closed camera, the front plate containing the lenses and shutter springs outward and a generous twopiece focusing hood opens. The taking lens and shutter are attached to the camera body with a bellows while the viewing lens employs a telescoping metal tube. The entire front plate is held rigidly in place by crossed struts. You focus the camera by turning a large. easy-to-grip knob on the right side which causes the struts to change angle and thus move the front lens plate. The built-in magnifier showing an enlargement of the whole ground-glass area is set within a metal baffle which shields the ground glass from all extraneous light even in brilliant sunlight.

The camera body is well built and machined. Sliding a small button on the bottom allows the back to swing open, revealing one solid casting which not only includes polished film guide rails but the film chambers as well. Film can be loaded quickly. You close the back and advance the film until No. 1 on the paper backing appears in the rear ruby window. You can then set the automatic frame counter to 1 by pressing a small button. After each picture, two short, swift throws of the very handy folding wind lever automatically advance the film a full frame. Of course you must recock the shutter after each exposure and remember to advance the film.

We found the camera handles easily. The ground glass was sufficiently bright for accurate focusing. Although the viewing lens is not marked, it appears to be a matching 50mm f/3.5.

The picture size has much to commend itself. You can achieve the same number of exposures on a roll of 127 film as you can on a short 35mm cartridge (18 exposures) but the larger negative can produce sharper, less grainy pictures.

The camera, which is also available with a Schneider Xenar f/2.9 at \$5 less should certainly appeal to the serious photographer who wants a good, capable, larger-than-35mm camera at a reasonable size and price.—H.K.



SAVE UP TO 35% DURING BLACKHAWK'S SEPTEMBER-OCTOBER 2" x 2" COLOR SLIDE SALE!

SALE PRICES ARE EFFECTIVE ON ORDERS RECEIVED BY BLACKHAWK THROUGH FRIDAY, NOV. 3, 1961, AND RETURN TO REGULAR MONDAY, NOV. 6, 1961.

BRADY PHOTOGRAPHS OF THE CIVIL WAR (No. 30, 24 slides), reg. \$3.49, on

WAR ING. 30, 24 sides), reg. \$3.49, on ale (No. 12, 22 sides), reg. \$3.49, on ale (No. 12, 22 sides), reg. \$3.49, on take at 2.64 CHARLESTON AND FORT SUMTER (No. 13, 26), on take at 2.64 CHARLESTON AND FORT SUMTER (No. 14), and the control of the

Intermission Stides from Nickeladean Days

8mm./16mm. MOVIES, TOO!



u

19

YOU'RE DARN TOOTIN' LAUREL & HARDY

Stan plays the clarinest — Oilie plays the French horn. After being our of work for weeks, they cauly gain employment with the band no play standing and employment with the band no play without them — as the bandmaster sono discovern. Unemployed again, they see out as a pair of street mentions to build up their finances — but, having the police. A private little was soon develops into a public one with clorhing being ripped right and the police. A private little was soon develops into a public one with clorhing being ripped right and the police. A private little was soon develops into a public one with clorhing being ripped right and the police. A private little was soon develops in the police of the police

410-267, Smm. silent version, about \$11.98 620-61, 16mm. silent version, about \$34.98 a Photographed from Lithographs CIRCUS, 1875 (No. 110, 13 slides), reg. \$1.90, on tale at

Circus Pasters of the 1890s and 1900 GOLDEN AGE OF THE CIRCUS (No. 204, 19 slides), reg. \$2.96, on sale at ... RINGLING BROS.— WORLD'S GREAT-EST SHOWS (No. 205, 18 slides), reg. \$2.96, on sale at ...

Relirond Slides

ALONG THE OVERLAND ROUTE (No. 185, 20 slides), reg. \$2.98, on sale at. ANTONITO TO SILVERTON ON THE NARROW GAUGE (No. 176, 13 slides) reg. \$1.98, on sale at. ARROW GAUGE (No. 176, 13 slides), reg. \$1.98, on tade at the callfornia and the callfornia zeptyr in Feather River California zeptyr in Feather River Calyon (No. 3a, 20 slides). on sale at NATIONAL STEAM LOCO-(No. 169, 13 slides), seg. MOTIVES (No. 169, 13 slides), egg. \$1.98, on sale at THE "CHALLENGERS" AND "BIG BOYS" OF THE UNION PACIFIC (No. 235, 20 slides), reg. \$2.98, on sale at CANADIAN PACIFIC STEAM LOCOMOTIVES (No. 218, 13 slides), reg. \$1.98, 2.40 on tale and RAILROADS (No. 26, 13 slides), reg. \$1.30 civil WAR RAILROADS (No. 26, 13 slides), reg. \$1.38, on tale at DONNER PASS ON THE SOUTHERN PACIFIC (No. 128, 16 slides), reg. \$2.49, on tale at



EARL CLARK'S WORLD ELECTRIC LINES EUROPE (NO. 200, 30 suges), reg. 54.98, on tale at FROM DENVER TO GLENWOOD SPRINGS ON THE CALIFORNIA ZEPHYR (No. 217, 20 sides), reg. GUNNISON BRANCH, RHO GRANDE NARROW GAUGE (No. 180, 11 slides), reg. 61.60 on tale at the control of the control reg. \$1.69, on sale at THE HIGH SIERRAS FROM A CABOOSE (No. 129, 13 slides), reg. \$1.98, on sale 2.16 2.40 2.40 1.92

THE HIGH SIERRAS FROM A CABOOSE (No. 12), 13 sliden), reg. \$13.96, ou sale ILLINOIS CENTRAL — STEAM ACROSS THE FRAIRIE (No. 64, 16 sliden), reg. \$2.90, on sale of the property of the sale of the sal 3.84 2.40 3.12 5.64 AND WYOMING (No. 1:1, to messarge 2.9.8), on side of STEAN LOCOMOTIVES ON THE NOR-FOLK AND WESTERN (No. 173, 13 STEAN LOCOMOTIVES ON THE ILLINOIS CENTRAL (No. 163, 13 thides), reg. 51.98, on tale of WIRGINIAN RAILROAD STEAM LOCOMOTIVES (No. 10, 23 thides), rug. \$1.98, on tale of \$1

RIO BY THE SEA-O (No. 240, 20 slides), reg. \$2.98, on sale of

AFRICAN BIG GAME (No. 144, 8 alidms),
ag, \$1.49, on sale at
ALONG CAME A SPIDER (No. 279, 20
Bides), reg. \$3.49, on sale at
BLSY BEAVER (No. 214, 12 alides),
reg. \$1.49, on sale at
BLSY BEAVER (No. 214, 12 alides),
reg. \$2.19, on sale at
BLSY BEAVER (No. 214, 12 alides),
reg. \$2.19, on sale at
BLSY BEAVER (No. 214, 12 alides),
reg. \$2.19, on sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 153, 8 alides), reg. \$1.49, on sale at
CNO. 236, 20 alides), reg. \$3.49, on sale at
CNO. 256, 20 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 154, 6 alides), reg. \$1.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$1.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 154, 6 alides), reg. \$1.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$1.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$2.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$3.49, on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides), reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides], reg. \$4.50 on
sale at
BLSYERN BERDS OF FIELD AND WOOD
[No. 155, 6 alides], reg. \$4.50 on
sale at
BLSYERN BERDS OF FI JUNGLE PERILS ALONG THE AMAZON (No. 189, 26 slides), reg. \$4.49, on tale at POISONOUS SNAKES OF THE UNITED STATES (No. 161, 8 slides), reg. \$1.49, 3.12

SNAKES OF NORTHEASTERN UNITED STATES (No. 174, 8 slides), reg. \$1.49 WILD ANIMALS OF THE AFRICAN PLAINS (No. 145, 8 slides), reg. \$1.49,

Travel Slides - Europe ANCIENT GREECE TODAY (No. 56, 47 slides), reg. 35.98, on sale ef AUSTRÍA - THE CHARMING CITY OF \$4.49, on sale ef AUSTRÍA - VIENNÁ, CITY OF SONG (No. 210, 30 slides), reg. \$4.49, on sale 2,40

BOULAND - MIGH SPOTS IN THE
LOWLANDS (No. 44, 42 slides), reg.
57.98, on slow - Symptomic Strong - Symptomic



NORWAY — MIDSUMMER SKETCHES (No. 181, 40 slides), reg. \$5.98, on OXFORD AND CAMBRIDGE (No. 252, 40 slides), reg. \$5,98, on take at PARIS ON THE SEINE (No. 8, 49 slides), reg. \$6,98, on take at PARIS ON THE SEINE (No. 8, 69 sides), reg. 56,98, on safe at progressive pictures of the progressive pictures of the progressive pictures of the pictures of t SHORE (No. 10), 26 slides), reg. \$3.98, VIEING LAND, SWEDEN (No. 3), 40 slides), reg. \$5.98, on safe at west GRANNY — ALONG THE RIVER MAIN (No. 20), 20 slides), west GRANNY—THE BLACK POREST ARRA (No. 228, 70 slides), reg. \$2.96, WEST GERMANY—THE BLACK POREST ARRA (No. 228, 70 slides), reg. \$2.96, on safe at \$1.00 slides), reg. \$2.90 slides), reg. \$2.90 slides), reg. \$2.90 slides), reg. \$2.90 slides), reg. \$2. 3.12

5.64

2.60

4.80

Travel Sildes - The Pacific

Travel Slides — The Middle East EGYPT — THE PEOPLE THE NILE AND THE SUEZ (No. 46, 24 slides), reg. \$3.49, on side at

INDIA - THE LAND AND ITS PEOPLE (No. 75, 36 slides), reg. \$5.49, on (No. 75, 56 stides), reg. 37.49, on sole of 18 stides) and 18 stides of 18 stides o

1.44

AUTUMN AND WINTER IN YELLOW-STONE NATIONAL PARK (No. 67, 12 slides), per g. 8, 89, on solo of AUTUMN IN YOSEMITE (No. 134, 17 slides), peg. 82,49, on solo of AUTUMN'S PAINTBRUSH IN NEW MEXICO (No. 165, 13 slides), pg. 81,98, MEXICO (No. 167, 13 slides), pg. 81,98, MEXICO (No. 165, 13 sildes), reg. 81-70
so tole of
the BULE GRASS STATE, KENTUCKY
(No. 31, 18 sildes), reg. 22-89, on sole
1151, 16 sildes), reg. 22-89, on sole of
BRYCE GANYON NATIONAL PARK
(No. 61, 16 sildes), reg. 22-89, on sole of
THE CABLE CARS OF SAN FRANCISCO
(No. 57, 20 sildes), reg. 23-30, on
DOWN THE WEST COAST OF MEXICO
(No. 195, 39 sildes), reg. 85-36, on sole

Travel Slides - No

(No. 195, 39 sidem), reg. 85.98, on sele
BHRASSIES IN WASHINGTON (No. 286,
50 sides), reg. 86.98, on sele el
17 HE FVERGLADES OF PLORIDA (No.
2211, 20 sides), reg. 82.98, on sele el
17 reg. 86.98, on sele el
17 reg. 86.98, on sele el
17 reg. 86.98, on sele
18 reg. 87.98, on 5.50 6.00

MEXICO'S MODERN CAPITAL CITY
(No. 196, 26 slides), reg. \$3.98, on sale MIAMI, MIAMI BEACH AND CORAL GABLES (No. 222, 30 slides), reg.



4.90 1.86 PENNSYLVANIA DUTCH COUNTRY (No. 224, 20 slides), reg. \$2.98, on SAN FRANCISCO, THE BAY AND THE BRIDGES (No. 100, 20 slides), reg. \$2.98, on sale BRIEFUES (No. 108, 20 slides), reg. \$2.98, on tale of SAN FRANCISCO — FISHERMAN'S WHARF (No. 104, 16 slides), reg. \$2.49 on tale of SAN FRANCISCO — 2.40 2.40 1.92

FOR TWICE THE FUN FROM YOUR PROJECTOR, WRITE TODAY FOR BLACKHAWK'S BIG FREE NEWSPAPER-SIZE CATALOG LISTING MORE THAN 600 EXCLUSIVE 8mm. MOVIES AND 2"x2" COLOR SLIDE SETS



110 EASTIN-PHELAN BLDG.

DAVENPORT, IOWA

2,40

3.72



with the All-Electric RICOH AUTO ZOOM 8mm

Automatic way to perfect movies with a professional touch! Tiny flashlight batteries power both camera drive and zoom action through an exclusive gear system. Fast f1.8 lens zooms from 10mm wide angle to 30mm telephoto at the touch of a button. Perfect exposure is assured by electric eye. Flicker-free thru-lens reflex viewing. Remote control outlet. Counter resets itself when you reload with low-cost spool film. Less than \$140.*

ELECTRIC-EYE
RICOHMATIC 35

Fully automatic, plus the luxury of a fast f2.8 lens, coupled rangefinder focusing and 1/200 second shutter. Gives perfect color shots anywhere. Less than \$70.00*.



ALLIED IMPEX CORPORATION 300 PARK AVE. SO., NEW YORK 10, N. Y. CHICAGO 10, DALLAS 7, LOS ANGELES 36

MOVIE PROJECTORS

(Continued from page 82)

in devices for editing your footage. Automatic threading is one of the latest innovations on 8mm projectors. It cuts down on film handling that often leads to scratches and smudges and it speeds up showings (Fig. 2, page 81).

Single-frame projection makes it easy to take a long, leisurely look at the high point in an action or expression. When you switch to single-frame a heat shield drops in place, protecting the film from the lamp—and also cutting down on the amount of light reaching the screen. We'd rate single-frame devices in general as nice to have—but the best of them rarely provide a very satisfactory image. Movie frames, because of the comparatively slow camera shutter speed and moving subject matter, rarely are as sharp as a still camera image.

But single-frame in conjunction with built-in editors certainly expands the versatility of an 8mm projector. A singleframe device makes it easier to select exact frames for cutting.

Most of the built-in editor-viewers provide an image that's quite satisfactory for editing. But the need to remove film from the sprocket drives and the gate for splicing makes editing on the



CYCLE OF CLAW (C) is controlled by eccentric axis A and pin B as it pulls frame D, rises to pull frame E.

projector a slower process than with separate rewinds and viewer. However, one advantage is that film is projected in the viewer at screening speed.

When you buy a projector, take along a roll of film that you yourself shot. It should be well exposed and sharp. And so much the better if you've already seen it satisfactorily projected on a friend's machine. Also take some clear footage and a reflected light meter.

Have your dealer project your film on a screen the same size as the one you'll use at home. Narrow your choice down to two or three machines and compare the projection on all of them. Sit about 8 or 9 ft. from the screen (for 30 x 40-in. image). Watch for sharpness of detail.

Next, test your prospective buys for light distribution by projecting the clear footage (exposed film would vary in density; with no film at all, the light spills out widely). Take readings at the center and sides. The difference should be no more than a stop.—THE END



INSTRUCTION

EARN DEGREE IN PHOTOGRAPHY IN CALIFORNIA

Art Center School's working pros make you an artist with the camera. Bachelor's Degree. Accredited. Coed. 31st year. Terms: Feb., June, Sept. Write Lee Mason, 5353 W. 3rd St., Los Angeles 5, California.

THE ART CENTER SCHOOL

STUDY PHOTOGRAPHY
COMMERCIAL • PORTRAIT • ILLUSTRATIVE
Finest professional instruction and equipment. (a. 1. Approved, Co-de, Living accommodations secured for men.
Attractive dormitory for girls, Enter September 6 or Oct. 2.
WRITER REGISTRAR, ROOM, 342, Specify course.

RAY-VOGUE TO SCHOOLS TO CHICAGO



UNBELIEVABLE VALUES

DEVELOPING SERVICE AVAILABLE

	\$	
8mm 25' double	***************************************	.60

35mm COLOR FILM

Av	ailabl	e in /	ANSCO T	UNGS	TEN		
35	mmxl	100' .				9	22.00
Ava	ailabi	e in	TUNGST	EN or	DAYL	IGHT	AERO
EK	TACH	IROM	E-DAYL	IGHT	SPEEL	-100) ASA
20	exp.	rolls	includir	ng pro	cessin	g.	
	-				\$1.50	(3 for	4,25)
20	exp.	rolls	INDOOR	ANS	CO CO	LOR	

AERO EKTACHROME CHEMICALS—

1½ gal. \$2.90

100 ft. 35mm —85¢ Plus X or XX

100 ft. 35mm XX or Plus X or infra red or background X \$1.40. If you buy \$25.00 worth of film—one 35mm loader free regular price

of film—one \$5mm loader free regular price \$5.00
A \$100.00 purchase of film (color or B&W) will allow a brand new Eastman Kodak Brownie 8mm for \$1.00—Regular price for such a camera alone—\$35.00
This offer is in addition to our Unbelievable Value of film on which you save 50%.
A \$200.00 purchase will entitle you to a Kodak Brownie camera and a 8mm projector for \$1.00. Regular price close to \$100.00
A \$50.00 purchase will entitle you to a brand new Brownie Camera with flash and film and bulbs. Regular price for Camera and film color as well as B&W) \$25.00—in any store.
A \$25.00 purchase entitles you to a 127 Camera and 3 rolls of color film and 6 rolls of black and white. Real value in store—\$10.00
Additional \$25 purchase entitles you to Eastman Kodak carrying case of genuine leather. Reg. price of case alone—\$11.25

35mm BLACK & WHITE **BULK TRI X KODAK FILM**

Respooled & repackaged Price \$1.50

ACCESSORIES

FILM DRIERS-good for paper and films

Take advantage of these bargains. B&W film—100 ft. on Bolex Spool\$4

\$4.00

100 ft. Ansco Color on Bolex spool 8mm 5.5	C
With devel 6.5	
Empty 16mm magazines made by Kodak 75	id
8mm empty mag 75	۶
onni empty mag	2
16mm 100 ft. camera reels	
Cans for such reels 10	×
Empty cartridges for 35mm 20 or 36 exp.	•
10€ each, \$1.00 a doze	m
Cans for 35mm cart 10	
800 ft. reels, 16mm 75	•
16mm—1200 ft\$1.00, Cans— 50	慮
1600 ft.—16mm\$1.25, Cans— 50	ė
Cement for film50¢-best available	Ξ
Vedecharme releads 20 ave	8
Kodachrome reloads—20 exp\$1.2	2
50 ft\$15.0	U
Special offer Ansco 10 exp 45	é
400'—8mm empty reels 50	
Dble. cans35¢, 3 for \$1.0	ñ
25 Dull Clas Landar daylik	v
35mm Bulk film Loader daylite	
100 ft. Negative 35mm film, Plus X or XX	
12 cartridgesAll this for \$5.9	5
Roscoe Cement—(bottle) 50	ē
mosone delinent (postie)	۳

PHOTOGRAPHIC CONTACT PAPER

 Semi-matte-Contrast #4
10×10\$2.50

10 x 10 Projection Paper, Contrast #3 \$3.75

ANSCO COLOR IN BULK

16mm—4¢ per			
8mm-25 ft. or			\$1.25
100' 8mm	seeing not		\$5.00

CLEARANCE SALE

CARTOONS APPROX. 400' AVAILABLE IN SOUND OR SILENT \$495 For Home Use Only

ANSCO COLOR FILM

WITH PROCESSING
8mm 25' dbl. roll\$2.25
8mm 25' dbl. mag 2.75
16mm 100' available in both
sound or silent5.00
16mm 50' magazine 3.50

MOVIE FILM

ANSCOCHROME Weston 32-

Addition in Summand Tollin
100 ft. 16mm roll\$7.00
50 ft. 16mm Magazine
8mm 25 ft. double Magazine 3.50 16mm KODACHROME 100 ft. rolls—processing included.
16mm KODACHROME 100 ft. rolls-processing included.
Developed by Eastman Kodak. Price \$6.00 per roll. 25 ft. double. 8mm High Speed. B&W
EASTMAN KODAK, Weston 250-developed
free by Eastman Kodak. 1.75 50 ft. 16mm B&W EASTMAN KODAK—developed
50 ft. 16mm B&W EASTMAN KODAK-developed
free by Eastman Kodak. 2.00 100 ft. 16mm B&W EASTMAN KODAK—available
in SUPER X and SUPER XX, developed free by
Eastman Kodak 4.00

ANSCO MOVIE FILM BLACK AND WHITE

		ALTER	PRO	OE3	Siles		
8mm	25'	dbl.	roll			 	1.15
8mm	25'	dbl.	mag			 	1.75
16mm							
sour	nd or	sile	ıt			 	.2.50
16mm	50'	maga	zine			 	1.90

SPECIAL OFFERING IN 8mm AND 16mm COLOR SUBJECTS (CARTOONS AND FAIRY STORIES)

			COLON			
50	ft.	8mm	********		\$	2.00
200	ft.	8mm		*******	*******	
100	ft.	16mm			******	5.00
400	ft.	16mm	(silent)			20.00
400	ft.	16mm	(sound)			25.00

SPECIAL OFFERING IN 8mm **AND 16mm SUBJECTS** (CARTOONS AND FAIRY STORIES)

			N MILE	*****		
50	ft.	8mm			\$	1.00
		8mm				
		16mm				
		16mm				
400	ft.	16mm	(sound)	1	10.00

REDUCED KODAK FILM 8mm-50% 16mm

	Regular OUR Price
	\$10.80 KODACHROME 100' 16mm with
0	dev\$7.50
	\$ 7.40 16mm Magazine\$4.00
	\$ 4.50 25 ft double \$2.50
	\$ 5.00 25 ft. double 8mm Magazine\$2.75
	\$15.00 100 ft. perforated for 8mm for
ì	Bolex Camera with developing\$8.50
	Black and White ASA 50 with developing
d	
1	\$ 5.50 100 ft. 16mm\$2.50 \$ 2.75 25 ft. double 8mm roll with dev\$1.25
1	\$ 4.00 50 ft. 16mm Black & White Mag\$2.00
J	\$ 4.00 50 ft. 16mm Black & White Mag\$2.00
1	\$ 3.25 25 ft. double 8mm Magazine\$1.50
1	#127, 120, 620, 116, 616
1	Black & White, 10 for\$1.95
1	120 & 620 color
1	35mm 20 evo Black & White 254

	35mm 20 exp. Black & White 25¢
	35mm 36 exp. Black & White 49¢
-1	AERO EKTACHROME #120 and #620
1	Weston 403 for \$2.85
. 1	35mm BLACK & WHITE BULK 100 FT.
1	EKTACHROME 20 exp\$1.00
1	Super X or Double X and Plus X\$1.40
d	35mm 20 exp. KODACHROME\$1.10

BULK MOVIE FILM

8mm x 400' dble. 8mm x 1600' dble. CAMERA SPOOLED NO	************	22.00
8mm x 100' dble 8mm x 25' dble. 7 for price	e of 61	\$1.79 60¢ each
SIZE 54 rolls 16mm x 25'\$8.95 16mm x 50'19.95 *16mm x 100'49.50 *Camera spooled	27 rolls \$4.95 10.95 29.50	15 rolls \$2.75 5.95 17.95

SOUND MACHINE **BELL and HOWELL AMPRO** Our Price 149.00

AVAILABLE IN 8mm and 16mm THE FOLLOWING FULL VERSION REELS

The 8mm is approximately 300 ft. and 16 mately 400 ft. each reel.

	Religious	Films	Aveilable		
	of Christ				
Crown	of Thorns				reels
Messe	nthony of Padua_	d Virgi	n		reels
Sound				15.00 per	reel
-mm			OMEDIES.		reel

Snub Pollard & other famous stars, full version—available in Smm approx. 200 ft. \$5.00 per reel—18mm \$10.00 slient per reel and \$12.50 sound. Approx. 400 ft. ORIGINAL OUR GANG COMEDIES—available in Smm and 18mm \$5.00 for 8mm approx. 200 ft. \$10.00 per reel for 18mm slient approx. 400 ft. per reel—available in 1 and two reelers.

PRIZE FIGHTS HEAVY WEIGHT FEATHER WEIGHT LIGHT WEIGHT

Laurel & Hardy Comedies 2 reel comedies, available in 8mm and 16mm \$8.00 for 8mm approx. 200 ft. \$10.00 per reel for 18mm.

MOVIE FILM SPECIAL

100' 8mm double Packed on 4 Camera spools 25' processing not included \$1.79

OPEN EVENINGS TILL 7. ALSO OPEN SATURDAYS.

PLEASE VISIT OUR STORE. DON'T FORGET TO INCLUDE POSTAGE.

ASTRA PHOTO PRODUCTS 243 WEST 55TH STREET NEW YORK 19, N. Y.

ELECTRONIC FLASH

(Continued from page 59)

about 1/250 sec., but the photographically useful part of the flash (strongest ²/₃) averages 1/1000 sec. This is much longer than the flash from the larger studio outfits. At portable unit exposure times (1/250 to 1/2000), there is no film-speed change of reciprocity effect great enough to be detectable even in carefully made pictures, for either black-and-white or color." Ansco: Commonly used black-and-white films of this firm, Super Hypan and Versapan, require no exposure correction in the exposure range of 1/1600 to

1/100 sec. In color films, Super Anscochrome Daylight also requires no increase in exposure. Anscochrome Daylight requires an increase of 1/3 stop in the same exposure range.

Ilford: Examination of sensitometric data especially prepared for this report by Ilford shows that for practical purposes most Ilford films show no reciprocity failure. However, Pan F film does show an appreciable loss of contrast. Since this film is in the very slow, high contrast group not normally used for electronic flash work, this exception will affect few photographers. If it is to be used for electronic flash, development should then be increased about 40%.

With all the claims of "lifetime use" being made for nickel-cadmium storage batteries, a brief analysis of these units seems in order. Nickel-cads have almost completely supplanted other types of storage batteries in amateur units. These are generally sealed in steel, require no maintenance, maintain their charge for long periods, and may be stored, charged or uncharged, for long periods without deterioration. In flash units, they are far superior to lead storage batteries which require much care. They have a few operational faults. Their output voltage is quite constant until almost discharged so it is difficult to build in any sort of meter control to check the state of charge. However, most portable units use rather small size cells (since nicads are expensive), and so the recycling times increase appreciably when the battery is in a low state of charge.

"Lifetime" batteries?

The life expectancy of the nicads is generally figured in number cycles of charge-recharge that can be extracted from the battery without excessive loss of energy. Figures for cycle expectancy vary from different sources. However, none will last forever, despite claims. For the sealed nicad, an expectancy of from 200 to 500 charges appears reasonable. This would indicate a life of from 4 to 10 years, depending on use.


One word of caution: Don't let a nicad-powered electronic flash unit run down completely. Polarity reversal may occur which may seriously impair the capacity of the cell, or even ruin it.

Recycle time for many flash units has been a serious and justifiable source of complaint by electronic flash users. Recycling time has commonly been designated as the time required for a unit's ready light to go on after the preceding flash. Ready lights, however, have been notoriously variable in indicating the actual storage energy. In some cases ready lights have been designed to light when the storage energy is half or less of peak. This is equivalent to a full stop of underexposure.

The proposed standard states "The recycle time is the time for the equipment after producing a flash to produce a second flash which is 70.7% as strong (equivalent to one half stop less exposure) as a flash produced with the energy storage capacitors at peak voltage as measured under conditions stipulated." If this specification of recycling time is adopted it will effectively eliminate the phony short recycling times now sometimes promulgated.

Many photographers have been sceptical about the efficiency of the new-look tiny electronic flash reflectors. Some entire electronic flash units are hardly any larger than conventional flashguns.

(Continued on page 102)



NEW LEITZ PRADOVIT N

EXCLUSIVE LOW-VOLTAGE SYSTEM WITH COOLER 100 WATT BULB PRODUCES ON-SCREEN IMAGE RENDITION **COMPARABLE TO 300 AND 500 WATT PROJECTORS**

Just as Leitz engineers revolutionized photography with Leica, the first 35mm ...they have now quietly revolutionized slide projection with an amazingly efficient low-voltage system. As a result, Pradovit N offers many advantages found in no other slide projector...sets new standards for...

efficiency—unique low-voltage system produces higher Kelvin temperatures rendering truer color reproductions.

depth of focus-greatest in 35mm projection, virtually eliminates refocusing. coolness-less heat, less popping than any other projector.

silence - uses small, virtually noiseless blower!


automation - palm-of-the hand remote control of focusing, slide changing from anywhere in the room! Takes intermixed mounted and unmounted slides. beauty—"fine furniture" styling so beautiful you'll leave it in your living room

after the show is over!

See it...Try it...Today...At your Leica Dealer



EITE, INC., 466 PARK AVENUE SOUTH, NEW YORK 16, N. Y eitz G. m. b. H., Wetzler, Germany-Ernst Leitz Canada L. ND LEIGINA CAMERAS - LENSES - PROJECTORS - MICROSCOP





STATIC master than a BRUSH

The polonium strip (a peaceful application of Atomic Energy) is the neutralizing agent in STATICMASTERS that destroys surface static electricity. The bristles simply remove the loosened dust and lint.

STATICMASTERS are used by amateur and professional photographers to clean negatives, transparencies and optics.

THE DRY WAY - PROVED BEST

1" Model \$495
Illustrated photographic store or order direct
3" Model \$9.95
...sent postpaid if cash with order.

NUCLEAR PRODUCTS CO. 10177 E. Rush Street



ELECTRONIC FLASH

(Continued from page 100)

How effective are the small reflectors? In many units they do a very fine job. The secret of their success lies in the use of small flashtubes, with more efficient reflector systems. Larger, coiled tubes tended to absorb some of the light emitted by portions of the tube. By using a short flashtube of small diameter, more of the light emitted can be directed over the subject area. From an optical viewpoint, small tubes may be just as effective with a small reflector as a larger tube with a large reflector. We've seen a similar development in the designing of the jelly bean size AG-1 flashbulbs with their accompanying tiny reflectors.

Rectangular reflectors?

The rectangular reflector designs follow the proportions of the flashtube. These reflectors have two coverage angles. This design as we've seen is recognized in the proposed American Standard. It seems most efficient and logical for non-square negative format cameras such as the 35mm using a 1 x 1½ frame.

Lastly, let's take up the sticky business of filtration. The color quality of light emitted by xenon flashtubes is close to that of daylight, but in effect is slightly bluer. Consequently most film manufacturers recommend a warming or UV filter to reduce the bluish effect.

In practice, however, because of the anti-reflection coating or the color of the optical glass in some lenses filtering may be unnecessary. In some flash units a filter is incorporated into the flash head by the manufacturer, eliminating the need for the filter at the camera. Additionally, some flashtubes develop a warming effect after some use. It's best first to try filterless daylight type color film with electronic flash and determine for yourself if you need a filter. There once was another reason why filtration was necessary with electronic flash units. Reciprocity failure produced by early electronic flash units having very short flash durations occurred to a different degree in the three layers making up the color film. The color balance was thus disturbed, necessitating a color filter to bring the three-layer emulsion back into balance. Modern amateur portable units, which have longer flash durations, fortunately do not have this problem.

You may think that the foregoing information is needlessly complicated. From the viewpoint of the photographer you are right. If standards had been adopted in the early days of electronic flash and had been adhered to, no explanations would now be needed save those between electronic flash designers

(Continued on page 106)

OCT. 1962 EXPIRATION DATE ALL FILMS ARE FACTORY FRESH .

DAY, OR TYPE A 3-Rolls MOLL 25' DM. 8.95 28.00 28.00 8.95 Licensed by Kodak m ROLL 100'. 25.00 81.00 ROLL 100' Mag. 25' Dbi.12.00 m Mag. 50' ... 18.00 38.00 58.00 100 roll 26.25 85.00 imm Super Ansco 29.00 chrome 100' Roll 29.00 include 5¢ post, per Smn 10¢ per 16mm roll

MINOX B & W DEVELOPING

AND PRINTING

Ultra fine grain developed per roll 1.00

MINOX EXCLUSIVES

Enlarged on 11x14 2.95

MINOX

COLOR PROCESSING

& PRINTING

21/2 x 31/2 color prints ea. .50

MINOX FILM

Anscochrome, 36 exposures. 1.95 All B&W films (2 50 exp. Cassetes) 2.25

COLOR PRINTS

(From transparencies)

RINTED ON NEW KODAN

100

100

100

unted

100

5 -2X (21/2x31/2) (from 35mm & 828)

-3S (3½x3½) (from 120 & 620)

3-3X (3½x5) (from 35mm & 828)

elow sizes are Studio Mo

Printed on Ansco Printon: 3 for 2.75 | 8x10 105 each 2 for 3.50

-4X (approx. 4x5) (from 35mm & 828)

ecify ASA speed for BAW)

chrome processing . ,1.50

3x4 prints....per print

\$x7 enlargements . . each (Hand made on imported

Entire roll developed & enlarged on \$x10 \$. W. Glossy

MOVIE FILM

95.00

.15

.75

.....1.95

DEPENDABLE COAST-TO-COAST FILM SERVICE!

KODAK SLIDE VIEWER

• For 35mm, 828 and 127 slides

• Folds flat to fit pocket or purse
order for 35mm Color Film



ALL FILMS MOUNTED KODACHROME 36 cap. | 20 cap. | 36 cap. (Same prices apply for Elitachrome and Anscochrome) 7.50 11.95 23.00 35.00 SUPER

ANSCOCHROME 8.00 | 12.75 | 25.50 | 40.00 HIGH SPEED EKTACHROME 8.75 14.25 27.50 42.50

LOAD YOUR OWN AND SAVE! KODACHROME OR ANSCOCHROME

35mm Bulk COLOR FILM

WITH PROCESSING INCLUDED

28 Ft. [To make (8)-20 exp. or (5)-36 exp.] 16.95 50 Ft. [To make (16)-20 exp. or (10)-36 exp. 32 00 100 Ft. (To make (32)-20 exp. or (20)-36 exp. 60.00

HIGH SPEED EKTACHROME
28 ft. 21.95 • 50 ft. 37.00
FREEI Mailing bags and empty
35mm cartridges. Specify preference for 20 or 36 exposures. LOADER SPECIAL 495

inimum order: \$1. erry, no C.O.D.'s.

Please include

BIG SAVINGS! **Developing of** KODACOLOR

WITH JUMBO COLOR PRINTS



Mail your to Lord



Receive your

ALL PILMS ARE FROM ORIGINAL SEALED FACTORY FRESH BULK

8mm COLOR FILM

ASA 10 Daylight
WITH PROCESSING INCLUDED 25' dbl. rall 2.25 per roll 3 for 6.45 . 10 for 20.

35mm 20 exp. Famous Brand •
ASA 10 Daylight
WITH PROCESSING INCLUDED

2.00 per roll 3 for 5.70 • 10 for 18. CHEST CONSTRUCTOR

> DUPLICATE Color Slides 35mm Mounted

From Transparencies Your duplicates are actually made on Kedechrome film!

10for 20° 1.50

*And that's why only Lord can give you faithful re-production of your treas-ured slides.

B & W Sub-Minister Developing & Printing

Uitra-fine grain de-veloped with Jumbo S.W. matte prints, per 20 exp. rolf , 2.00

dachrome &

MINOLTA . YASHICA . MAMIYA, ETC.

Black & White Film

Plus X, Tri-X, Pan-X per 20 1.00

Color Film Kodachrome, Anseo-chrome per 201.25 exp. roll1.25

Minimum order, 2 rolls.

KODACHROME MOVIE DUPLICATES

8mm 50 ft. roll 5.75 CANADA ARABEM MITTAPA WATER NO. ARABEM AGENTARA

COLOR PRINTS from KODACGLOR

127, 120, 620,

828, 35mm (5X (5 x 5 or 5 x 7) each 1.00 3 for 2.85 EX (8 x 8 er 8 x 10)each 2.75 2 for 4.95

JUMBO SIZE Made from Kodacolor neg. only

for

..70¢

BY POPULAR DEMANDS 8mm Kodak Train TRI-X HIGH SPEED ASA 2

PROCESSING INCLUDED al for shooting unda licult light conditions 8mm x 25' Dbl. 3-Rolls . . . 7.75

3-Mags . . . 9.00 100'for Bolex es. 9.00 Also available in lak PLUS-X (ASA 80)

35mm FILM

35mm x 20 exp. 3-ROLLS . . . 1.50 IO-ROLLS . . . 3.95

35mm x 36 exp. 3-ROLLS . . . 1.80 10-ROLLS . . . 4.90

8 exp. roll . . . 2.00

12 exp. roll . . . 2.75

20 exp. roll . . . 3.70

Developing

any size roll .

35mm BULK FILM

8mm or 16mm

Bulk Film Winder

era spi

DO IT YOURSELF AND SAVE!

28 ft 1.35 50 ft. 2.00 100 ft. 3.50

FREE: Empty cartridges in cluded with every bulk order. Include 25¢ postage.

Holds up to 400' Will load any camera sp Specify 8mm or 16mm Pays for itself with first bulk film order.

PANCHROMATIC ROLL FILM

120, 620, 127 ASA

Day.-Tung 80 64 10 rolls

95

CUSTOM DEVELOPING & PRINTING

ing and professional print quality... COMPLETE WITH A FRESH ROLL OF FILM Specify size.

8 exposures . . 1.00 12 exposures . .1.25 20 exposures . .1.50 36 exposures . .2.50

go di initiga Send for FREE mailing bags and price list

COLOR PROCESSING OF KODACHROME 1.00

*35mm x 20 exp. w/mounting . . . *35mm x 36 exp. w/mounting 1.75 35mm x 15 exp. Stereo . 1.75 .. 2.75 MOVIE FILMS Brnm Roll Brnm Mag. 16mm Mag. 30' 16mm x 100' Roll 1.00

nm x 100' (Bolex) 35mm Anscochrome, Super Anscochrome, Ehlachrome: Same prices as shown.

120, 620, 127 Anscochrome, Super Anscochrome, Ekta-

8mm & 16mm BULK FILM

100 Ft. 200 Ft. 400 Ft.

4.50 8.50 16.00

cans mm x 100'

EAST COAST

rder. de 65¢ postage)

P.O. Box 243 New York 51, N. Y. COAST

P.O. Box 46478 Los Angeles 46, Calif

Kelly SAVES YOU MORE!

We purchased the cameras disted on this page at their stude. This permits us to suit them below usual low discount price. Never before have new single lens precision made reflex cameras been offeren at such prices. Single lens reflex cameras are in great demand, we anticipate a great number of orders at these bargain prices. Do take advantage of this exclusive offer, order now.

All cameras are delivered with the original factory guarantee and import certificates.



PRAKTICA FX2

35mm Single-Lens Mirrorf-Reflex Equipped With Ultra Sharp Meyer Trioplan 50mm f/2.9 Click-Stop Lens

Compact, lightweight, remarkably easy handling, Guaranteed for two full years. The ideal camera for every subject — for family portraits to fast action. So versatile it's used in addition, by scientists, industrial photographers, students and teachers for copy work — micro, macro and photomicography, Hide-away color-corrected 6-power magnifier. Special shutter setting for electronic flash. Accepts a host of customgrafted accessories — prismatic eye-level finder. Bc flashgun, extension beliows, extension tubes, microscope adapter set, double cabile release. SALE

anahiei ser, unanie canie ieicase.	SALE
PRAKTICA FX2 W/Ultra Sharp 50mm f2.9	PRICE
Meyer Trioplan Click-Stop Lens	\$49.9
PRAKTICA FX2 W/High Quality Ludwig Meri-	*
tar 50mm f2.9 Pre-Set Lens	54.4
PRAKTICA FX2 W/World Renown Steinheil	
Culminar f2.8 Pre-Set Lens	57.4
PRAKTICA FX2 W/Famous Carl Zeiss Tessar-	
50mm f2.8 Pre-Set Lens	59.7
PRAKTICA FX2 W/Famous Carl Zeiss Biotar	
High Speed 58mm f2 Pre-Set Lens	79.5
PRAKTICA FX3 W/Meyer Primotar 50mm	
f3.5 Lens with Internal Fully Automatic	
Diaphragm Control	59.9
PRAKTICA FX3 W/Steinheil Cassarit 50mm	30.0
f2.8 Lens with Internal Fully Automatic	
	69.0
Diaphragm Control	
with Internal Automatic Diaphragm Con-	
	-
trol	99.3
PRAKTICA FX3 W/Westagon 50mm f2. Lens	
with Internal Automatic Diaphragm Con-	79.9
trol	
TELEPHOTO & WIDE ANGLE LENSES FOR PR	AKTICA
24mm f4 Lithagon	79.00
28mm, f3.' Lithagon	10.00

	79.95
TELEPHOTO & WIDE ANGLE LENSES FOR PR	AKTICA
24mm f4 Lithagon	39.00
28mm, f3.' Lithagon	79.00
28mm, f3.5 Angenieux Retrofocus	99,50
28mm, f4 Schneider Fully Automatic	99.50
30mm, 12.8 Rodenstock Eurygon	
Click-Stop	79.50
35mm, f4.5 Lithagon Pre-Set	29.95
35mm, f3.5 Schacht Travagon	
Automatic	38.00
35mm, f2.8 Isco Fully Automatic	74.00
35mm, f2.8 Schneider Fully Automatic	89,50
35mm, f3.5 Lithagon	39.00
35mm, fl.9 Lithagon	99.00
35mm, f2.8 Lithagon	59.95
35mm, f2.5 Angenieux Retrofocus	00.00
	79.00
Pre-Set	
35mm, f3.5 Travagon	47.95
35mm, 14.5 Primagon	23.95
35mm, 14.5 Lithagon	23,95
40mm, f3.5 Cassaron	15.00
75mm, 11.9 Primotar	26,50
75mm, f1.9 Meyer Primopian Pre-Set	67.50
80mm. f2.8 Tessar	33,08
80mm, f2.8 Biometer	53,00
85mm, f2.8 Travenar	62.00
85mm, 12.8 Steinheil Praktica	39.95
85mm. f1.5 Ennalyt	99,00
85mm, f2.8 Schacht Travenar	
Pre-Set	49.50
90mm, f2.8 Schacht Travenar Fully	
Automatic	57.00
90mm. f2.5 Angenieux Y-12	69,00
90mm, fl.8 Angenieux	99.00
90mm, 12.8 Travenar	43.00
95mm f2.8 Ennalyt	48.00
105mm, f3.5 Schacht Travenar (Short	
Mount for Macro Photography)	29.00
135mm #2 & Steinheit Tele-Quiner	
Pre-Set	74.00
135mm, f3.5 Tele-Westenar Fully	
Automatic	69.50
135mm Mayer Primeter Pre-Set	37.00 W



THE AUTOMATIC PRAKTINA FX

35mm Single-lens Mirror-reflex camera with Pentaprism and Split-Image range-finder.

Full ground glass viewing for parallax-free portrait and scenic photography. Built-in split-image optical rangefinder prism system for action photography, Interchangeable lenses, choice of automatic or pre-sets from 35mm to 500mm focal length, all in quick change bayonet mount for precision positioning. Fully corrected (image erecting) solid optical glass, precision ground, polished, silvered, penta-prism finder. Additional optical built-in sportsfinder. Focal plane shutter speeds to 1/1000 Set and bulb. Automatic lenses with internally coupled diaphragm. Full flash synchronization, self-timer, interchangeable finders. New Praktina FX 35mm single-lens mirror-reflex camera with Pentaprism and split-image rangefinder, with 58mm f2 Carl Zeiss Jena Biotar Lens........ with internal automatic diaphragm 129.00 with 55mm f1.9 Steinhell Auto-Quinon 139.50

LENSES FOR PRAKTINA	
24mm, f4 Lithagon	99,00
28mm. f3.5 Lithagon	79.00
35mm, f3.5 Lithagon	39,00
35mm. f1.9 Lithagon	99.00
35mm, f2.8 Lithagon	59.95
35mm, f2.8 Zeiss Flektagon	75.00
35mm, f2.8 Schacht Travagon	69,00
80mm, f2.8 Zeiss Biometer	110.00
85mm, f1.5 Ennalyt	99.00
95mm. f2.8 Ennalyt	49.00
120mm, f2.8 Zeiss Biometer	130.00
135mm, f3.5 Meyer lotar	30.00
135mm, f4.5 Steinhe Julminar	26,00
180mm, f5.5 Meyer Tele-Megor	50.00
200mm. f4_5 Quinar	56.00
300mm. f4.5 Quinar	60.00
240mm. f4.5 Tele-Ennalyt	79.00
400mm, f4.5 Tele-Ennalyt	99.00
600mm, 15.6 Tele-Ennalyt	250.00
ACCESSORIES	
	9.00
ACCESSORIES Deluxe extension tube set	9.00
Deluxe extension tube set	110.00
Deluxe extension tube set	
Deluxe extension tube set Electric motor and Magnetic Remote Control Magnifying Focusing Eye-piece Deluxe Everady case	110.00 24.00 9.90
Deluxe extension tube set	110.00 24.00 9.90 50.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00 4.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00 4.00 50.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00 4.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00 4.00 50.00 65.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 9.00 4.00 50.00
Deluxe extension tube set Electric motor and Magnetic Remote Control Magnifying Focusing Eye-piece Deluxe Eveready case Rapid-sequence Spring motor Waist-level finder Rubber eye cup for prismatic viewfinder 50 foot bulk film magazine without counter with exposure counter AC power pack for electric motor, housed in compact metal case Portable battery pack for electric motor	110.00 24.00 9.90 50.00 9.00 4.00 50.00 65.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 4.00 50.00 65.00
Deluxe extension tube set Electric motor and Magnetic Remote Control Magnifying Focusing Eye-piece Deluxe Eveready case Rapid-sequence Spring motor Maist-level finder Rubber eye cup for prismatic viewfinder So foot bulk film magazine without counter with exposure counter AC power pack for electric motor, housed in compact metal case Portable battery pack for electric motor housed in top grain leather carrying case, less batteries	110.00 24.00 9.90 50.00 4.00 50.00 65.00 21.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 4.00 50.00 65.00
Deluxe extension tube set Electric motor and Magnetic Remote Control Magnifying Focusing Eye-piece Deluxe Eveready case Rapid-sequence Spring motor Waist-level finder Rubber eye cup for prismatic viewfinder So foot bulk film magazine without counter with exposure counter AC power pack for electric motor, housed in compact metal case Portable battery pack for electric motor housed in top grain leather carrying case, less batteries Microscope adapter set Double cable release for microphotography	110.00 24.00 9.90 50.00 9.00 4.00 50.00 65.00 21.00
Deluxe extension tube set	110.00 24.00 9.90 50.00 50.00 50.00 65.00 21.00 22.00 16.00
Deluxe extension tube set Electric motor and Magnetic Remote Control Magnifying Focusing Eye-piece Deluxe Eveready case Rapid-sequence Spring motor Waist-level finder Rubber eye cup for prismatic viewfinder So foot bulk film magazine without counter with exposure counter AC power pack for electric motor, housed in compact metal case Portable battery pack for electric motor housed in top grain leather carrying case, less batteries Microscope adapter set Double cable release for microphotography	110.00 24.00 9.90 50.00 9.00 4.00 50.00 65.00 21.00

135mm, to 225mm, f2.8 Converte	
Tamron	77.00
135mm, f3.5 Y-2 Angeniuex	79.00
135mm, f4.5 Zeiss !riotar	55.00
135mm, f2.8 Quinar	58.00
135mm, f3.5 Primotar	43,00
135mm, f3,5 Westanar	44.00
180mm, f3.5 Primotar	84.00
180mm, f2.8 Isco Tele-Iscaron Pre-Set	12.50
180mm, 14.5 P-21 Angenieux	79.00
18Gmm, f3.5 Mayor Primotor Pre-Set	84.00
200mm. f3.5 Supertal	74.00
200mm, f5.5 Schneider Telexener	
Pre-Set	48.00
240mm, f4.5 Tele-Ennalyt	49.00



EXAKTA VXIIa ONLY \$19900

ANTORATIC EXAMTA VENTA SOME SHIRLE LENG BEFLEX CAMERA WITH PENTA PRISM ETE-LEVEL VIEWFINDER AND ANTOMATIC SPLIT-MASE GAMELFINDER	
The state of the s	
With f1.9 55mm Steinheil Auto-Guinne (automatic) 200.06 With f1.9 55mm Schneider Zenon (automatic) 200.06 With f1.9 55mm Ischneider Zenon (automatic) w/cappoure moter 200.06	
with 1.9 Soum Schoeloof Zeone (ordenable) with 1.9 Soum Sec-Hat Lift (ordenable) vicespeare mater 294.66 with 12.9 Sdem Zeiss Bloker (ordenable) 234.66 with 12.8 Sdem Zeiss Tenser (ordenable) 234.66 Above Exakty conerce with Light-Hotor Peaks Prium and Rangerinder with	
With 12.8 Somm Zelos Tesser (automatic) Above Exakts cameras with Light-Motor Ponta Prism and Rangelinder with	
With 12.8 30mm access leaser softwares; With 12.8 30mm and Respectively. Above Exacts common with Light-Motor Protes Prism and Respectively. Above Exacts common with Light-Motor Prism and Respectively, add 520 to 3.8 above Exacts commonwealth Light-Motor Prism and Respectively. Above Exacts commonwealth Light-Motor Prism and Respectively. With Motor Commonwealth Light-Motor Prism and Respectively. With Motor Commonwealth Light-Motor Prism and Respectively. With Motor Commonwealth Light-Motor	1
Above Exakts camoras with Light-Motor Penta Prium and Rangelinder with Rangelinder, deduct \$20 from Sale Price,	ľ
VIEWFINEESLIGHT METER PERTA PRISM evo-level prismatic viewfinder with built-in-	
electric cell especure motor and uplit-image rangefinder and direct uplical	
VIETNIBLES [LIGHT METER PERTA PHISM ope-to-op primatic viewinder with build- electric cell copours motor and politicings rampender and direct obtain [Perta Perma op-to-operations travellines voice appendix piles [Leather Everlany Carrying class for Eashin with Senson up to Sammy [With are Vietnibus Light-Select.] [8.50]	
The second price of the second constitute with matching registration of the second price of the second pri	ì
33mm 72.5 Augenisses Reprofesses (antismatic) 182.36 35mm 72.6 Sec-Mark LM (antismatic) w/o melver 182.66 35mm 72.6 Sec-Mel Antis-Guinaron (automatic) 182.66 35mm 72.5 Steinheit Antis-Guinaron (automatic) 182.66 24mm 74.6 Sec Westingen (automatic) 182.66 35mm 72.5 Augenisses Reprofesses (automatic) 182.66 35mm 72.5 Augenisses Reprofesses (automatic) 182.66 35mm 72.5 Sec Westingen (automatic) 182.66 35mm 72.66 Sec Westingen (automatic) 182.66 Sec Westingen (automatic	
TELEPHOTO LEWSES 100707 Guarditz Primagen (pressi)	
SOmm 12.6 Zeiss Blameter (automotic) 188.65	
# Artis Arti	
Comm 17.5 Nego larger Courtle Trimpion (automotic) 0.3.5 150mm 17.5 Zeras Summitter (artemotic) 15.00 150mm 17.5 Local State Ltd (artemotic) waster 15.00	
135mm 17.5 Non-Mar List (princetic) w/ meter 13.5mm 17.5 Non-Mark List (princetic) w/ meter 149.50 149.50 135mm 17.5 Non-Mark List (princet) w/case 70.50 70.50	
135mm 12.8 Shammel Gutner (artismetic) 149.58 135mm 12.8 Shammel Gutner (preset) tr/case 79.58 135mm 12.8 150.50 150.50 11	
135mm 13.5 Stainteil Anto-Guiner	
135mm 44.0 Zelis Triotar (preset) 82.00 150mm 72.5 Nuge Neter Goorlitt toto-mager (preset) 95.10 180mm 72.6 lace Tele-Income (preset) 156.60	
10 21 in Totalisates (Proof) 10 in 1	
10mm 15.5 Nadio Mirror (Scorritz Tells, Magaze (orsiole) 29.50	
MISCELLANEOUS ACCESSORIES (Including Ritor) 888.60	
The second secon	
thages Type 11 Two-place pressure microscope adaptly with 2 exten-	
Copy Mot optical bench system copyotand complete with accessories188.93	
Versel Assembly Compton Outfit	
case strap bracket and bottory	
Ring-Light (circular light labe that circles the lone) operates only from Easts Redresic Flosh Unit (not Closelc Health). 31.69 Floshgan for Easts B.C. Capertler with Patiding Refector bracket	
Ming-Light (circular light lade that circles the lens) operates only trons clasts Belovine Flash little (and classes finded) Flashgam for Exists B.C. Copecifor with Felding Refector bracket w/sites Colentific unit-level retins viwinded for Exists VELIO VX and V with these special forcining glesses with ground gloss and clear center spec. 22.46	
these special faculting glasses with ground glass and clear center spot 22.40	
With present plans and clear castler and hairling cases 25 68	
fever finder Ground glass with clear center apet 8.50 Maccine ground or oil clear glass 9.50 Ground glass with clear center duet and hairline crass 12.50	
Plain gramed glass 9 00	
"Closel" Release Attachment for fully automotic lenses to work with entension tubes and believe	
automates these and believe . 3.40 "Cober's Release Attachment for fully automotic issues and extension takes or believe, with 4" red . 2.40 "C" Beaut Adoptor for 15mm moving camerag to tolio Eastle Junose. 15mm.	
"C" Mount Adapter for 16mm movie cameras to tolio Exetta lences. 10.00 Crible release	
Thages Gerrid Laver (for Models 1, 11, and V) 2.66 Bages Gerrid Laver (for Models 1, 11, and V) 2.66	
Flexible metal Heckstrap, Chronel plated	
Original Exakto Florige for comores18.60	
Original Exatta Flonge for comerts Exatta Manual by Werner Worst Authoritative book on Exatta Exatta Manual by Worner Worst Authoritative book on Exatta 7.85 Exatta Guide by Worner Worst pecker delibes 1.00	
Original Exists Floops for campras 15.00 Exists Since by Worner Worst Auditoritative book on Exists 2.00 Exists Since by Worner Worst packet collision 1.00 Exists Since by Worner Worst packet collision 1.00 Exists Photography by Joseb Section A working manual for the Exists and Ex	
Exhita Manuel by Werner Word forther/latine book on Exhita 1.38 Exhita Guide in Werner Word pocker delitim Exhita Photography by Josob Beschie A working manual for the Exhita one Exa Cameron 4.66 Exhita Guide by Emonwel and Sphichitid 1.26	
Exhibit Messed by Winner Worth (rother/tables book on Exhibit	
Exhibit Messed by Winner Worth (rother/tables book on Exhibit	
Exhita Manuel by Werner Word forther/latine book on Exhita 1.38 Exhita Guide in Werner Word pocker delitim Exhita Photography by Josob Beschie A working manual for the Exhita one Exa Cameron 4.66 Exhita Guide by Emonwel and Sphichitid 1.26	

USE THIS COUPON FOR YOUR ORDER

ati si remission in grito spat fo Ca an coop

SAVES YOU MORE!

35MM CAMERAS



The Carena Zoomex is equipped with the fabulous Pierre Angenieux F1.8 Zoom lens which has a Zooming range from 7½mm to 35mm—this eliminates the necessity for changing various separate lenses, as wide angle, regular and telephoto. Not only does the Carena Zoomex Angenieux lens do the work of several interchangeable lenses, but has the added advantages of far easier handling, greater resolving power and excellent definition throughout the entire coverage area. The fast Angenieux F1.8 Zoom lens has a Zooming ratio of nearly 1:5 and is remarkably sharp! With the Angenieux Zoom lens you take wide angle to telephoto pictures continuously and come as close as 2 feet to the subject! You stand still. The lens does the work, The Angenieux Zoom lens is coupled to the bright reflex viewfinder and is therefore completely free from parallax errors. The single lens reflex image seen in the viewfinder is always absolutely identical with the picture taken on film! Positive sharpness during Zooming is always assured. The F1.8 Angenieux Zoom lens consists of 17 elements to give themost accurate performance possible! The Angenieux lens is about half the size of most Zoom lenses. It gives 16mm quality in 8mm film! And since the Viewfinder is coupled to the Zoom action exactly as filmed is always seen in the Viewfinder. Viewfinder remains at full brightness at all times, even when lens is stopped down. Viewing is through the lens at all times. Lens aperture settings are seen in the Viewfinder as they are changed by the fully Automatic photo electric control. Manual control is possible.

Carena Zoomex has five variable operating speeds of 1, 8, 16, 24 and 32 frames per second—with single frame pictures and continuous running. There is a safety lock to prevent accidental shooting. At all speeds, Electric Eye works automatically. Cable release socket is provided for cable release—tripod socket for mounting on tripod when desired. Manual operation of camera is also possible.

The Noverful spring motor and precision governors are built i

is also possible.

The powerful spring motor and precision governors are built into the exclusive hand grip. To wind motor simply turn hand grip. Winds like a clock, Hand-grip contour handle is a delight to hold, Audible warning chime sounds about 3 seconds before spring runs down, signaling to wind motor again, Film runs about 8 feet on one winding—the recommended maximum run for optimum results.

Carena Zoomex is easy to load. Uses economical double-8 color and black and white film, available everywhere. Film footage counter resets itself automatically to Zero when the back is opened to remove film from camera.

EVERYTHING LISTED IN THIS AD IS BRAND NEW, AI VERTHING LISTED IN THIS AD IS CAMBUSED, AND IS CAMBUSED, AND IS CAMBUSED, AND IS CAMBUSED, COVERING mechanically and optically plus manufacturer more transporters guarantees whenever available. All items offer ubject to prior sale. There are limited quantities of tems and orders are filled as received. Prices sub, hange without notice. 10% Deposit required on C.O.D.

AGFA		AGFA KARATOR •	HEILAN
- ANSCO		AIREQUIPT	FUTURA
ARGUS		Superba 77 •	FUTUR/ STROB
C3 Matchmatic	c	Superba 66 •	65a
		Superba 44 •	
C44 f2.8	102.00	Superba 33 •	MECAB
C44 f2 9	106.00	ANSCO	106 o
C44 f2.9 DACORAMATIC	100.00	Anscomatic 84.00	MULTIE
f2.8	48.50	ARGUS	OPTA V
EDIXAFLEX	40.00	BAUSCH & LOMB	GALAX
A hintar f2	74.95	Balomatic 655 •	STROBO
EDIXAFLEX A biotar f2 LM biotar f2	89.50	Balomatic 755	ULTRAB
EDIXA REFLEX	B	BELL & HOWELL .	Mono-
Steinheil Auto		BROMBERGER •	METER
Quinon f1.9	124 05		WALTZ
EVANTA VVIII	124.33	GRAFLEX	Autofla
EXAKTA XVIIA BIOTAR f2		Constellation A	
BIUTAK 12	170 EO	Constellation •	TRIPODS
Pre-set	179.50	Mark II	DAVIDS
Westrocolor f1.9	199.00	KEYSTONE K-511 74.00	Star-D
BESELER	135.00	LABELLE	DAVIDS
TORCOM		MANSFIELD	Star-D
TOPCON		MINOLTA	DAVIDS
HEH AND DENTA	v -	Mini 16 28.00	Star-D
HEILAND PENTA KALIMAR	^ -	Mini 16 28.00 Mini 35 29.00	DAVIDS
FILLICA		Mini 35 29.00	Star-D
FUJICA	•	KODAK	KALIMA
KODAK		REALIST	DE7 e
Retina Reflex	440.00	REVERE	QUICK-S
	149.00	SAWYERS	
Retina Reflex	400.00		Champ
III f1.9	169.00	WOLLENSAK 815 99.00	Eleva QUICK-
KONICA		TAPE RECORDERS	Husky
MINOLTA	•		Husky
S. R. 3 MIRANDA	•	BELL & HOWELL	QUICK-S
MIRANDA		785 154.00	MOICK-
D f1.9	105.00	BELL & HOWELL	Hi-Boy Eleva
	209.00	785X 159.00	WHITEH
NIKON	•	BELL & HOWELL	All mo
NIKOREX	•	785-4TS 187.00	All mo
OLYMPUS		PUJITA .	
Pen	23.50	MTR 252 91.25	1
Pen EE	33.95	GRAETZ	EXPOSUR
Pen EE Autoeye f2.8	59.95	WARMAN A-Track	
P.C.A. PRISMAT		S. & M 279.25 GRUNDIG."Niki" 64.25	GENER
11.9	119.00	GRUNDIG "NIKI" 64 25	ELEC
P.C.A. PRISMAT f1.9 PETRY	•	MEDGETAPE	Goder
PRAKTINA	•		PR-3
FX		POCKET "500"	KALIM
116	•	Trans 249.25 NOREICO "400" Continental 266.25	A-1 W
REALIST	•	NUNE ICU 400	clip-o
RICOH			W/CI P-A-L
AUTO 35	39.50	PENTRON all models 178.25	P-A-L
RIVOH 519 M		all models 178.25	Auto
	63.00	REVERE	W/C
SAMOCA		"T2200" Stereo 178.25	B-1 W
WALZ	•		KONIC
YASHICA	•	REVERE	NIKON
ZEISS		"T2000" Monaural 132.25	SEKON
Contaffex			Movie
Prima		VM "720"	W/CI
Contaflex		Stereo 159.00	neck
Super		Stereo 159.00 VM "722"	L-86
Contarex	•	(1660100	W/CI
Contessamatic	•	stereo 184.0	neck
		YASHIGA-CORDER,	Studio
21/4 x 21/4 CAMERAS		w/case, batteries, mike	W/C
BRONICA	•	patteries, mike	cord
BROOKS		& earphones 86.00	dire
Plaubel		WOLLENSAK	ing s
Veriwide 100		"T1515-4" 169.00	& a1
KALIMAR		WOLLENSAK	Movie
Reflex f3.5	82.00	T1700, home	Polaro
MAMIYA		and car 189.00	L-6 W
ROLLEIFLEX	•	WOLLENSAK	LC-2
SUB MINIATURES	CAMERAS	T-1616-4 229.00 NANAOLA TRANSISTOR	with
		TAPE RECORDER	L-38 1
CAMIBNOX	222.00	TAPE RECURDER	BROCK
MARAINA	222.00	New portable	Com
MAMIYA		model with	BROCK
MEC 16	39.00	self contained	SPECTI
16 SB f2 16 SB f2.8	99.00 84.00	shock resistant plastic case.	WESTO
16 SB 12.8	84.00	plastic case.	Maste
MINOLTA		Includes micro-	w/ca
16 11	29.00	phone, built-in	SANKYO
	18.00	speaker, reels and tape.	Expos
16 P			
MINOX		and tape.	for I
MINOXYASHICA Y 18.,	25.00	Deluxe model 99.00	tor I

quotation.

other sale prices and sug ow cost operation and buy	from KELLY!
SLIDE PROJECTORS	ELECTRIC FLASH
AGFA KARATOR • AIREQUIPT	HEILAND
Superba 77 •	FUTURAMIC STROBONAR II
Superba 66 • Superba 44 •	65a
Superba 44 •	MECABLITZ
Superba 33 • ANSCO	106 or 10749.50 MULTIBLITZ •
Anscomatic 84.00	OPTA VUE GALAXY 37.50
BAUSCH & LOMB	GALAXY 37.50
Balomatic 655 • Balomatic 755 • BELL & HOWELL •	STROBOFLASH • ULTRABLITZ
Balomatic 755	Mono-JPet II 51.00
BRUMBERGER .	METERO II 65.00 WALTZ
	Autoflash 22.50
GRAFLEX Constellation	TRIPODS
Mark II	DAVIDSON
KEYSTONE K-511 74.00	Star-D D-18 10.25
LABELLE	Star-D D-20 14.25
MANSFIELD • MINOLTA	DAVIDSON 14.23
Mini 16 28.00	Star-D D-28 17.25
Mini 35 29.00	Star-D D-35 12.95
KODAK	KALIMAR
REVERE	DE7 elevator 14.25 QUICK-SET
SAWYERS	Champ III
WOLLENSAK 815 99.00	Elevator 24.25
TAPE RECORDERS	Husky III
BELL & HOWELL	Elevator 36.25
785 154.00	QUICK-SET Hi-Boy III
785X 159.00	Elevator 42.25 WHITEHALL,
RELL & HOWELL	All models
785-4TS 187.00 FUJIYA	- 1 1- 1
MTR 252 91.25	FVACCUAT METERS
GRAETZ WARMAN 4-Track	EXPOSURE METERS
	GENERAL ELECTRIC
S. & M 279.25 GRUNDIG."Niki" 64.25	Goden Crown
MEDGETAPE POCKET "500"	PR-3 w/case 23.00 KALIMAR
Trans 249.25	A-1 W/case 6.00
Trans 249.25 NOREICO "400" Continental 266.25	clip-on
PENTRON	W/case 6.00 P-A-L w/case 4.50 Auto Memo
all models 178.25 REVERE	Auto Memo w/case 11.50
"T2200"	w/case 11.50 B-1 w/case 8.50
Stereo 178.25 REVERE	KONICA
"T2000"	NIKON
Monaural 132.25	Movie Meter
Ctoron 150 00	w/case and neck cord 4.95
VM "722" (records	neck cord 4.95 L-86 Auto-Lumi
stereo 184.0	w/case and neck cord 5.20
YASHICA-CORDER,	Chudlo Incident
w/case, batteries, mike	w/case, neck cord & 3 direct read-
& earphones \$6.06 WOLLENSAK	direct read-
UT1515-4" 169 00	& attach 22.00
WOLLENSAK T1700, home	Movie Pet 3.30
and car 189.00	Polaroid Pet 3.50 L-6 w/case 4.95
WOLLENSAK T-1616-4 229.00	LC-2 clip on
NANAOLA TRANSISTOR TAPE RECORDER	with case 7.45 L-38 w/case 8.90
TAPE RECORDER	BROCKWAY S
New portable model with	Complete 21.90 BROCKWAY YS 21.70 SPECTRA 79.60
self contained	SPECTRA 79.60 WESTON
shock resistant plastic case.	WESTON Master IV
Includes micro-	w/case 24.95
phone, built-in speaker, reels	SANKYO Electric Exposure Meter
and tape	for Movies 8.25
Deluxe model 99.00	1

KELLY CAMERA CORPORATION DEPT. M.10, 157 SO. FRANKLIN AVE. VALLEY STREAM, L. I., NEW YORK

PLEASE	SHIP	MF	ITEMS	CHECKED	•

o orders.	o obligation to buy
	DATEI ENCLOSE \$
ADDRESS	I am interested in
CITY	wish to trade
ZONE STATE	

HOW TO ADD

success

TO YOUR FUTURE!



LEARN CAMERA REPAIR AT HOME

It's today's fast-expanding technical field. Photography is finding more widespread use each day . . . not only as a means of expression and as the largest hobby in the United States . . . but in industry, research and science. And the camera repairman is the most needed member of the new photographic team. Manufacturers and service organizations are eager to hire trained, well-qualified photo-technologists. Now you can get the training so important in filling the jobs that are open.

BE A TRAINED CAMERA CRAFTSMAN

Camera Repairmen are greatly needed! Now you can learn manufacturers' service methods at home in your spare time! Successful men and women everywhere have gained camera repair skill through NCRS. You can, too! For your NCRS course includes lesson materials, tools, practice equipment and test instruments everything you need for complete training.

Send for FREE booklet today!

NATIONAL CAMERA

REPAIR SCHOOL

Dept. MX-10, Englewood, Colo.

MATIONAL	CAMERA	DEDAID	ECHOOL
NATIONAL	CAMERA	KEPAIK	SCHOOL

Dept.	MX-10,	Englewood,	Colo.
			NCRS
Please informa	furnish m	e with complete	orogram.

Name	Age

NCRS accredited by National Home Study Council

ELECTRONIC FLASH

(Continued from page 102)

and technicians. All the problems facing the buyer or user of today's units would have been minimized or eliminated completely. It's not too late to make a fresh start toward that goal now .- THE END

Editor's Note: We would like to thank John V. Baccoli, Technical Service Manager of Ilford Inc., Harry L. Parker and Don Auerbach of Ascor (American Speedlight Corp.), S. W. Holmes of Eastman Kodak Co., Philip M. Mikoda of Ansco. J. A. Van den Broek of ASA (American Standards Association).

EFFECTIVE ZOOMS

(Continued from page 76)

supports of the swings in the shot top left, page 77. As you zoom, those bars will appear to pass the camera lensadding to the general feeling of movement. Too often, zoom shots look merely as if the frame is being narrowed, not as if the viewer is being drawn closer into the scene.

The same effect can be achieved by framing walls, trees or other stationary objects at the side of the frame when you start the zoom. Your scene takes on the effect of a dolly shot-the camera moving toward the subject.

The second feature of our straight zoom is that we gradually narrow the framing from six children down to one. Here we use the subject matter itself to emphasize rhythm and movement.

Panning plus zoom: The camera pans across the scene as the lens zooms, taking in more of the surroundings than would be possible with a straight zoom. In the scenes right, page 77, the surroundings are important for showing the viewer clearly what the workmen are doing. So, instead of framing them in the center of the shot and then zooming in, we place them slightly to the left in the wide-angle shot. We begin to zoom and pan slowly from the start of the shot. The main subjects should be at the center of the finder when the pan is nearly, but not quite, completed. Then, stop panning, and zoom slowly in to full telephoto position. Hold the shot for at least a few seconds.

Can you make a straight cut from a pan? Yes, you can. Remember to change the camera-to-subject angle and vary the framing somewhat.-M.A.M.





Electronic Flash

With Lifetime Flashtube! No More Flashbulbs to Buy! **Exclusive Power Pack Handle!**

The Walz Autoflash V combines the exactitude that professionals look for with a reasonable price. Here's an all-in-one compact unit that converts to AC with an optional adapter. Comes complete with Power Pack!

AC Adapter... \$5.95

U.S. PHOTO SUPPLY CO., INC. 6478 Sligo Mill Road, Washington, D. C.



The Nations Leading

With Mail Order Service

NOW UNITED'S OVERNIGHT DELIVERY MAKES YOUR POST OFFICE THE BIGGEST SHOPPING CENTER. EVERYTHING BOUGHT COMPETITIVELY LOWER AND, OF COURSE, UNITED'S BUY SAFELY PLAN ASSURES YOU OF COMPLETE SATISFACTION.

N	EW	CA	M	ER,	AS

SEMM CAMERAS

JOHIN CAMERAS
Agfa Silette LK f2.8, meter, case\$83.00
Agfa Silette Automatic,
meter, case94.50 Aires V f1.9 lens, w/case_92.00
Aires V f1.5 lens, w/case 102.00 Argus C3. w/case & flash_39.50
Argus C44R f2.8 w/case
& flash including Argus W.A. lens98.00
Fujica 35 SE f1.9, case, grip, shade80.00
lenses Kodak Retina IIIS f2.8
W/case Kodak Retina IIIS f1.9
w/case129.50 Minolta Super A f1.8,
minolta Super A f1.8, case & meter
Petri "Seven" f2.8 w/case49.95
Yashica YF fl.8 w/case89.50
Yashica "Lynx" 1000 f1.8 w/case 69.95
Yashica YM f1.9 w/case51.50

TWIN LENS REFLEX CAMERAS

Kino 44 f3.5 w/case33.00 Minolta Autocord w/case_75.00 Mamiyafiex C2, 80mm
f2.8 lens125.00
Ricoh Diacord G w/case39.95
Ricoh Diacord L w/case,
meter52.50 Ricomatic ''225'' w/case_89.50
Ricomatic "44" w/case48.00
Yashica "A" f3.5 w/case_25.95
Yashica "D" f3.5 w/case_49.95
Yashica-"Mat" Automatic.
w/case59.95
Yashica-"Mat LM" Auto,
meter, w/case63.00 Yashica "44A" Kit. case.
flash, grip35.95 Yashien ''44LM,'' meter,
W/case49.95

SLIDE PROJECTORS (35mm NEW)

/22mm lerati	
Airequipt Superba 33 300W Auto	4.00
Airequipt Superba 44 500W Auto4	
Fully Auto	9.50
Argus Readymatic 300W_34	4.50
Argus Electromatic 500W_64	1.50
Anseo Anseomatic Fully	3.00
Alpex 35mm Slide & Film- strip w/case36	9.95
Graflex Instructor 150, Film Strip26	9.95
Keystone K511 Fully Automatic	.50
Readymatic	0.00
Kodak 500 watt "B" Universal	
Kodak 500 watt "B"	
Mansfield Readymatic 19	
Minolta Mini 16 w/case 30	
Minolta 35 with case 30	
Vachies 25 with case 24	

LENSES

LENSES FOR NIKON-CO	XATING
21mm Biogon f4.5	
Super W.Aused	107.00
25mm Nikkor f4	
W.Aused	85.00
35mm Nikkor f3.5	47.00
W.A. 35mm Nikkor f2.5	47.00
W.Aused	69.00
35mm Nikkor f1.8	69.00
W.Aused	98.00
85mm Nikkor f2.0	00.00
Teleused	70.00
135mm Nikkor f3.5	
Teleused	75.00
Tele used	NON
35mm Komura f2.5	
W.ANEW	49.00
28mm Nikkor f3.5	
W.ANEW	74.78
25mm Canon f3.5 W.A. used	89.00
35mm Canon f1.8	89.00
W.A	79.00
W.A. Canon f1.9	
	119:00
1.25mm Ehmme f9 5	
Tele	59.50
135mm Komura f2.8	
	63.00
135mm Canon f3.5	
Teleused	75.00
135mm Travenar f3.5	
Tele NEW 200mm Komura f3.5	59.50
200mm Komura 13.5	98.00
TeleNEW	98.00
Tolo Komura 15.0	112.00
Tele NEW 500mm Komura f7.0	112.00
Tolo	160.00
Tele NEW	100.00

Tele	150.0
LENSES FOR PRAKTICA-	_
EXAKTA, ETC.	
35mm Komura f2.5	
W.ANEW	75.0
35mm Angenieux f2.5	
Auto NEW 90mm Angenieux f2.5	97.0
90mm Angenieux f2.5	
AutoNEW	89.5
135mm Komura f3.5	40.0
TeleNEW	49.9
	79.0
TeleNEW	79.0
TeleNEW	39.5
200mm Komura f3.5	39.5
TeleNEW	98.0
200mm Komuna 45 0	-0.0

300mm Komura f5.0
TeleNEW 115.00
500mm Komura 17.0
TeleNEW 165.00
LENSES FOR NIKON F AND
CANON REFLEX
35mm Komura £2.5
W.ANEW 79.50
135mm Komura f3.5
Tele
200mm Komura f3.5
Tele
300mm Komura f5.0
TeleNEW 125.00
500mm Komura f7.0
TeleNEW 175.00
Total annual annual and an annual

EXPOSURE METERS

ENI-COURS MISISHO
Bower Exposure Meter with case
Expo-Rite LVS—EVS3.49 G.E. Golden Crown w/case &
Incident Lite25.25 G.E. Mascot II Meter7.90
Kalimar A-1 w/case & Chain_6.95 Kodak Kodalux-L w/case19.98
Sekonic Auto Leader, case, booster 11.95
Sekenic Micro Lite L-88, case 18.95 Sekonic Brockway Scomplete_22.00
Walz Norwood Director, case 14.95 Walz EV-LV with case 3.95
Weston Master IV, case & Inv25.75

Film Cups per pair . Table Top stand for

Copy Arm 1.25
Copying Lights per set. 11.50
Varigam Filter Holder,
w/filter 1.75

Alpex BC Fan Fold Flash Shoe Gun. \$5.95 Airequipt Magazines per dozen 16.95 Airequipt Ultramatic W200 Viewer 9.95
Alpex 8mm Action Editor complete. 24.95
Brumberger 40x40 Tripod Screen14.95
Brumberger 50x50 Tripod Screen17.95
*Canon 7x50 Binocular with case59.50
*Canon 6x30 Binocular with case39.50
*above subject to 10% Federal Tax.
De Jur 8mm Dry & Wet Splicer 2.95
Filmosto Box 100 Super Slide
Mounts 4.95
HIP 8mm Projector Scope
(Movie Editor)
Kalart 8mm Editor-Viewer 22.00

UNITED SUPERBUYS IN CAMERA ACCESSORIES

un\$5.95	KONDO PROJECTION LAMPS—FULLY GUARANTEED
16.95	CZX\$3.33 CZA\$3.33 DFD\$3.86
er 9.95	DDB 3.53 DCA 3.73 DAK 3.14
ete24.95	CMV 2.67 CLS 2.20 CYC 2.30
n14.95	CXK 3.24 CWD 2.50
n17.95	Kodak Cavalcade #1 Trays 1.65
e59.50	Kodak Cavalcade #2 Trays 1.57
e39.50	Merit Title Set 420 Letters 13x18"
Tax.	Easel Special
2.95	Opta Vue 35mm Viewer with case 7.49
	Quick Splicer 8mm Automatic butt 3.49
4.95	Rada 61/2 x9cm or 9x12cm Roll Film Adapter for 120 roll films
11.95	(2 masks) 21/4 x31/4 & 21/4 x21/4 19.95
22.00	Sylvania Sun Gun with case21.95

SINGLE LENS REFLEX

CAMERAS	
Aires Penta f2.8, w/case_73.00 Aires Penta f2, meter, w/case84.00	ENLARG
Agfaflex I w/f2.8, w/case, waist-level = 83.90 Agfaflex II w/f2.8, w/case, prism = 108.90	SALE
Exa II 12.8 Tessar Pre-set, w/case77.98	BR BR
EXAKTA VXIIA WITH PENTA PRISM RANGE FINDER	1
IIA w/58mm f2 Automatic Biotar 209.50 IIA w/50mm f1.9 Automatic Xenon 279.50	-1-4% W
IIA w/55mm f1.9 Automatic Quinon269.50 IIA w/50mm f2 Automatic	MODEL E with Diffusion
Pancolor269.50 IIA w/50mm f2.8 Automatic Tessar228.00	Model E Less Lens Model E with 90mm f6.3
IIA w/50mm f1.9 ISCO-MAT LM, meter279.60 IIA w/50mm f1.9 Automatic	Model E with 90mm f4.5 Model E with 50mm f4.5
Isco199.50 Kalimar SL f3.5 w/case92.00	ACCESSORIES FOR A
Komafiex S f2.8 w/case58.95 Minolta SR1 f2, w/case_128.00 Minolta SR3 f1.8, case,	31/2" Condensors for
meter 169.00 Miranda D f1.9 Auto W/case 119.50 Miranda Automex Auto	2½ x2½ 4½ " Condensors for 2½ x3½
f1.9, case225.00 Pentacon f1.9 w/case89.50	52mm Condensors for 35mm
SUBMINIATURES &	Copy Back Converts for Copy
35mm SINGLE FRAME	Negative carriers all sizes
DeJur Petri-Compact w/case24.98	Copy Arm

SUBMINIATURES & 35mm SINGLE FRAME

DeJur Petri-Compact
W/case24.95
Mamiya 16 DeLuxe with
Mamiya 16 Automatic with
case\$4.00
Minolta Model I' with case 22.00
Minolta Model II with case 30.00
Minox Model B w/case, chain, USED
Minox IIIS, w/case &
chain USED
Yashica Rapide f2.8
W/case49.95
Olympus Pen with case29.95
Olympus Penn EE with case37.95

TESTRITE ENLARGER SALE

LAN OALE	avumenus.
BRAND NEW	Agra Optima I with case \$83.90 Argus Autronic Kit, case \$ finsh \$1.00 Canonette with case \$ 128.80 Fujica 35 EE fil.9 with case \$ 189.95 Galaxy 35 with case \$ 49.80 Kodak Automatic 35 f2.8,
MODEL E with Diffusion Glass Model E Less Lens\$28.50 Model E with 90mm f6.3 36.95 Model E with 90mm f4.5 41.95 Model E with 50mm f4.5	w/case 72.00 Kodak Motormatic f2.8 w/case 87.00 Kodak Retina Automatic III w/case 108.00 Ricohmate 35 f2.8 w/case_59.50 Ricoh Auto 35 with case_44.50
(35mm)	TRIPODS DAVIDSON STAR D D-18849.65 DAVIDSON STAR D CONQUEST D20

6.39

4.39

7.95

2.95

2.20

12.95

DAVIDSON STAR D D-18810.68
DAVIDSON STAR D
CONQUEST D2014.38
DAVIDSON UNIPOD 8.98 DAVIDSON MARK III D-2_17.30
KALIMAR DE 7
ELEVATOR W/CASE14.95
ELEVATOR W/CASE16.95
QUICK-SET FAIRFAX
ELEVATOR10.95
ELEVATOR QUICK-SET CHAMP III
ELEVATOR24.78
ELEVATOR QUICK-SET HUSKY III
ELEVATOR
QUICK-SET HI-BOY III
QUICK-SET LO-BOY
ELEVATOR 26.98
SUNSET VIVO 8 Sec.
ELEVATOR w/case 7.98
TESTRITE 2700/3
ELEVATOR13.98
IN STOCK-FULL LINE
SCHIANSKY AND LINHOFF

NEW CAMERAS 35mm ELECTRIC EYE

AUTOMATIC

CAMERAS

WE ACCEPT **TRADES**

SENSATIONAL DA

DARK ROOM ACCESSORIES MINIMUM ORDER \$5.00	PRIC
5x7 Plastic Trays, 3 for 8x10 Unbreakable Featherlite Trays	
11x14 Unbreakable Featherlite Trays	. 3.19
Airequipt Junior Printers Airequipt 4-Way Easel	. 6.50
Anscomatic Tanks, Adjustable	
Arkay 8x10 Print Washers	
Cary Funnel Built in Filter, Small Cary Funnel Built in Filter, Large	. 1.7!
Delta Daylight Bulk Film LoadersFR Darkroom Thermometer	. 6.95
FR Cut Film Tank Adjustable	. 7.19
GRA LAB LUMINOUS TIMER #168 Kodak Day Load Tank 35mm	9.9
Kodak Automatic Tray Siphon Lott Rotary Drum Master Dryer	

Mark Minute Electric Timers	7.95
Mark Minute Timers	3.75
Mark Minute Timers w/ Stop	5.45
Marshall Learn to Color Set	2.50
Marshall Advance Oil Color Set	5.50
Marshall Pencil Set, Complete	4.98
Morse G3 35 & 16mm Dev. Tank	26.50
Nikor Tank 16mm or 35mm w/ reel	7.50
Nikor Tank 120 complete w/ reel	
Polyethylene Storage Bottles	
Polyethylene Storage Bottles 8 oz45∉ 16 oz	59€
32 oz85¢ 1 gal	1.75
PREMIER Dryer Single NSC	9.95
PREMIER Dryer Double NTC1	6.50
18x24 Print Dryer, Thermostat1	
PREMIER A1 Rotary Dryer	4.50
PREMIER A2 Rotary Dryer3	8.50
PREMIER 8" PRINT ROLLERS	2.60
PREMIER 12" Trimmers	
PREMIER 12" DECKLED EDGE Trimmer 1	

-		
	RICHARDS 18" Print Washer	22.00
	Spotomatic II Enlarging Meter	13.95
	Staticmaster 1" Brush	3.85
	Staticmaster 3" Brush	7.40
	TIME O LITE FOOT SWITCH	15.50
	TIME O LITE M 59 TIMER	18.95
	TIME O LITE P 59 TIMERS	24.95
	WESTON THERMOMETER	6.75
	YANKEE SAFELITE W/ 4 Filters	4 05
	TANKEE SAFELITE W/ 4 FILLERS	2.40
	PRO CHEM Pint size	2.70
	PRO CHEM Quart size	3.98
	PRO CHEM Gal. size	9.98
	PRO CHEM Thinner	1.25
	RETOUCHING SPOTONE	1.65
	RETOUCHING SPOTONE EKTACOLOR PRINT RETOUCH KIT	12.00
	KODAK MASTER DARKROOM	
	DATAGUIDE	2.95
	KODAK PROJECTION PRINT SCALE	1.45
	RETOUCHING by O. R. Croy	
	DEVELOPING by C. I. Jacobson	4.50
	FNI ARGING by C. I. Jacobson	4.50

CAMERA EXCHANGE

MAIL ORDER DEP'T. 1122 Ave. of America New York 36, N. Y. YU 6-4538

BRANCHES AT 1140 Ave. of Americas and 265 Madison Ave. New York, N. Y.

TO EXPIDITE GROERS ADDRESS OR CALL MT. A.R. GANIS

ANOR

DIRECT TO CONSUMER!

FACTORY FRESH COLOR FILM
INCLUDING PROCESSING, MOUNTING & RETURN BY MAIL

FILM	SIZE	PRICE PER 3 ROLLS	PRICE PER 6 ROLLS	PRICE PER 10 ROLLS	
KODACHROME ANSCOCHROME EKTACHROME	135-20 Exp. 135-36 Exp.	6.60 9.85	12.75 18.55	20.00 30.00	
New, High Speed	135-36 Exp.	7.90	15.50	24.50	
EKTACHROME	135-36 Exp.	12.40	23.40	36.95	
SUPER	135-20 Exp.	7.15	13.95	21.95	
ANSCOCHROME	135-36 Exp.	10.95	20.95	32.95	
8mm 100' Dble. 8	8mm Rolls 25' Dble.	8.05	15.90	26.00	
	8mm Mag. Dble.	9.45	18.50	30.00	
	Bolex with 200' R&C	26.00	51.00	84.50	
SUPER	8mm Rolls 25' Dble.	9.75	18.90	30.50	
ANSCOCHROME	8mm Mag. Dble.	10.40	20.40	33.00	
High Speed	8mm Rolls 25' Dble.	16.25	31.50	47.50	
EKTACHROME	8mm Mag. Dble.	17.30	33.60	51.00	
8mm 100° Dble. E	Bolex with 200' R&C	62.25	114.00	180.00	
KODACHROME	16mm Roll 100'	22.50	44.90	72.50	
B&W MOVIE FILM PLUS X Reversal ASA 80 or TRI X Reversal ASA:	(8mm 25' Roll 8mm 25' Mag. 16mm 100' Roll	6.45 7.50 20.25	12.25 14.35 39.00	19.50 23.00 62.50	

ADD 5c per roll on film for postage and handling, ADD 10c for 16mm film for postage and handling, PROCESSING

The second second							
		COLOR PR	INTS AND	COLOR EN	LARGEME	NTS	
COLOR PR	ONLY	COLOR P	RINTS 200	COLOR PHIN	ONLY ITS 25		
FROM THIS ORIGINAL	CAN P	21/2×31/2 gany assertment	31/2×31/2 any assertment	31/2×5 any assortment	4x5 ony assertment	5x7 any assertment	8x10 any assertment
35mm	COLOR	P 5 for 1.00 20 for 2.99	><	P 3 for 1.00 12 for 2.99	P 50¢ each 5 for 2.00	P 3 for 2.00	P 1.75 each 2 for 3.00
2x2	COLOR SUPERSLIDE	> <	P 4 for 1.00 15 for 2.99	><	P 50¢ each 5 for 2.00	P 3 for 2.00	P 1.75 each 2 for 3.00
35mm	KODACOLOR NEGATIVES	K 6 for 1.00	> <	K 5 for 1.00 12 for 2.25	><	K 3 for 2.00	K 2.25 each 3 for 5.95
	SQUARE COLOR SLIDES	><	P 4 for 1.00 15 for 2.99	><	P 50¢ each 5 for 2.00	P 85¢ each 3 for 2.00	P 1.75 each 2 for 3.00
620	SQUARE	>	K 5 for 1.00	>	X	K 35¢ each 3 for 2.00	K 3 for 5.95

argement, including v SEND FOR COMPLETE PRICE LIST ON ALL FILM DUPLICATING 15¢ each mounted min. of 20 asst or any 5 for \$1.00

RECTANGLE KODACOLOR NEGATIVES

35mm BLACK & WHITE FILM SPECIAL 20 Exp 36 Exp

KODACOLOR FILM PROCESSED Per 8 Exp. roll—2.25 Per 16 Exp roll—3.25 Per 12 Exp. roll—2.75 35mm 20 Exp. —2.95 INCLUDE 10¢ POSTAGE

BLACK & WHITE PROJECTION SLIDES your developed 35mm negatives Bl. & Wh. pos slides, mounted ready for projection. 2.00 1.00 Developing of film, 50¢ addl

PROTECTORS

Full print credit returned for number of prints that do not come out.

Now! Directly To Consumer From Panoram!

K 85¢ each K 2.25 each 3 for 5.95

KODACOLOR MAILER

DIRECT SERVICE

*35 Kodacolor Film Including Developing & Jumbo Color **Enlargements**

3 Rolls 6 Rolls 7.50 14.40 8 Exp. Roll.. 9.40 17.90 12 Exp. Roll 35mm-20 Exp. Roll.. 10.90 20.70

> Add 5¢ per roll Postage and handling *21/4 x 31/4

1190 AVENUE OF THE AMERICAS

IN CALIFORNIA BOX 35064, LOS ANGELES

New Photo Books

MAKE YOUR OWN PHOTO EQUIPMENT, by Geoffrey I. Lilley, 116 pages. The Fountain Press, London. \$4.50

The "do-it-yourself" kick is here carried to its ultimate with the precision and artistry of fine cabinet making. Lilley first gives an entire home study course in carpentry including a dissertation on woods. Do you have ready access to a supply of Agba, Iroko, Afromosia, Afzelia, Abura?

After imbibing of the wood lore, learning to use bull-nosed router planes and discovering the differences between Whitworth, English and Continental threads (for your metalwork), you're ready to make a camera stand, a universal photographic bench, various pieces of lighting equipment, camera jigs and all sorts of darkroom equipment including, of course, the enlarger. (You can make the bellows for it, too.)

A home-made slide projector finishes off your tasks (non-automatic, alas). There's also a listing of supplies and suppliers limited to those on British sod. You might resort to importation, though. You would finally own equipment of a style and construction to outlast Gibraltar .- H.K.

PERSPECTIVE OF NUDES, by Bill Brandt, preface by Lawrence Durrell, introduc-tion by Chapman Mortimer. 120 pages, full-page illustrations. Amphoto, \$7.95*


In 1945, when Bill Brandt began to photograph nudes, he discovered a large old wooden Kodak camera in a London used camera store. It had a wide-angle lens with a tiny fixed opening and no shutter. He decided that this was just the camera he needed for a fresh approach to nude photography. He had to experiment: the groundglass image was extremely dim and even with high-speed film his exposure times ranged from 30 sec. to 3 min.


This book is the fruit of 15 years of experiment and achievement. It is divided into six sections, arranged in chronological order. In the first section Brandt places his models in empty rooms, somewhat away from camera, and uses the camera's depth of field and apparent perspective elongation to create impressions of nostalgic stillness amid the rush of time. Then he moves his camera closer to the models so that it is their bodies which are


(Continued on page 110)

PHOTOGRAPHERS ACCLAIM PHOTOGRAPHIC PLAN!









Photographers International has the answer for those who wish to supplement their income, and for others who are looking for a full time photographic business requiring no investment. This photographic plan is in no way to be considered a school or training course. Our copyrighted program will show you how to earn up to \$12,500 a year-Immediately. All you need is: a reflex camera, a tripod, and an electronic flash unit.

This unusual opportunity for financial advancement through our photographic program will cost you only \$2.00 for the complete plan—There is nothing else to buy! You will receive detailed information enabling you to start increasing your earnings without delay.

SOME OF THE HIGHLIGHTS:

- · A proven method of increasing earning power through photography.
- Your own photographic business with no investment.
- · A qualified staff to solve any technical problems.
- A picture marketing division to help sell your photographs.
- Clear, concise information detailing every step of the plan.

DON'T DELAY!

Act on this amazing offer now and join the many thousands of ambitious amateur and professional photographers who are already reaping the benefits of our unique program. Fill out and mail the application blank below to:

PHOTOGRAPHERS INTERNATIONAL



1110 Clinton Ave	HERS INTE					OFFICE	E USE
Gentlemen: Enclosed is my a all materials and NAME							
	***********************	***************	CITY	***************************************	STATE		
ADDRESS						0.0.	
Please circle	***************************************						_
Please circle he camera(s)	35MM	21/4	4x5	View	3D	Movie	Tape Recorder
ADDRESSPlease circle the camera(s) you have:				View Assignments?	3D YES 🗆	Movie NO 🗌	

BEFORE YOU BUY GET CENTRAL'S QUOTATION I AM INTERESTED IN I WISH TO TRADE 4 WAYS TO BUY CASH . CHARGE . BUDGET . LAYAWAY GET CENTRAL'S 164 PAGE CATALOG PACKED WITH HUNDREDS OF NEW AND USED MONEY. SAVING BARGAINS Send 10¢ Get 25¢ Credit on First Order Enclosed is 10e Dept. M-10 Name. CENTRAL CAMERA COMPANY The Midwests **Photographic Headquarters Since 1899**

230 SO. WABASH AVE.

CHICAGO 4, ILL.

NEW PHOTO BOOKS

(Continued from page 108)

elongated instead of the space around them. In the third section he moves his camera closer still, isolating and creating strange relations between parts of their bodies.

Now, when the models are beginning to look abstract, some as if made of marble, others as if two-dimensional. Brandt takes his camera outdoors, onto a lonely, cliff-backed beach, again using the camera's extreme depth of field as he places his models—or merely a foot, an elbow, a shoulder right up against the lens. The pictures here are extraordinarily lyrical, as in the view of the beach in which the reclining model's ear fills the bottom of the frame. In the fifth and sixth sections, one indoors and the other outdoors, Brandt takes these close-ups even further, conjuring up strange, monolithic compositions out of folded arms, crossed legs, a hip.

I have described the sections in some detail because it is a rare and fascinating experience to follow the interreacting development of imagination and technique. Though many of these pictures remind one, at first glance, of sculpture, this impression is belied by audacious cropping and expressive backgrounds; and, in all but a very few pictures, it is dismissed entirely by the visible texture and softness of living flesh. Brandt has given us not an imitation of another art but a creation in a class by itself .- w.H.J.

CLOSE-UP PHOTOGRAPHY WITH YOUR CAMERA, by Harold Martin, 122 pages. Amphoto, \$2.50*

A solid technical book on close-up photography has been sorely needed. Unhappily, this is not it. While Martin is obviously familiar with and enthusiastic about using pre-World War II folding film pack cameras and large Graflexes for close-up work, his information on the materials and techniques for modern camera equipment goes little beyond what you would find in a catalog. He does include the necessary formulas and tables for the use of both close-up lenses and extension bellows, but it's obvious he has done little or no practical work with either. There are no hints on close-up work in actual practice. The book contains little information on special macro lenses, on reversing the lens for shooting closer than 1:1, or on lighting.

Illustrations consist of manufacturers' pictures of equipment, close-up shots furnished by the makers of equipment, and some ghastly close-ups bearing no credit markings-and no technical information either.-H.K.

HOW TO SHOOT AND SELL MONEY MAKING PICTURES, by Walter L. Harter, 121 pages, illustrated. Amphoto,

Walter L. Harter has obviously been quite successful in shooting and sell-(Continued on page 114)

'FACTS SINGLE-LENS-REFLEX **OWNERS**

Congratulations to you. You have made a wise decision. Your selection of a single-lens-reflex Camera opens an opportunity in photography the potential of which is fantastic.

the potential of which is fantastic. You can achieve overwhelming success with the proper choice of lenses. Lenses by their very nature, can make the proper choice of lenses. Lense by their very nature, can make the property of the proper

Now is the time to increase your knowledge on lenses for Single-Lens-Reflex Cameras. We shall be glad to send you informative facts and recommendations on "How to select lenses properly." RUSH COUPON NOW. ------

TO	RC) B	ER	T'S

Home of Fine Photography, 56-FF Bennett Avenue, New York 33, N. Y.

☐ Please make recommendations on

() Wide Angle Lens () Close-up Work () Telephoto Lens () Long Telephoto Lens I want to increase my knowledge on lenses for Single-Lens-Reflex Cameras. Please send me the facts on "How to Select Lenses Properly."

tee ALLIED MONEY-SAVING 1962 **ELECTRONICS CATALOG**



WORLD'S BIGGEST 444 VALUE-PACKED

EVERYTHING IN ELECTRONICS FOR MODERN LIVING

Value-packed! World's largest selection of everything in Electron-ics! See products and values available only from ALLIED. Save on:

• Everything in Stereo HL-Fi Music Systems & Components, Including Multiplex Stereo FM • Knight-Kits® —Best in Build-Your-Own • Tape —Best in Build-Your-Own • Tope Recorders & Phone Equipment • Citizens Band 2-Way Radios • TV Tubes, Antennas, Accessories • Parts, Tubes, Transistors • Ame-feur Equipment • Public Address & Intercom • Tools • Test Equip-ment • Technical Books.

Save most at ALLIED. Send coupon for FREE 1962 Catalog today!

ALLIED RADIO	Cata
IED RADIO, Dept. 909-J1 N. Western Ave., Chicago 80, III.	
Rush PREE 1962 ATTIME Catalog	

ALL

Name_

City



World's Most Versatile Single Lens Reflex

- 4 Formats in 1 camera (from 21/4 X 31/4 to 15/8 X 21/4)
- Rollfilm—Cutfilm—Filmpack
- Interchangeable Backs
- Interchangeable Lens Boards
- Complete line of Lenses to 400mm

Optika

Send coupon for full details

SEYMOUR'S

350-DD WEST 31ST STREET, NEW YORK 1, N. Y.

- ☐ Please send complete details about the Optika IIa Single Lens Reflex, descriptive literature, and prices.
- ☐ I would like to trade equipment and have listed it on a separate sheet.
- ☐ I own an Optika. Please send accessory information.
- ☐ I would like to establish credit.

(Please hand print or type name and address)

Name .

City, Zone, State..

Address



G

ICS

esic ling

HY

400mm F5.6 preset **TAIKA Tele Coligon**

A long telephoto lens for the fastidious worker who wants highest performance. "Breaks" into easy-to-carry sections. Comes in high quality smooth leather case. Filter Adapter, Shade, Case supplied with each lens.

400mm F5.6 preset Taika Tele Coligon Sey-mour priced at only \$158.50.



58mm preset **TAIKA Harigon**

Direct import enables us to bring it to you at an amazingly low price. 58mm F1.2 preset Taika Harigon Seymour priced at only \$169.50.

We are indeed proud to present a lens which represents the absolute perfection in every respect. For the first time all known lens faults have been eliminated and the result is absolute sharpness with breathtakingly lifelike color rendition.

Your color slides will glow with a rainbow of brilliance never before thought possible. Their lifelike reality will tempt you to walk right into the scene when you project them.

If you are a perfectionist, the 200mm F2.8 Taika Super Coligon is a must!

Sensibly Seymour priced at only \$178.56

Taika

Sensibly Seymour priced at only \$178.50 Supplied without charge with every lens: Filter Adapter, Sun Shade, Deluxe Leather Case.



350-DA West 31st Street, New York 1, N.Y.

To Seymour's, 350-DA West 31st Street, New York 1, N. Y.

| Please ship the Items which I have listed on the attention of the list of the Items which I have listed on the attention of the Items of the Items

PLEASE: If you are on our mailing list, check here
Please hand print or type name and address

ZONE

New Camera-Art-Form Meets Explosive Reaction From Critic and Layman Alike! How Do You Stand on Bill Brandt's New Book . . .

"PERSPECTIVE OF NUDES"

SIGNIFICANT
MAJESTIC
REVOLUTIONARY
POWERFUL
INSPIRATIONAL
POETIC

Lawrence Durrell says: "Brandt uses the camera as an extension of the eye—the eye of a poet; he is to photography what a sculptor is to a block of marble."

Chapman Mortimer says: "Brandt has raised the status of his art to the level of other arts. He has shown us how to disregard the taboos of second-rate-ism."





YOU BE THE JUDGE!

A NEW ART-FORM must—by axiom—be prepared for critical reception, with the force of acceptance or rejection in exact relation to its degree of deviation. It is not surprising, therefore, that the reaction to Bill Brandt's new book, "PERSPECTIVE OF NUDES," has been explosive.

Yet, the book has stirred a spectacular force in its critical admiration. Lawrence Durrell and Chapman Mortimer head a distinguished contigent of connoisseurs from diverse art fields who have acclaimed this work for its poignancy, its power and its meaning. Vogue Magazine carried pictures from the book in its August 1st issue. The New York Museum of Modern Art will exhibit Brandt's works from September 25 to November 12.

In these surreal studies of the nude, Bill Brandt expresses a philosophy of interpretative photography that soars far above the conventional camera-images we have grown to accept. His nudes inhabit a world of platonic forms. You feel the gnomic quality that resides in poetry and sculpture. You observe images and shapes, perspectives of the figure you never recognized before.

Hailed as the "Matisse of the camera," Bill Brandt stands alone in his own unique artistic medium. All who are part of photography, the photographer in the studio, the art director in an advertising agency, the amateur striving to find new expression for his creativity—all who are part of photography, whether working in the commercial field or in the realm of fine paintings will find a stirring experience in the pages of "PERSPECTIVE OF NUDES." It is an inspirational force, a conversation piece not to be missed.

OF NUDES By Bill Brandt

Foreword by Lawrence Durrell. Commentary by Chapman Mortimer. A magnificent portfolio, for presentation and inspiration. 90 superhotographs, beautifully printed in gravure on creamtone. 11½" x 93½". Only \$7.95. Published by AMPHOTO BOOKS.

Buy
"PERSPECTIVE
OF NUDES"
At Your
Own Risk

We will not be responsible for your reactions, pro or

con, to this violent new book. You will be vehement in its defense, or you will want to tear it to shreds. But you won't fail to recognize it as a milestone in the development of art in photography. Order your copy today.

Ask for "PERSPECTIVE OF NUDES" at your camera, book or art store, or order direct from AMPHOTO on a 2-week money-back guarantee.

	HOTO	York 23, N.Y.
	"PERSPECTIVE O	F NUDES" by Bill Brandt at ack guarantee.
NAME	***************************************	
ADDRESS .	******************************	***************************************
CITY	***************************************	ZONE STATE
☐ Check	☐ M.O.	C.O.D. (Postage Extra)
MP10	Add 3% Sales Tax	on All New York City Orders

AMPHOTO GREAT BOOK BI

Choice, money-saving selections, recommended by the Amphoto Editorial Board, from the Amphoto Catalog of the World's Finest Photographic Books. Choose yours on a 7-day money-back quarantee of satisfaction.

383

471

300

309

311

650

40

56

81

639

87

(315)



MEW! Amphoto "Edition Bound" (218) How To Process Color Film At Home

By Ira B. Current. Amphoto explodes another bogey. You, too, can process color film at home—quickly, easily, economically—and completely satisfy-ing. All you need do is to follow the simple instructions in this new book. Everything's laid out for you. Can also be used as a guide to darkroom technique. Hard cover.



(138) Keppler On The Eye **Level Reflex**

By Herbert Keppler, Executive Editor, Modern Photography



Taking Pictures After Dark..... Photos Et Propos Sur Le Nu..... Cameras-The Facts, 1961..... \$3.50

\$7.50

\$4.50

\$2.50

\$2.50

\$4.95

\$7.50

\$2.50

\$2.50

\$4.95

\$2.50

16 LEAGUE LEADING SELLERS!

52) Conteflex Way, by Freytag... | 01) The Retina Reflex Way, by Mannheim...... | 183) Hal Reiff's Glamour Manual....

How To Shoot Money-Making Pictures..... The Nude, by Andre de Dienes.....

American Cinematographer Manual.....

Outer Space Photog. For Amateurs.....

Lenses: How To Choose And Use Them ...

Technique of Bird Photography...... Floyd's Photo Tips.....

Peter Basch's Guide To Figure.

NEW! BY FOCAL PRESS (746) Successful Exposure In Photography

By I. A. Mannheim. Another "Successful" book, A practical book that answers practical uestions on exposure—indoors and out, day and night, color or black-and-white. New, flexible, easily cleaned covers. Incorporates information on exposure with automatic cameras.\$1.95



NEW! Amphoto "Edition Bound" (214) HOW TO RETOUCH & **SPOT NEGATIVES & PRINTS**

By Wayne Floyd. Explains professional techniques of retouching and spotting. Details what equipment is required, and how to go about it. Great emphasis is placed on using materials that can be found read with profit by pros and amateurs alike. Hard cover.



(64) Close-Up Fnotography
With Your Camera
By Harold Martin
An Amphoto "Edition Bound" Book.
Covers every aspect of gross photography, microphotography and photomicrography; camers; lenses: films; developers; reflex housings; formulae for calculating effective aperture; other useful information. Hard cover.



(82) Official Miranda Manual

By Amphoto Editorial Board
An Amphoto "Edition Bound" Book.
A round-up of Miranda technique,
covering all Miranda models, all accessories and all felds.
Charts on films, depth of feld, etc. Hard cover.

NEW! "UNIVERSAL" BOOKS

(194) Mamiyaflex Camera Guide

By Joseph D. Cooper. Full details of the Mamiyaflex C-2 as surveys of all the other models. Filters, lenses, films, accessories also explained.

(221) Nature Photography

By Edna Bennett. In simple language and workable ideas, this book provides expert advice on manners and methods of photographing small creatures.

\$1.95 \$1.95

(227) Animal And Pet Photography
By Mildred Stagg. Shows you how to shoot all manner of beasts, birds and fish—in the field, the zoo and at home. Also chapter on \$1.95

(201) Voigtlander Bessamatic Guide

By Joseph D. Cooper. Besides giving complete instructions, the author shows how to use this fine camera for every photographic \$1.95

(180) Wedding And Party Photography
By Barney Stein and Les Kaplan. Supporting all picture taking advice
are chapters on running a studio, and free lance operation
\$1.95

(224) The Nude In 101 Moods

By Mildred Stagg, Photos by Paul Duckworth. Information ranges from the selection of the model to appropriate atmosphere, props. \$1.95

FREE! Beautiful Imported Alpine Hardwood **BOOK RACK**

Order \$10.00 worth of books, or more, from these books or from the Amphoto Catalog, and get this beautiful imported Alpine hardwood Book Rack free of charge. Measures $16\frac{1}{2} \times 8 \times 8\frac{1}{8}$ inches. Holds 12 books. Choice of blonde or walnut finishes.




Ask for AMPHOTO BOOKS at Camera and Book Stores . . . or USE THIS HANDY COUPON!

AMPHOTO, 33 West 60th St. N.Y. 23, N.Y. Amount Enclosed	18
In Canada: Visual Equipment Co., 146 Bates Rd., Montreal 8, Quebec. Add 10% for Canadian shipment) Minimum order,	3.00
Please send me postpaid the books whose numbers I have cir-	cled be
I enclose Money Order Check Send C.O.D. (Postage	
☐ My order qualifies me for book rack. Please send ☐ Blonde	a I Wwa

lnut 87 101 194 201 214 218 221 224 180 227 300 309 311 315 383 471 639 450 746

State 10-61 ALL ORDERS ARE SHIPPED POSTPAID. ADD 3% sales tax with orders for N. Y. City delivery; add 10% per title for delivery outside U.S.A., except APO's. Allow approximately two weeks for delivery. SATISFACTION GUARANTEED! If not satisfied return books within 7 days and money will be returneded.

low.





Lowest Prices in the USA on SOUND PROJECTORS



BELL & HOWELL SOUND PROJECTOR

Original List \$485 SPECIAL \$24950

These machines, while not These machines, while not brand new, are quaranteed to perform like new equipment. They have been completely checked by our 84H factory-trained men, and are unconditionally guaranteed for one year. They feature a 2000-toot reel, sound and silent speeds, F/I.5 lens, input jack for mike, all helical gear drive, 750-watt lamp, and 15 watt amplifier with 12-inch speaker.

DeVRY 16mm SOUND PROJECTOR \$13950 List \$550 SPECIAL

Not new, but completely checked over by our factory-trained men, and guaranteed to run like new. Sound and silent speeds, F/1.6 lens, deluxe speaker and input jack for use with mike or turntable.

TRADE GUNS ON PHOTO EQUIPMENT

We make generous allowances—often full list price—on standard models of guns, pistols and rifles on the above projectors, or any other type of photo equipment. Let us know what you have and what you want.

NATIONAL CAMERA EXCHANGE

NEW PHOTO BOOKS

(Continued from page 110)

ing photographs and stories to a variety of specialized and trade publications. The book consists mostly of suggestions for basic kinds of salable stories with specific examples gleaned from Harter's successes: the step-bystep how-to-do-it story (refinish a table and photograph the procedure), the picture sequence (a child's first steps), the travel picture (shoot an old covered wagon stop in the far west from three different angles, one for the Sunday paper in the largest town in the area, one for a travel magazine, and one for the religious press).

If you are interested in taking creative photographs for profit this book is not for you. If, however, you are willing to concentrate on the less glamorous but possibly more lucrative aspects of the profession, it should be of some help. Unfortunately, no market listing is included so before you can actually begin to submit photographs you will have to purchase another book (Harter very considerately suggests three) to find out where to send your material.-P.C.

ODHAMS MANUAL OF PHOTOGRAPHY, 352 pages. The Macmillan Co., \$7.50

This impressive sized volume of British origin attempts to cover every aspect of photography, both still and motion picture. Unfortunately it is both aesthetically and technically antiquated and virtually useless-i.e. in describing cameras the author of that chapter lists only one automatic, which is no longer in existence-and neither is the company that made it. For developing negatives, the author recommends M.Q. developer and carefully tells you how to mix the ingredients. M.Q. developer as the preferred solution left the scene 20 years ago. In the actual picture taking chapters, you are told how to take static, sharp, pleas-antly dull pictures of static, sharp, pleasantly dull subjects.

Typographical errors abound, indicating that proofreaders have had little experience with photographic nomenclature and lexicography.

8

No attempt has been made to give U.S. equivalents for the British and Continental materials. The entire listing of picture markets is almost useless, for the same reasons.-H.K.

*These and other books are available through AMPHOTO, 33 W. 60 St., N. Y.



Enjoy

Finest Quality PLUS Savings on COLOR FILM PROCESSING

Film Developing on latest electronic equipment by skilled experts. All films from Original FAC-TORY-FRESH Sealed bulk. • FULL GUARANTEE. Fast & Dependable Service direct to your home.

COLOR PROCESSING EKTA-

ANSCO- VODACHE	OME CHROME
ANSCO- CHROME KODACHR 35mm x 20 exp. mounted 35mm x 36 exp. mtd1.75	MOVIE FILM 8mm 25' roil1.00 8mm 25' mag0.75 16mm 50' roil1.50
35mm x 15 Stereo mtd1.75 35mm x 28 Stereo mtd. 2.75 120-620-127 unmtd 0.75	16mm 50' mag 0.75 16mm 100' roll. 2.59

35mm KODACHROME

Factory-fresh film includes Processing & Mounting	
3 rells 10 rell	s
KODACHROME	
Anscochrome, Ektachrome	
#135-20 exp 6.60 20.00	
#135-36 exp9.85 30.00	1
SUPER-ANSCOCHROME	
#135-20 exp 7.15 21.95	
#135-36 exp 10.95 32.95	
Hi-Speed EKTACHROME	
#135-20 exp7.90 24.50	1
#135-36 exp12.40 36.95	•

KODACHROME MOVIE FILM

Including Processing (Specify daylight or type A) 8mm rolls, 25' double 8.05 8mm mag., 25' double 9.45 30.00 16mm roll, 100' 22.50 72.50

8mm roll, 25' double	8.95	28.50
8mm mag. double	9.85	31.00

8mm roll, 25' double	16.25	47.50
8mm mag. double	17.30	51.00
8mm 100' double Bolex	62.25	186.00
ADD 5¢ ner roll. 10¢ ner 16n	am film	for nostage

KODACOLOR

Per 8 Exp. roll	
Per 12 Exp. roll Per 16 Exp. roll 20 Exp. 35mm roll with wallet prints	\$2.25 2.95 3.25 2.95

Send check or M.O. with films. Min. Order \$1.00. Sorry, no COD's. Include postage, excess refunded.

Prices subject to change without notice.

ILM LABORATORY INC

622 South Broad St. | P.O. Box 7512 ELIZABETH, N. J. | CLEVELAND 30, Ohio

BLACK & WHITE SLIDES

12c 30c 50c

I See your favorite snapshot on the scre
DUPLICATING 25mm COLOR SLIDES
30c ca. (100 or more 20c ca.)
MOUNTED COLOR SLIDES from
BOUNTED COLOR SLIDES from
Specify cardboard mounts or film strips.

PHOTO LABS

ADVERTISERS' INDEX FOR OCTOBER 1961

Advertiser Page No.	
ACME COLOR LABS 2 ALLIED IMPEX CORP. 36, 37, 38, 50, 9 ALLIED RADIO CORP. 11 AMERICAN SCHOOL OF PHOTOGRAPHY. 9 AMPHOTO 112, 11 ANSCO 2nd Ceve ARGUS 2nd Ceve ARGUS 9 ASTRA 9	8 0 8 3 7 5 8 9
BAIA CORP. BASS CAMERA CO. BAUSCH & LOMB OPTICAL CO. 2 BELDING CO., JOHN 5 BELL & HOWELL 6, BLACKHAWK FILMS BROOKS INSTITUTE OF PHOTOGRAPHY. 4 BURLEON BROOKS, INC. 9,	80907723
CENTRAL CAMERA CO	0
DIMCO GRAY CO 8	2
EASTMAN KODAK CO. 18, 19, 20, 21, 22, 23, 24, 25, 4th Cove EDMUND SCIENTIFIC CO. 12 ELCO. 11 EXAKTA CAMERA CO. 3	1 5 1
GEISS-AMERICA11	43
HABER & FINK, INC. 1 HAUSER COLOR LAB., INC. 9 HEILAND RESEARCH 44, 4 HENRY'S 9, 9 HERSKEY 5 HUDSON PHOTOGRAPHIC INDUSTRIES. 9	124
KALART CO., INC., THE 11 KELLY CAMERA CORP. 1.04, 10 KEYSTONE CAMERA CO. 3-d Ceve KINNARD CO. 4 KING PHOTO CORP. 30, 34, 4 KONIGA CAMERA CO. 5- KOVO (MEOPYA) 151	0 S H 8 8 4 5
LEITZ, E., INC	3
MAMIYA	1
HATIONAL CAMERA EXCHANGE 11 HATIONAL CAMERA REPAIR SCHOOL 10 NATIONAL PHOTO LABS 11 NEW YORK INSTITUTE OF PHOTOGRAPHY 40, 4 NIKON, INC. 10 NUCLEAR PRODUCTS, INC. 10	
OLDEN CAMERA & LENS CO32, 31	
PAILLARD, INC. 11 PANORAM FILM LABS, INC. 10 PEERLESS STORES PHOTOGRAPHERS INTERNATIONAL 10 PLYMOUTH PRODUCTS, INC. 10 POLAROID POST COLOR SERVICE 22	8 6 9 2
QUICK-SET, INC 44	8
RAY VOQUE SCHOOLS	8
SAWYER'S SCHOOL OF MODERN PHOTOGRAPHY 4 SEYMOUR'S SIMMONS OMEGA 111, 122 SIMMONS OMEGA 2 SOLAR CIME PRODUCTS, INC. 26 SPIRATONE, INC. 92, 93 STARLIGHT COLOR LAB 5 STERLING HOWARD CORP. 91	702888
U. S. COLOR PHOTO 91 U. S. PHOTO SUPPLY 100 UNITED CAMERA EXCHANGE 107	B
VOISTLANDER	
WALL STREET CAMERA EXCHANGE46, 47 WEBCOR, INC	7
YASHIMA OPTICAL CO 15	8
ZEISS, INC., CARL 16	
Although we attempt to keep this index as accurate as possible, we cannot be held responsible for errors which may occasionally occur	9 0



The most complete system of sub-mimiature photography

solid ultraminiature camera taking 16mm either single or double perforated film. Lens: 20mm f/3.5 Mirar coated, color corrected, clickstops to f/16. Focusing to 11/2 ft. Optical viewfinder. Shutterspeeds 1/5 to 1/400 plus B. Synchronized for flash. Film advance and shutter-cocking operated by slide. Double exposure prevention. Wide range



For film supplies and processing contact: Panoram Film Labs., Inc. Mikroma Film Div. 1190 Sixth Ave., New York City 36, N. Y.

Camera attractively priced at less than \$38.00 including case. See your own photo dealer or write for further information to:

U.S. Importer E. Fischel, Jr., Inc. 505 Fifth Avenue, New York 17, N.Y.



\$9.50 SATISFACTION GUARANTEED

SUPERIOR BUY OF THE MONTH! 8mm Electric Drive FUJITA Movie Camera with Telephoto & Wide **Angle Lens Attachment**

2995 Sensational at only While They Last! Attachments give turret camera action! f1.9 13m Color-corrected lens. Runs of batteries!

PROCESSING CHEMICALS st add water structions in instructions included.

For SAW Reversal
1/2 gal. _\$2.65
1 gal. _\$4.35
Anscochrome

SATISFACTION GUARANTEED

8mm and 18mm Mevie Enthusiasts!
F-R-E.E.I Movie Maker's Manual

film, home processing and editing
equipment, hints, tips and formulae
for home processing movie film SUPERIOR BULK FILM CO. 442-44 N. Wells St. * Dept. MP-10 Chicago 10, Illinois

COLOR E PRINTS 50

COLOR FILM PROCESSING

20 Exp.

| Mounted, Roll\$1.00 | 120, 620, Roll\$1.00 | 35mm Color Duplicating | 20¢ | 20g |

Color Prints 11x14 16x20 38mm 20 Ex5.00 Kodachrome p. Roll \$1.40 Mtd. mum Order \$1.50 No C.O.D.

CANYON COLOR CO. BOX 36536 LOS ANGELES 36, CALIF.

Sunset COLOR COLOR LAB (from 35mm only) 85° **COLOR PRINTS**

Color Prints from \(\frac{1}{2} \) 25mm to \(4 \times 5 \tag{Trans.} \) 21/4 \(2 \times 4 \times 2 \times 4 \times 5 \tag{Trans.} \) 21/4 \(2 \times 4 \times 2 \times 4 \times 2 \times 5 \times 6 \ -- 20¢ ea.

COLOR PROCESSING
Anscochrome, Ektachrome
35mm-20 exp.
mtd 120-820 1.00
Roll
35mm-20 Exp.

SUNSET COLOR LAB

Box 46415, Dept. M . Los Angeles 46

Taking Pictures After Dark

New Amphoto "Edition Bound" book. By Y. Ernest Satow. How to make the most out of today's high

speed films, developers and lenses. Complete up-to-the-minute techniques for night

photography, including full processing instruction. Hard

UMBATAB YOUR COLOR SLIDES

sequence, right side up, index your stereo slides, film holders, negatives, motion picture reels.



Numbers 1 to 100 25¢ Numbers 1 to 500 \$1.25 Four alphabets 25€ Choice of red. blue. green, orange or black. U.S. Orders Prepaid



COLOR PRINTS ANSCO, AND EKTACHROME 2x3...20¢ • 4x5...45¢ 3x4...35¢ • 5x7...1.00

SUPER SLIDES DUPED AT 30¢ EACH.

SUPER SLIDES DUPED AT 30¢ EACH.
FILM DEV. ANSCO OR EKTA \$1.00 * KOOACHROME \$1.40.
KODACOLOR ROLL DEV. AND PRINTED:
8 EXPOSURE 3½ % \$5... \$2.35
12 EXPOSURE 3½ % 3½... 3.15
20 EXR. 35mm 2½ x 3½... 3.75
STANDARD SIZE PRINT... 20¢ EA.
2½ % 3½ PRINT FROM 35mm ONLY 16¢ EA.
MINIMUM ORDER \$1.00. MCLUDE POSTAGE. 20¢ COLOR PHOTO PER SLIDE

MODEL RELEASES

Pad of 50 \$1.00 postpaid

33 W. 60th St. New York 23, New York

Complete-Long Form Covers every contingency, compensation, and guardian consent. 81/2×11.

Include 3% Tax for New York City

AMPHOTO

PROFESSIONAL QUALITY ... in black & white Developing Proofing Enlarging

Write for price lists The Laboratory for Professionals and Advanced Amateurs

LECO PHOTO SERVICE INC. 1938

SLIDE DUPLICATOR

cover.

AMPHOTO 33 West 60th St., New York 23, N. Y.

At your book or can

e money! Duplicator may 35mm, Polaroid, 828 and cameras. Fits standard Instructions included, 50e y orner cameras. Fits standard pler rings, instructions included, 50e tional on C.O.D. or-Give camera model lens F.I. Satisfaction Quasar

Satisfaction Guaranteed
ELECTRON DEVELOPMENT CO.
P. O. Bax 11152, Indianapolis 1, Indian

BORDERLESS



\$ 595

The secret lies in four Off-Center rubber pegs that hold paper. PUSS—In Structions are given how to structions are given how to see the during the second section of the section end see how to BEST FOR LESS.

CLARKE COMPANY BOX 2123 ROANOKE, VA

Automatic Daylight Developing Tank



Processes up to 200 Ft.
Smm-16mm-35mm-70mm
Movie—X-Ray—Microfilm
Motor-Drivon—Portable
Uniform Density Assured
400 Ft. Tank Available
Guaranteed



Micro Record Corp. 487-11 South Ave

LOOK WHAT \$39.11 WILL BUY! ULTRABLITZ MONOJET II

MINOLTA AUTOWIDE 35MM GUARANTEED PERFECT. Money back if not satisfied. Send check or money order; mailed to you prepaid. AUSTIN CAMERA COMPANY

Color Transparencies Zion Nat'l. Park



Beautiful scenic attraction in the heart of Spectacut
Canyon country of Southwestern Utah. Vivid coloringspectacular multicolored scenic gorges, 20 all differed
double frame size transparencies only 31.00 press)
Mount YOUR OWN Stides—and Save Each! SLIDE SUPPLY, Box 1031, Canton Ohio

KODACOLOR Film Developed & Printed

SEND FILM WITH THIS AD
12 exp. -1.25
Add 25¢ postage & handling
FREE MAILERS - PRICE LIST DA COLOR LABS

ASTRONAR An extremely rapid focusing 1/7.5 200 mm to the less that focuses down to 3 feet Guaranteed 1400 lines per and Exakts mounts, 1995 postpaid Exakts mounts, 1995 postpaid Exakts of 1995 postpaid Exakts for the less than 1995 postpaid Exakts for the less 200



FOTOLARGERS

FROM \$29.95

Professional results at the lowest price possible for fine, precision made equipment. Only low price enlarger offering full line of accessories such as con-

densers, copy back, copy lites, etc. No Enlarger at Any Price Will Make Better Prints.

Free Catalog On Tripods, Darkroom Сору TESTRITE INSTRUMENT CO. Equipment.

KODACHROME II

new high speed film PROCESSING

35mm 20 exp.\$1. DEV. & MTD. 36 exp.\$1.75 Smm Movie | Magazine75c PROCESSED | Roll\$1.10

FRESH FILM

with processing included Guaranteed fresh Kodak-pack Kodachrome II film at discour Prices include processing & mounting

1 Roll 3 Rolls 3 8.45 4.40 13.00 11.00 13.00 13.20

Send your exposed film for processing new, or write for FREE mailers and complete price list of laboratory services on all color film.

IASTER COLOR LABS GPO BOX 30-P, NEWARK 1, N. J.

"THE MODEL"

Studies by ten distinguished photographers of famous model, Betty Biehn, with her own commentary. 112 pages.

\$1.00 Postpaid AMPHOTO

33 W. 60th St., New York 23, N. Y.

(From fresh factory metest built)

First quality—Every roll guaranteed.

Add 10c per order for postage and packing.

CUSTOM QUALITY FINISHING

20 Exp. Beveloped & 31/4 x 4/y prints, \$1.00

8 Exp. poll film. 50; 12 Exp. roll ...70;

20 Exp. Extractrome — Kodechrome \$1.05

Kedcolor processing 75; Prints Ec. 25;

Accolor processing 75; Prints Ec. 25;

Accolor processing of all film. No continuous processing used. Finishing shipped postand.

EASTERN PHOTO LABS. Dept. "B"

1405 N. Charles St. Baltimore 1, Md.

"620 pages crammed with reference, guides, trends. One of the finest, well worth having...."

says Al Dorn in Kalamazoo Gezette



BRITISH JOURNAL ALMANAC 1961

An up-to-the-minute reference on everything photographic with new articles on the professional in industry and por-traiture. Much information not available so conveniently in any other form. \$2.50 (Cloth, \$3.00)

ra dealer, or from PHOTO New York 23, N. Y. VARBUCKS PHOTO SUPPLY INC.
Personalized Service & Intelligent Handling



49.50

"F" F1.4 235.60 2 body used 75.40 da "S" F2.8 anda "S" F2.8 c _____69.30 0-CF Binoculars ____23.75

ell _____70.86 ord V Used_48.60 Mansfield on Ed. 22.00

on Ed.

x Projector
lig Dictating
h. Used ___99.00
a VXIIa w/
Auto. Used 139.40
Reflex "B"
Auto Quinon 99.70
Balomatic



This Smallest full size 2. 7. 75
Smm with case flash and the same size of the same size of

55 Balomatic 01 and 25 Balomatic Don't lees out. Write for our low price before you huy. Prompt response. pt. BP-2, 80 East 11th Street, M. Y. 3, M. Y. Free Buying Guide

'S THE "FINISH" THAT COUNTS

FINISHED LIKE FINE PORCELAIN 21/2×31/2

PRINTS

FROM SLIDES 31/2 Sq. or 31/x5 256 5x7 1.00 8x10 2.00 FROM KODACOLOR 31/2 Sq. or 31/2x5 256 5x7 1.19 8x10 3.25 11x147.49

Each ... 25 to 99 ..17# ea 100 or more 15# ea

Now19 FILM PROCESSING

NODACHROME

ANSCOCHROME

EKTACHROME

EKTACHROME

S5mm. 20 exp. _ 1.25

35mm. 36 exp. _ 2.22

Roll film 8-12 Rollfilm 16 exp. 1.45
Free Mailing Bags!

CHINACOLOR LABORATORIES Dept. 6110-8, 715 Kennedy St. N.W., Wash. 11, D.C.



TITLE AS YOU With Professional 3-D Precision

Moided Letters
More than 160 assorted characters
per set. Available
in 3/4" (as shown
above) or 3/4" size
letters. All 3/4"
depth of relief.
Specify or order
one of each. 695 Satisfaction Guaranteed OSSINING, NEW YORK

> **PRINTS** 15

ON COLOR FILM PROCESSING COLOR

KODACHROME

ANSCOCHROME • EKTACHROME

KODACHROME II

35mm 20 exp. 85¢ 2½ x 3½ frem 35mm slifes

8mm KODACOLOR TRANSPARENCES 8 mp. \$225 12 mp. \$325 35 mm 156

QUALITY GUARANTEED
SEND FILM or write for
FREE Mailers and Price List
GLO-COLOR LABS
GPO BOX 9L, NEWARK 1, N. J. 65¢ \$1.00

5×7 COLOR ENLARGEMENT

(From color slide or Kodacolor negative) With your order for fresh, factory packed 35mm or 8

CODACHROME

3 rolls 35mm 20 exp. with processing and mounting

3 rolls 8mm 25' dbl. with processing included 9.75

7.95 INTRODUCTORY OFFER
You must send this ad with orde

EVER-SNAP COLOR LABS

YOUR PICTURE ON YOUR MAIL



Nery leiter you send out will have your shoto on it. Send any photo to us, we return t with 25 Hi-Gloss Photos 1"x1 1½" & 25 mas Cards & Env. at \$2.98, or 100 Portait Mindature Gummed Photos \$1.98, or 100 Portait Mindature Gummed Photos \$1.90, or 30 args 1"x1 1½" Photostamps \$4.50. Rush Order. back if not 100% pleased. STADRI CO., Dept. MP, S Ave., Whitestene, N.Y.

De HYPO TURBULATOR PRINT WASHER



SPEED-EZ-ELS



Compact — No Adjustments — Easy Focusing — No Eyestrain — 6 Popular Sizes — Budget Priced 21/2 x 31/2 ... Complete set only \$17.15. Special six on request. Send for Free Literature

A. J. GANZ CO.

35mm KODAK* 3 for 85¢

(Factory packed from bulk)
Unconditionally guaranteed
*20 Exposure Plus-X or Tri-X 6 for \$1.60 10 for \$2.50
20 exposure PX or TX complete with
developing 4 20 Jumbo Prints \$1.60
Kodak* Negative Color

* Speoled from bulk w/dev. 4 \$3.69

Anscochrome* 20 Exposures Factory packed from bulk complete widev. A mountail storm of the complete widev. A storm of the complete widev. Answers of t Write for our complete list of prices on all films and custom photofinishing

(Add 10s per order for postage and packing)

BOLAR CAMERA 1007 Sixth Ave. New York 18, N. Y.



STANRITE SUPERPOD GEARED TWO WAYS... 51695

Horizontal gear for smooth movie panning. Geared for fast elevation up-down action. Extra 90° tilt on panhead. Ball level, many new features that have never been offered on any tripod before.

WRITE FOR FREE CATALOG On Tripods, Enlargers Smm to

STRITE INSTRUMENT CO.

MOONGLOW COLOR PRINTS

	1	Custom	Color Printing				
Any of same	size	1		6		12	21
21/4×31/4	254	es.	22¢	ea.	20¢		18¢ 0a
31/4×41/2	500	08.	45¢		40¢	ea.	35¢ 02.
4×5	60 €		55¢		50¢	ea.	40¢ ea.
5×7	854	08.	80¢		754		70¢ ea
8x10	1.75		1.50		1.25	ea.	1.10 ea
11x14	4.50		4.25		4.00		3.50 ca
16×20	10.00	ea.	9.75	ea.	9.50	ea.	9.00 ea

INQUIRIES FROM HOME PORTRAIT STUDIOS WELCO

COLOR FILM PROCESSING

20 Emp. 35mm Anscorbrome, Super, Ektachrome 20 Emp. - \$1.00 Mtd. 36 Exp. - \$1.75 Mtd. 120, 127, 620 - \$1.00 Mtd.; 36 Exp. \$2.25 MTD. KODACHROME PROC 20 Exp \$1.40 Mtd.; 36 Exp \$2.45 Mtd

35mm. to 35mm. COLOR SLIDE DUPLICATES

SUPER SIZE SLIDE DUPLICATES—25¢ ea. mtd. (from Super, 120, 127, 828 or 35mm)

Fresh 35mm, RELOADS

			Anscoch			rome \$12.0
KODACOL	OR I	RINTS	FROM	KODA	COLOR	NEGATIVES

Approx. 3x5______25¢ ea. 5x7 _____\$1.00 ea. 8x10 ______\$3.00 ea. 11x14 _____\$6.75 ea. _____90¢ per roll

MOONGLOW COLOR PRINTS

P. O. Box 75622—Sanford Station Los Angeles 5, Calif.



Unbreakable Polyethy lene laboratory bottles — perfect for photo chemicals. Non-Toxic, odorless,

Pints: 85c Quarts: \$1.20, Gallons: \$2.33.

SAVE! In any assortment of three or r Pints: 80c, Quarts: \$1.10, Gallons: \$2.20.

POSTAGE PAID, no C.O.D.'s, please. D. B. Photo Supply, Box 472, Elmhurst, Ill.

Just 1 oz. of each and . .



YOUR FILM IS **DEVELOPED AND** FIXED IN MINUTES



by the NEW

Edwal Controlled Monobath Method

4 oz. bottle—59c, 16 oz. bottle—99c Ask or write for free "Controlled Monobath"

EDWAL SCIENTIFIC PRODUCTS CORP

IF YOU OWN A TAPE RECORDER

.

. . . here is a new book that will be ex-tremely helpful. The "ALL-In-ONE TAPE RECORDER BOOK" tells the whole story of RECORDER BOOK" tells the whole story of tape recording . . how a recorder works . . recording techniques . . maintenance . . a complete tape recording encyclopedia. Equally important, it is most interesting reading. Published by the famous Focal Press, of England. Priced at only \$2.95. At your camera store—or ORDER DIRECT, on a 10camera store—or ORDER DIREC

AMPHOTO, 33 W. 60th St., N. Y. 23, N.Y.

30¢ SUPER SLIDE DUPLICATES 30¢

Mtd. (From Super Slides, 120, 127, 828 or 35mm.) N m Duplicates from 35mm Slides .. 20¢ en mtd. Finest Quality, Sharpest Reproduction

24 HOUR COLOR FILM PROCESSING QUALITY COLOR PRINTING ALSO AVAILABLE ATKINSON/STEDCO COLOR FILM SERVICE 7610 Meirose Ave., Dopt. M, Los Angeles 46, Calif. M. 23-2584

CINELARGERS

for making bearing prints from 35mm

TESTRITE INSTRUMENT CO. ROE ST . NEWARK S



KODACHROME MOVIE FILM 8 MM Roll 35 MM 20 Exp.


Developed and Mounted

Processed First Order Only

Send films now or Write for Free Mailing Envelopes

EASTERN COLOR STUDIOS BOX 125 P

"CHILL-CHASER" IMMERSION HEATERS



STILL-MAN Equip. Corp., 426 E. 164th, N. Y. 56, N. Y.

OPING

NOT DOLLAR PRODUCTION HAL ATTENTION

-Largest Asserts PHOTO FRAMES . MOUNTS
. ALBUMS and MAILERS
. PICTURE FRAME MOLDINGS

Fastest Service! Lowest Prices! INTERNATIONAL SALES CO., Inc., Dept. A 19 W. Baltimore St., Baltimore 1, Maryland

MOVIE DUPLICATES

8 or 16mm—Color or B&W

*High Quality ** Fast Service* 8mm— .11 ft., 16mm— .14 ft. (incl. mounts) Min. Order \$5.50. Send remittance, please, to Dept. COLOR, Box 11547-A, Palo Alto, Calif



WESTERN AND NATIONAL PARK SLIDES

FREE ILLUSTRATED CATALOG TITLE-COLOR, Box 35521B, Dallas, Texas

CLOSE-UP PHOTOGRAPHY WITH YOUR CAMERA

An Amphoto "Edition Bound" book by Harold Martin. Covers every aspect—cameras, lenses, equipment—and other useful information. \$2.50 At camera and bookstores, or from

AMPHOTO New York 23, N. Y.

CLASSIFIED ADS . . .

Classified Want Ads may be inserted in MODERN PHOTOGRAPHY by any reliable individual, camera dealer, or specialty house. To avoid chance of error, submit copy typed. Terms: 70e a word. Each word including each item in the address, counts as one word. 10e additional for each word in Capital letters. Send cash with order. 5% discount for 6 consecutive insertions, 10% discount for 12 consecutive insertions, if entire bill is paid in advance. Forms close on the 15th of the third month precading date of issue. For example: September 15th is deadline for November issue.

electronic flash

"ELECTRONIC FLASH equipment factory-to-you saves \$\$\$. Send for free illustrated catalog. HICO Corporation, 76J Coolidge Hill Rd., Water-town 72, Mass."

help wanted

First rate photographer. Also first rate stripper and printer. Air conditioned photo engraving plant. Excellent up to date equipment. Located in New Jersey. Night work. Empire Photo Engrav-ing Corp., 296 George St., New Brunswick, N. J. P.O. Box 1030.

PHOTOGRAPHERS—Earn Part Time. Write PCI, Dept. M-18, Glen Echo, Maryland.

agents wanted

Run a spare-time Greeting Card and Gift Shop at home. Show friends samples of our new 1961 Christmas and All Occasion Greeting Cards and Gifts. Take their orders and earn up to 100% profit. No experience necessary. Costs nothing to try. Write today for samples on approval. Regal Greetings, Dept. 68, Ferndale, Michigan.

money making opportunities

MEN-WOMEN! START MONEY-MAKING PLASTIC LAMINATING BUSINESS at home in spare time. Material that costs 11½ brings back \$2.58. No canvassing or selling but hall orders bring in \$20 a day. Write for full particulars FREE. Rush name on postcard to WARNER, Room CL-235J, 1512 Jarvis, Chicago 26, Ill.

Move up to more sales. Reach over 200,000 a tive, interested, money-spending readers Modern Photography through your ad in the columns. Try a low-cost ad in our next issu immediate results.

costumes

SKYSCRAPER-HEEL Shoes! Photo Catalog. \$1.00. Finecraft, Box 442-M, Hollywood 28, Calif.

canvas enlargements

From your pictures, transparencies, negatives, drawings, film, we will make enlargements to any size on genuine linen canvas. Exclusive KELLY process guaranteed not to crack or peel. Original light shadow and half-tone faithfully reproduced with the right proportions. Ready for painting or mounting. Price list on request. Kelly Corporation, 157 South Franklin Avenue, Valley Stream, L. I., N. Y.

car emblem

New, reflective metal car emblem. Introduce yourself \$2.00. Refundable. Stadre, Whitestone 57, N. Y.

Classified Ads...

Classified Want Ads may be inserted in MODERN PHOTOGRAPHY by any reliable individual, camera dealer, or specialty house. To avoid chance of error, submit copy typed. Terms: 70¢ a word. Each word, including each item in the address, counts as one word. 10¢ additional for each word in Capital letters. Send cash with order. 5% discount for 6 consecutive insertions, if entire bill is paid in advance. Forms close on the 15th of the third month preceding date of issue. For examples: September 15th is deadline for November issue.

cameras & accessories for sale

ONE OF WORLD'S LARGEST CAMERA TRADING CENTERS—Cameras, lenses, accessories—purchased, sold, traded—new-used I SUNDAYS 11-2 pm, Daily 10-7 pm. CHROMOPTICS, 943 N. State, Chicago 10.

VISITING? Jay Reed's really well-stocked, worth seeing! Free guidemap available, write: CHROMOPTICS, 943 N. State, Chicago 10.

"1961 CATALOG Over 500 Illustrations Sensational Savings! Send 25¢ Olden Camera, 1265 Broadway, New York 1, N. Y."

JAYREED'S Desires Opportunity to Undersell! Tremendous, top-quality, namebrand store, well-stocked specialists, offering immediate-action service, under-sells when told what prices to underbid! Chromoptics, 943 North State, Chicago 10.

CAMERA FANS: Don't Buy that camera or projector until you see our 1961 Giant Photo catalog—all standard brands. King For Price, Box 5, Monsey, New York.

MECAFLEX, unique single-lens reflex, equal to new. With 3 Kilfitt lenses: 40mm f/3.5, 100mm f/4, Macro-Kilar D 40mm f/2.8. Value \$340; sacrifice for \$150. N. M. Grossman, 250 First Avenue, New York 9, N. Y.

CHICAGO VISITORS—if you like cameras, stop in for a "look" or a free cup of coffee. We're friendly here, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

CHICAGO VISITORS—see a "real" camera store, see ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

IF IT'S JUNK—we won't sell it. A customer is more important than one sale, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

REMEMBER—ALTMAN is a TRADER, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

LINHOF HEADQUARTERS in the MID-WEST, ALTMAN'S, 16 S. Wabash, Chicago 3, 111.

CATALOGS and PROMISES everyone has—but ALTMAN'S has the merchandise IN STOCK NOW for immediate delivery, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

IMPATIENT? want immediate delivery? try the truly well stocked camera store, try ALT-MAN'S, 16 S. Wabash, Chicago 3, Ill.

REMEMBER—ALTMAN is a TRADER, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

28mm F3.5 Nikkor in Leica screw mount— ALTMAN sale price \$54.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ili.

35mm F2.5 Nikkor in Leica screw mount— ALTMAN sale price \$49.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

CAN YOU TRUST A MAIL ORDER CAM-ERA FIRM? You can trust ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

OF COURSE—the BEST DEALS are made over the counter. Get the ALTMAN PRICE on that next trip to Chicago, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

85mm F2 Nikkor in Contax mount—ALTMAN sale price \$59.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is too big to "play games." We say what we mean and mean what we say, ALT-MAN's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is NOT a LOFT with a CATA-LOG. Our store is one of the largest, finest, and most respected in photographic retailing. Deal with a responsible firm. Get what you order, at the price quoted, and promptly, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill. IT'S NOT FAIR—to advertise merchandise in stock at the time an ad is written when this ad will not appear in the magazines until about 2 months later. The particular item may be sold in the interim. What are your requirements now? Let us advise availability and price as of right now, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

4 x 4 BABY ROLLEIFLEX, F3.5 Xenar, ALTMAN SALE price \$68.50 with case, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, III.

WEBCOR MICROCORDER—the ultimate in miniature transistor tape recorders, push button controls, good sound, dependable performance—\$175 value, ALTMAN sale price \$119.50 with 10 rolls of tape, brand new, we pay shipping, ALTMAN'S, 16 S. Wabash, Chicago 3, Ill.

wanted to buy

IMMEDIATE AIRMAIL PAYMENTS— One of The World's Largest Camera Trading Centers offers TOP PRICES for Cameras, Lenses, Accessories in excellent condition! CHROM-OPTICS, 943 N. State, Chicago 10.

SEND US YOUR FINE CAMERAS, LENSES, ACCESSORIES. We will send cash or make offer immediately. Specify cash or price quotation. Return postage guaranteed, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN URGENTLY NEEDS FINE USED CAMERAS, LENSES, ACCESSORIES. If you want to deal with one of the largest and most respected firms in photographic retailing, and want prompt action, send your equipment in or write for an offer, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is too big to "play games." You will get what we offer for your equipment—not a new and lower offer, once the equipment gets here, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN PAYS MORE, BICKERS LESS, REPLIES IMMEDIATELY, Altman's, 16 S. Wabash, Chicago 3, Ill.

ALTMAN'S is known for fast action, no delays, no stringing you along, Altman's, 16 S. Wabash, Chicago 3, Ill.

LARGEST CAMERA STORE IN LOS ANGELES WILL PAY MORE! Due to Our Tremendous Sales Volume, We Pay More Than Market Prices For Clean, Used Equipment. We Immediately Airmail Check Upon Receipt Of Merchandise And Wait 15 Days For Your Approval. Especially Interested In: Hasselblad . . . Linhof . . . Graftex Super "D" . . Leica M2, M3 . . Nikon "F" . . . Graphie View . . Rolleiflex . . . Superikonta "A" and "C", Etc.; also Lenses for above cameras. HENRY'S CAMERA, 516 WEST EIGHTH ST., LOS ANGELES.

Hundreds of thousands of dollars in merchandise are sold each year through these classified columns. Here's a proven, low-cost way to sell what you have. Try an ad now for fast, prompt results.

camera repairs

FOREIGN-DOMESTIC CAMERA RE-PAIRS: 15 years experience with inventor of Contax (Zeise) assures 100% efficient service by highly qualified technician. Internal synchronization installed on Contax, Leica, Rollei, etc. Factory authorized Service Station for most American manufacturers. Strauss Photo-Technical Service, Inc., 930 F Street, N.W., Washington, D. C.

FOR SPECIALIZED CAMERA REPAIRS. Camera Technicians, Inc., 115-17 West 31 Street, New York 1, N. Y. WRITTEN GUARANTY— FREE ESTIMATES.

EFFICIENT—FAST—INEXPENSIVE: All Makes Cameras, Movie Cameras, Light Meters, Binoculars. Free Estimate. Modern Technical Supply Co., Dept. MPH, 55 West 42nd Street, New York 36, N. Y.

photo supplies

ALBUMS! Wedding, Commercial. Photographer and customer's names in gold. MOUNTS, Sales Aids. Free catalog! Crestwood, 3601 West 71st, Prairie Village, Kansas.

PHOTOMOUNTS: Send \$2.00 large assortment Folders, Easels. WEDDING ALBUMS. Wholesale Price Lists. Robin Mounts, 245 Seventh Ave., New York.

35mm. film: magazines, bulk. Free catalog. FICOA-D Box 5811, Cleveland 1, Ohio.

PHOTO SLIDE MOUNTS, heat seal, highest quality patented construction. Various 2" x 2" sizes 50, \$1.00; 100, \$1.50. 2½" x 2½", 194" x 2½" and Stereo. 50, \$1.75; 100, \$3.00. Mailed postpaid in the U.S.A. Sample and brochure on request. Valview Photo Mount Supply, P.O. Box 767, Binghamton, N. Y.

Move up to more sales. Reach over 200,000 active, interested, money-spending readers of Modern Photography through your ad in these columns. Try a low-cost ad in our next issue. Immediate results.

color photo finishing

KODACHROME-EKTACHROME. Guaranteed Kodak processing—Prompt—8mm or 35mm 20 exp. \$1.40. Free list—mailers. Color Pix, Dept. M, CPO Box 30, Kingston, N. Y.

12 Exposure Kodacolor developed, enlarged prints \$2.00. 8 exposure \$1.50, reprints 15¢. Indiana Photos, Box #07 M, Muncie, Indiana.

Color processing by New England's oldest authorized color finisher. Wallet Size $10 \rlap/e-21/4 x 3 \rlap/4 - 25 \rlap/e-3 \rlap/4 x 4 - 35 \rlap/e-4 x 5 - 50 \rlap/e-5 x 7 - $1.00 - $x 10 - 1.50 . Ansochrome, Kodachrome, Ektachrome, dev&mtd \$1.25. 36 exp. roll mtd \$2.00. Kodacolor developing 65 \rlap/e, prints 25 \rlap/e e. minimum order \$1.00, no C.O.D. please. Guaranteed satisfaction or money refunded. Box 2222, U. S. Color Mart, Hartford 1, Conn.

photo finishing

Canadians professional and amateur custom finishing 4x5 15¢. Technophoto, 1481 Bleury, Montreal, Canada.

ENLARGEMENTS: 5x7, 30¢; 8x10, 40¢; 16x20, \$2.95. New negatives 60¢. Barzell, 1157 Elderwood, Anaheim, California.

MINOX—16mm-35mm films hand processed. Custom Processing, Box 1241, Tulsa, Okla.

Three 4x5 enlargements 25¢. Color prints 15¢. Color 35mm film \$1.25. 8mm's \$1.50; color processing mailer 75¢. Bi-Chrome, Berkeley Hts 36, N. J.

oil coloring

OIL COLORING PHOTOGRAPHS—A fascinating hobby or profitable sideline for those with artistic talent. Learn at home. Easy simplified method. Free booklet. National Photo Coloring School, 835 Diversey Parkway, Dept. 111B, Chicago 14.

ANY SIZE-\$1.00 Each. Benner, 299 E. 162 St., N.Y.C.

increase your sales at low cost. Your ad in the classified columns of Modern Photography puts you in fast touch with over 200,000 buyers. Try this provon method of selling and see for yourself.

special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, Sept. 15th is deadline for Nov. issue.

movies, movie film & titles

8MM—16MM KODACHROME MOVIES. Travel, Adventure, Wild Animals. Free Illustrated catalog, Colonial, 247D, Swarthmore, Pa.

"SURPRISE" assortment 8-MM colorful titles, \$1. Postpaid. Guaranteed. LeMoine Films, Nevada, Mo.

8mm-16mm Color and B&W film and supplies. Save \$\$\$\$. Free Catalog. Superior, 450 N. Wells, Chicago 10.

MOVIE CLASSICS. 8mm-16mm. Send stamp. Box 1463, Philadelphia 5, Pennsylvania.

MOVIE film! Free catalog! ESO-G, 47th Holly, Kansas City 12, Missouri.

FREE LARGE SALE CATALOG, FILMS, EQUIPMENT, COLOR TRAVEL, ADVENTURE. (Specials With Ad) NEW FILM. 8mm 200 ft. Official Cartoon, or Charlic Chaplin \$3.49. 16mm 400 ft. Sound Starring Cole & Cafloway \$5.95. Add 25¢ Postage. Full Length Sound Features \$16.50. Imperial, 34 Park Row, New York 38.

5,000 New—Used 8-16mm Silent—Sound Films. International-D, Greenvale, L. I., New York.

8mm, 16mm, camera film. Free catalog. FICOA-C, Box 5811, Cleveland 1, Ohio.

8 MM KODACHROME TITLE ASSORT-MENT \$1.00 Postpaid. Guaranteed Movie Title Service, 10128 Frankstown Rd., Pittsburgh 35, Pa.

STEREO movies on any projector \$4.95. Lists, Information free—SPI, Box 1155M, Sherman Oaks, Calif.

Hundreds of thousands of dollars in merchandise are sold each year through these classified columns. Here's a proven, low-cost way to sell what you have. Try an ad now for fast, prompt results.

photos, b & w slides

MOUNTED SLIDES 35mm 7¢ Optical Reductions 13¢. Kirwin Slidefilm Laboratory, Crystal Lake 1, Illinois.

2x2 Black & White slides mounted from any photo 35¢ or from any size B&W negative 15¢. B. J. Anderson, Box 26072, Indianapolis, Indiana.

color slides

MISSING TRAVEL SLIDES? We have them, 10,000 35mm standard size color slides of the U.S.A. and all over the world. Historic, scenic, exotic subjects featuring hard to get shots, matchless air views, restricted interiors, spectacular night scenes, maps and titles. Professional quality. Send \$.25 for 140 page catalog with 42 color illustrations. Henry Cobb Shaw, 105-2 Washington St., Boston 8, Mass.

COLORSLIDES, Travel, nature, etc. Free list. Sample 30¢. Kelly M. Choda; Box 15, Palmer Lake, Colorado.

FREE, color illustrated catalog color slides. Free title slides. 10¢ mailing charge, Inter-American Features, Jenkintown 13, Penna.

COLORADO Scenic, Railroad, Trolley slides by Thirty-Five Slides, Green Mtn. Falls, Colorado. Free Lists, specify.

50 Interesting, assorted slides, with mounts (unassembled) \$2.00. Sample, catalog \$.50. Sanford Co. (Established 1941) Lake City, Pa.

1961 Portland Rose Parade color slides. Set of four \$1.00. Set of twenty \$4.95. Byers Color Laboratory, Inc., 4033 S.E. Milwaukie Avenue, Portland, Oregon.

"17,000 subjects in stock offers wide choice and quick delivery. Production by Captain M. W. Arps, U. S. Navy, retired, insures satisfaction. 108 page Catalog United States, Canada, Mexico and Cuba, 164. If interested other countries, add 4¢ for each additional list. World-Wide coverage (100 countries). Roloc, Box 1715, Washington 15, D. C."

10 Slides \$1.00 Unconditional guarantee, HOP-SON 2524 Sichel, Los Angeles 31, Calif.

HAWAII—largest 35mm selection. Send \$1.00 for list and 4 sample slides. Also available, STEREOS and 8MM, 16MM HAWAII FILMS. Pacific Camera, Box 3683-M, Honolulu, HAWAII.

New Reduced Prices; famous collection of Color Slides. Sets of 6—\$1.00 per set. Over 1,000 sets, U.S.A. and foreign countries (also 5,000 individual slides). Send 10¢ for catalog. Universal, 132 West 32nd St., N.Y.C.

FIVE CENTS EACH! Sampler Assortment 20 Beautiful 35mm Scenic Color Transparencies \$1.00. Five samples 25¢ Mounts 36 for 50¢. SLIDE SUPPLY, Box 1031, Canton, Ohio.

AMERICA'S Largest Selection — Colorful Title, Map, Comic, Travel Slides. Exclusive! Free Illustrated Lists. Colonial, 247-D, Swarthmore. Pa.

ARTISTS—Photographers: Human interest subject references. Free Listings: Slides, Box 384, Chicago 90.

Tournament Roses 1961-Alaska-Mexico-Europe-Miami Beach. Ten Colorslides one Category \$1.00, 110—\$10.00. EDDINGS, 8-M Roberts, Corning, N. Y.

Collection of 10 color slides (35mm) of a subject \$1.75. Write for FREE list of subjects. Dept. P, PHOTO LAB., INC., 3825 Georgia Ave., Wash. 11, D. C.

BEAUTIFUL COLOR SLIDES 10¢ each select from hundreds. Send dime for sample and latest issue "Slide News." SLIDE SUPPLY, Box 1031, Canton, Ohio.

London-Paris-Tokyo-Rome-Madrid. Eight Colorslides one city \$1.00. All 48 \$5.95. EDDINGS, 8-M Roberts, Corning, N. Y.

1961 International Beauty Parade set of 55 (2x2) sparkling Eastman Color Slide \$12.00 postpaid. . . set of 20 slides \$4.95. 8nm color movies 100 ft. \$14.95, 16mm 200 ft. \$27.50. Colorslide, Box 1193, Studio City, Calif.

SENT ON APPROVAL! Complete your collection with the scenes you missed. Select from 8000 colorful 35mm slides of 88 countries—all as beautiful as your best originals. You name it, we have it—restricted interiors—Oberammergau 1960—exciting peoples of the Far East! Send 25¢ for the big 84-page, 8th edition Wolfe Catalog of Hi-Fi slides in true, living color. For more than 10 years Wolfe slides have been SENT ON APPROVAL—THEY HAVE TO BE GOOD! Wolfe Worldwide Films, Dept. 4101, 1657 Sawtelle Blvd., Los Angeles 25.

CALIFORNIA Color Views-Free Catalog. KVA, Box 111-U, San Dimas, California.

THOUSANDS beautiful slides. New catalogsample 10¢. Riviera, Box 34-1303, Coral Gables, Fla.

ARTISTS—Photographers: Human Figure Subject References, Listings: Slides, Box 384, Chicago 90.

schools and instructions

Make Money in Photography. Ten Chapters tell How. Free details. Paramount, Box 524, Hutchinson, Kansas.

PHOTOGRAPHY FOR PLEASURE or profit. Learn at home. Practical basic training. Long established school. Free booklet. American School of Photography, 835 Diversey Parkway, Dept. 2127, Chicago 4, Illinois. BIG Money in Photography! Train quickly at home or in New York in America's largest photographic school. Veteran approved. Send for Free Illustrated Book. New York Institute of Photography, Dept. C-117, 10 West 33 Street, New York 1, New York.

LEARN Retouching. Complete. Home Study Course including all equipment. Easy payments. Money Back Guarantee. Full Price \$27.50. Write for Free Literature today. A-1 \$475, Dept. A, 3944 West Lawrence, Chicago 25, Ill.

Become a telephoneman, experience unnecessary, details free. Occupations Unlimited, 1100 Reeve, Santa Clara, Calif.

business opportunities

TRANSPARENCIES Wanted! Up to \$500.00 each. For information write: American Color, 1008 N. Stanley Ave., Hollywood 46, Calif.

Make \$25-\$50 Week, clipping newspaper items for publishers. Some clippings worth \$5.00 each. Particulars free. National, 81-MP, Knickerbocker Station, New York 2.

Sell POSTCARDS and BUSINESS CARDS from your PHOTOS. Postcards \$5.00 for 250, \$11.00 per Thousand. Large Market—Good Profits. Write R. Boberg Co., Northside, La Crosse, Wisconsin.

SELL YOUR 16MM FOOTAGE. Your shots may bring \$1.00 a foot or more! List of top markets across nation. \$2.00. Metrics, 1757 N. Sedgwick, Chicago, Ill.

CAMERA Repairmen greatly needed! You can learn manufacturers' service methods at home, in your spare time! Free, big illustrated book tells how! Write today, National Camera Repair School, Dept. C-10, Englewood, Colorado.

miscellaneous

FREE Illustrated Hypnotism, Self Hypnosis, Catalogue. Write: Hypnotist, 8721 Sunset, Hollywood 46MP, California.

FREE Hypnotism, Self-Hypnosis, Sleep-Learning Catalog! Records, Tapes, Books, Courses, Equipment! Drawer MP-697, Ruidoso, New Mexico.

RECORDERS, HiFi. Free wholesale catalogue. CARSTON, 125-B East 88, NYC 28.

SELF-HYPNOSIS! New concept teaches you quickly by tape or LP-record. Free literature. McKinley Publishers, Dept. PM, Box 3038, San Bernardino, California.

VISOR PHOTO HOLDERS—For cars, Sample 25¢. Lewis Blong, 89 Morse Street, Newton 58, Mass.

EARN \$50.00 Fast, sewing aprons. Details free. Redikut's, Loganville 44, Wisconsin.

PICTURE POST CARDS Made From Your Photograph. 1000 \$12.00. Raum's, 4154 Fifth Street, Philadelphia, Pa.

MODEL RELEASES, 100—\$1.00, Model Releases, Box 28071, Dallas 28, Texas.

special savings for readers of Modern Photography

Do you want to sell your old camera or equipment? Are you looking for a hard-to-find photographic item? Want to make a good trade? Put your own personal ad in the Classified Columns of MODERN PHOTOGRAPHY. Special moneysaving rate, to private individuals only, of 50¢ a word, including name and address. Send cash or money-order with your ad. Forms close on the 15th of the third month preceding date of publication—for example, Sept. 15th is deadline for Nov. issue.

home movie fans

See the World in Color. 8mm-16mm. Kodachrome movies. Alaska, Hawaii, America, Europe, Africa, South Seas, U.S. National Parks. Also War and Rocket Test Films. 185 subjects. Low prices. Write World in Color. Box 392-MP, Elmira, N. Y. GET READY FOR THE SPACE and SCIENCE ERA! SEE SATELLITES, MOON ROCKETS



SCIENT BARGAIN and

FREE! FREE! SEND FOR GIANT 144 PAGE CATALOG "M" SEE BELOW!

NEW LOW PRICE FLASHLIGHT POINTER



. Point It Out With **Projected Arrow**

How many times have you wanted to follow motion picture action—or illustrate some piction—and couldn't reach the spot? Now you can put a bright arrow—anywhere on the movie or slide projected screen with the Flashlight Pointer that superimposes a sharply visible arrow—without distortion, and without getting in the way—on maps, screens and walls. This is a "must" for lecturers, salesmen, photo exhibitors, teachers, etc. Order yours today. today.

Stock No. 60,117-M......\$5.95 Postpaid

See the Stars, Moon, Planets Close Upl 3" ASTRONOMICAL REFLECTING TELESCOPE

Photographers! Adapt your camera to this Scope for excellent Telephoto shots and fascinating photos of moon!



Section Telephoto shots and fascinating photos of moont

to to 180 Power-Famous Mt. Palomar Typel An Unusual Buyl
See the Rings of Saturn, the
fascinating planet Mars, huge
craters on the Moon. Equatorial mount with lock on both
axes. Aluminizes.
Aluminizes the speed
(/10 mirror. Telescope comes
equipped with a 60X eyepices
and a mounted Barlow Lens.
Optical Finder Telescope in
cluded. Hardwood, portable
tripod. FREE with Scope:
272-page "HANDBOOK OF HEAVENS" plus "HOW TO
USE YOUR TELESCOPE" BOOK.

\$29.95 Postmaid

Stock No. 85,050-M\$20.95 Postpaid

LOOK! METROGON CAMERA LENSES EXTREME WIDE ANGLE, MULTI-USE Use for Opaque Projector, Copy or Telephoto, Transparency Projector, Reducer, Photo-Murais.



SPECIAL! Lens only from above, mounted in steel barrel 2%" O.D., 2.4" long for opaque projection. In this mount system is F 3.5. Stock No. 60,129-M

......\$22.50 Pastnaid METROGON WITH SHUTTER (1/50 to 1/300) and IRIS DIAPHRAGM f6.3 to f45 in 8" diameter mount.

Stock No. 70,477-M\$22.50 Postpaid

ove Your Retaining Rings—Disassemble Lenses, Cameras, etc.



ADJUSTABLE SPANNER WRENCH

Made for U.S. Air Force—available at a fraction of Government and camera cost. A top grade, versatile tool that every instrument and camera gas. Complete with aix different pairs of points to fit all incely plated. The finest tool we have ever come across this type of retaining ring work AND a real bargain at low price.

USE YOUR 35mm PROJECTOR AS A SPOTLIGHT!



10 Piece Set of 2 x 2" Slide Masks Project limited lighted areas, with 55mm slides and project parts of slides to create special light effects for photography, shows, displays, etc. Consists of 5 masks with holes \(\frac{4}{3}, \frac{

Stock No. 40.397-M



SPECIAL! SPECIA TERRIFIC BUY! AMERICAN MADE! **OPAQUE PROJECTOR**

Projects illustrations up to 3" x 31/2" and enlarges them to 35" x 30" if screen is 6/2 ft. from projector; larger pictures if screen is further away. No film or negatives needed. Projects charts, diagrams, pictures, photos, lettering in full color or black-and-white. Operates on 115 volt, A.C. current. 6-ft. extension cord and plug included. Operates on 60 watt bulb, not included. Approved by Underwriters' Laboratories, Inc. Size 12" x 8" x 41/2" wide. Weight I lb. 2 oz. Plastic case with built-in handle.

Stock No. 70,199-M

NEW BINOCULAR-TO-CAMERA HOLDER



FOR EXCITING TELEPHOTO PICTURES-WILL FIT ANY CAMERA

TURES—WILL FIT ANY

Bring distant objects 7 times neares with
a 55mm. camera, 7x50 binocular and
Local Comments of the comment

DOWN GOES THE PRICE ON WAR SURPLUS LENSES-



DOWN GOES THE PRICE ON WAR SURPLUS LENSES—

-AERO EKTARS AND TESSARS—NEW AND USED—

MITCH by Bausels and Lomb and Kodia at cost to the 20 cm.

Bitch by Bausels and Lomb and Kodia at cost to the 20 cm.

Cones . . . now you can have them for making Big Bertha Telesphoto Lenses or Cameras, Richest Field Wide Angle, Low

Obscuras, Copying Cameras or 48 power Table Top Telescopes, and the Cones of the Cones of

Above Lenses in cells—out of Cone and Diaphragm Stock No. 70,190-M

War Surplus American-Made 7x50 Binoculars



.....\$7.95 Postpaid

Big sav-Brand n e w ! Crystal

T power.

Every optical element is coated.

An excellent night glass—the
size recommended for satellite
trewing. Individual eye focus.

Exit pupil 7mm. Approx. Beld
at 1,000 yes. is 276 t. neutron
7 some investment of the control o

Stock No. 1544-M Only \$74.80 patpd. (Yax included)

6 x 30 Binoculars—similar to above and a terrific bargain. Stack No. 963-M \$33.00 pstpd. (Tax included)



BARGAIN-PRICED CAMERA SHUTTER

For only \$5.95 you get a shutter worth much more. Speeds are Bulb, 1/25, 1/75, and 1/200th. Iris Diaphragm: 2 to 16mm. Front threaded opening 22mm dia. Rear threaded flange 25mm dia. supplied with retaining

Stock No. 70,423-M......\$5.95 Pestpaid

NOW—A 6X PLASTIC VIEWER FOR CONVERTING 8, 16 or 35 MM MOVIE FRAMES INTO GIFT TRANS-



Never before an inexpensive plastic viewer like this, and you get a full of the plantic viewer like this, and you get a full of the form of the plantic viewer like the plantic viewer. Betweet the plantic viewer, and the plantic viewer, and prelatives and friends—and so inexpensive. Giff premium buyers and commercial public viewer and prelatives and friends—and so inexpensive. Giff premium buyers and commercial public viewer and prelative and friends—and so inexpensive viewer and prelative viewer and commercial public viewer and prelative viewer and prelative viewer and prelative viewer and viewer and viewer viewer and viewer viewer

CIRCULAR LEVEL VIAL

For leveling in all directions. Use it on top of cameras, or telescopes to get a fix on the horizon. When bubble is centered, base of instrument is level. Use it in the home for leveling appliances, for model making, train layout, etc. Diameter 1".
Sensitivity 48 minutes plus/minus 10% for each .1" movement of the bubble.

Stock No. 40,068-M Used......\$1.70 Ppd.

BRAND NEW! 8MM PROJECTION LENS CLOSEOUT

MADE BY REVERE TO SELL FOR MUCH MORE THAN THIS \$7.30 PHICE. Both wide more than the state of the

Stock No. 60,194-M.....\$7.50 Postpaid

American Made-Bargain Priced!

STEREO MICROSCOPE



TAKE PHOTOS of the MOON Through Your Telescope with EDMUND



Bracket attaches permanently to reflecting on refracting telescopes. Removable rod holds camera over eye-plece to take photo shots of citures of Moon . . . or terrestila telephoto shots of closests. White metal projection brackets 2854g rod, projection screen, screws, directions.

FOR FREE CATALOG-M

Bargainsi Optics for the Space Eral Huge selection of lenses, prism, war surplus optical instruments, parts and accessories. Telescopes, microscopes, binoculars, sniperscopes, science experiment it em s, math learning and teaching aids. Request Catalog M. EASV PAYMENT PLAN AVAILABLE



EASY PAYMENT PLAN AVAILABLES DETAILS WITH CATALOGS

ORDER BY STOCK NUMBER . SEND CHECK OR MONEY ORDER . SATISFACTION GUARANTEED! CO., BARRINGTON, NEW JERSEY

EXAKTA SPECIALISTS ...



Ihagee

presents

the new

Automatic German Telephoto Lens 135mm F3.5

Can't mention manufacturer's name, but it is highly respected onel Order one at the incredibly low price of.. BeLuxe Leather Case \$4.95 Ser, VII Filter Adapter \$4.50 Postage 95¢ Shade \$4.50

Variable Extension Bellows

Takes all Exakta lenses for close-up

At this time the lhagee Proxette Bellows is available ONLY from Seymour's.

Variable extension locks in place.

Twin rod construction for rigidity.

Replaces Extension Tubes!

Especially low Seymour-

SEYMOUR'S, the Exakta Specialists carry the World's Most Complete Inventory of Exakta Cameras and Exakta Accessories, Hard-to-find Exakta Accessories are easy to tind at Seymour's, the Exakta Specialists.

ORDER BY MAIL 15 Day Money-Back Guarantee

Have you seen our new Brochure on the incredibly brilliant

umilite Super Sensitive Focusing Screen Triples focusing accuracy. Thousands sold to enthusiastic Exakta owners.

Ask for free brochure, stating model no. of your Exakta



Compact Carry-All Case

Seymour Postage 95¢ 35mm F4.5 Genuine Steinheil Culmigon Wide Angle



Looking for a fine wide angle lens at a typical Seymour price? How can you go wrong at this figure? Seymour priced at only.....

Postage 65¢

Leather Case \$3.95

Just arrived!

Completely re-designed



IHAGEE Waist Level Hooded Viewfinder

with interchangeable focusing glass supplied with ground glass insert.

Seymour-priced1295

With rangefinder add.... 6.95 With Lumilite add 17.50



Carl Zeiss

50mm F3.5, preset

World's finest lens for close-ups and copy work.

> In Exakta mount Seymour priced

Postage 85¢

Leather Case \$3.95

priced at

priced at only Postage 95¢

Latest 1961 Exakta VXIIa with fully automatic

Isco Westrocolor F1.9 A wonderful Seymour Bargain, complete with PentaPrism, and Rangefinder.

NUMBER AND STREET.

Postal Charges..\$1.25



Thinking of buying an Exakta?

SPECIALISTS



350-D West 31st Street, New York 1, N.Y.

SEYMOUR'S, the World's Only EXAKTA SPECIALISTS, can supply your Exakta with the lens of your choice, equipped exactly as you want it (no more, no less!) at prices that reflect con-

centrated purchasing power. Large turnover assures you of latest factory-fresh cameras. Official papers and guarantee, of course.

EXAKTA OWNERS!

Be sure to have your name placed on our famous mailing list. It will keep you abreast of all new Exakta developments. It will bring you our unusual offers in Exakta accessories, lenses and related equipment. Get MORE out of your Exakta!

To	Seymour's, 350-D West 31st Street, New York 1, N. Y.
	Please ship the items which I have listed on the attached sheet.
	I do not own an Exakta. Please send me descriptive literature, price list, accessory list, and a sample copy of your Exakta News.
	I have an Exakta (Model Please send your Exakta News regularly; also send accessory lists and bulle- tins and put my name on your mailing list.
	I would like to trade equipment. I have listed the items I have and the items I want on a separate sheet attached hereto. PLEASE: If you are on our mailing list, check here
Ple	ase hand print or type name and address

ZONE

STATE

122

CITY.

MODERN PHOTOGRAPHY

SET

Truly Projec ever to precisi

feature

SETTING NEW STANDARDS OF EXCELLENCE AND VALUE THROUGH CREATIVE ENGINEERING



lowest priced professionalquality automatic movie

KEYSTONE "98"

Truly a triumph in engineering and manufacture, the Keystone "98" Projector is the first automatic 8mm projector of professional quality ever to be offered for less than \$100. See for yourself how the "98's" precision manufacture, all-metal construction and many de luxe features make it the projector buy of your lifetime.

SELF-THREADING Auto-Thread guides film through projection cycle in 6 seconds.

ONE-KNOB CONTROL Off-on, forward, reverse, bright still and fast rewind. Inner knob speeds up and slows down action.

NEW PROJECTION CONCEPT Low wattage Tru-flector lamp is brighter, yet cooler than 500 watt lamps.

WIDE-ANGLE LENS Sharp f1.6 Magnascope Lens projects brilliant full-screen image at only 13 feet.

DIE CAST ALUMINUM BODY AND COVER Fully geared reel arms, all-metal construction.

OTHER FEATURES: Tilt adjustment. 400-ft. reel capacity (a half-hour show). Precision focusing knob. Room lamp switch. Full-year guarantee registered in your name, on all Keystone Cameras and Projectors.

Less than \$105. See your dealer for exact retail price.

For free booklet write Dept. F-63.

KEYSTONE CAMERA CO., Inc., Boston 24, Mass.





Faster and better...

The facts about Kodachrome II Film

Speed: 2½ times as fast as regular Kodachrome Film. Exposure indexes: Daylight, 25; Type A, 40. You can stop down your lens for greater depth of field. Shoot in less light or at faster shutter speeds. All with a definite improvement in picture quality! Sharpness is increased, grain even further reduced to record even finer detail—particularly important to 8mm users. Color rendition is improved. Bright colors—reds, greens, yellows—are more vivid, pastels cleaner. Contrast is lower. Slides and movies reproduce a greater range of brightness with more detail in highlights and shadows. Exposure latitude is wider. It's hard not to get a pleasing rendition of the color you see. Available in 135, 828, 8mm and 16mm sizes,* in limited quantities. Larger quantities will be coming. Priced slightly higher than regular Kodachrome Film. If your dealer is out of stock, please ask for it again.

EASTMAN KODAK COMPANY, Rochester 4, N.Y.

UR /

CHE

D FL

CH F

R BF US B

VERI

EA F OL E

AST Y

PICT

MARS

CAL



*For still cameras Kodachrome II Film is available in Daylight Type only. It can also be used indoors with blue flashbulbs or electronic flash. Both Daylight and Type A are available for movie cameras.